

# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.




Tat

# TAIT'S 1903

Department of AGRY,  
Washington, D.C.  
Department of Agriculture

## CATALOGUE

OF




# THOROUGHNBRED




# George Tait & Sons,


# NORFOLK, VA.







TAIT'S DWARF GREEN CURLED SCOTCH KALE.—"In 60 acres not an impure plant."



# George Tait & Sons'

Catalogue of **FIELD  
AND GARDEN**

# SEEDS


Thirty-Fourth Edition



**WAREHOUSE**

No. 78 Commercial Place,

**Norfolk, Va.**



**S**HIPPING facilities now make the best stores in the United States convenient to everybody, and the residents of remote districts have it within their power to buy many things quite as satisfactorily as those who live in the centers of trade. A gardener, for instance, no matter how far his home may be from Norfolk, stands, in the matter of seed supplies, on the same footing as the truckers of the great market-gardening section surrounding this city, the only difference being that whereas these are able to get the seeds on the day they send to us, you at a distance may have to wait a day or more. In every other respect you can, with the assistance this book will give, buy what seeds you need just as safely and intelligently as if you stood at our counters. Please note the following:

**WE PAY THE POSTAGE** upon all vegetable and flower seeds at catalogue prices, but our customers must note the prices of peas, beans, corn and onion sets when sent by mail.

**WE PAY EXPRESS CHARGES** upon all vegetable and flower seed orders for which cash is sent at prices in descriptive list, but our customers must note the prices of peas, beans, corn and onion sets when sent by express.

**DO NOT FEAR DELAY**, should you be unable to order before the busy season. Orders are almost invariably forwarded on day of receipt, unless held for arrival of the new crop of seed, and customers may rely upon immediate attention at all times.

**WE GUARANTEE THE SAFE ARRIVAL** of every package we send by mail or express. If a package fails to arrive within a reasonable time, we should be informed, the date of order being given. Seeds sent by freight are at the risk of the purchaser.

**NO DRAYAGE IS CHARGED** for delivering to railroads or steamers.

**THE CONVENIENT ORDER SHEET** which is furnished with the catalogue should always be used, and we will take pleasure in supplying duplicates whenever requested.

**THE NAME AND ADDRESS** of the correspondent cannot be too plainly written. We are constantly receiving orders the signatures to which are positively illegible, and the name is sometimes altogether omitted.

**REFERENCES ARE REQUESTED** from those unknown to us unless cash accompanies the order.

**SMALL ORDERS ARE WELCOME**, if only for a ten-cent package, but those for less than a dollar must be accompanied with cash for the full amount, it being impossible to burden our books with such accounts.

**REMITTANCES MAY BE MADE** by Postoffice Money Order, Registered Letter, Draft or Express. Stamps can readily be utilized by us, and we accept all denominations in payment of small bills.

**C. O. D. SHIPMENTS** will not be made unless the purchaser sends cash for one-fourth the value of the order as a guarantee of good faith. We cannot deviate from this rule, and requests for such shipments without cash enough to protect us against loss will merely delay filling of the order.

**WE MAKE PROMPT CORRECTION** whenever notified of mistakes, although such rarely occur in our perfectly systematized business. It is our desire to be informed of anything unsatisfactory to the purchaser. A word of explanation will often prevent misunderstandings. Never return seeds before communicating with us.

**WE ANSWER QUESTIONS CHEERFULLY** about anything connected with seeds, and are always pleased to help our customers whenever we can. We particularly request, however, that all such questions be written on a separate sheet of paper.

**GEORGE TAIT & SONS,**

Norfolk, Va., January 1, 1903.





SUCCESS in gardening is, to a considerable degree, dependent upon the eligibility of the location, it is worth while to select carefully the most favorable spot at command. The sun should reach all parts of it, and a light loam which is not apt to bake into a hard crust after heavy rains will be found best. If naturally very stiff and close, it may be gradually mellowed by a liberal use of stable manure, or by working in vegetable matter of any kind.

Do not spare the manure, only be sure it is thoroughly rotted. Vegetables of delicate flavor cannot be raised from rank, fresh manure. Liquid manure is of the greatest value, the famous gardeners of Japan using fertilizer almost exclusively in that form, even in the case of their largest field crops.

In sowing seeds it should be remembered that seeds sown too early are apt to produce not only an inferior crop, but often a later crop than if put in the ground at the proper time. The suggestions given in this catalogue as to the time for sowing are a safe guide, but judgment must of course be exercised; seasons vary greatly in different years. Remember that, as a rule, seeds do one of two things immediately after planting—they grow or they die. In general, seeds should be covered according to their size, the character of the soil, and with due regard to the advance of the season. Rolling, or some substitute for that process of firming the soil over the seeds, greatly facilitates the germination of almost all kinds of seeds.

Sow as much as possible in rows or drills. In this way the plants may be easily recognized as they come up, and may be thinned and cultivated most conveniently and cheaply.

Transplanting should be done, if possible, about sunset. If done immediately before or during a shower, the plants will be much benefited. Most plants can be taken up from the seed-bed with little injury to the root if handled carefully, and success depends largely upon this first step. Make the hole with a dibble, insert the root, pour a little water about it, and press the earth carefully but very firmly around the stalk. If convenient, shade for a day or two if the weather be hot.

For all gardeners who appreciate early vegetables, the hot-bed is a prime requisite. Seeds of such kinds as endure little cold may be sown in hot-beds very early in the season, so that by the time it would be safe to sow in the open ground the plants are well established, and, in the case of many varieties, nearly ready to begin fruiting. A serviceable hot-bed may be made at very little cost. Take tongued and grooved boards enough to make a frame six feet wide and as long as desired, putting them together at the corners with hooks and staples or by nailing to corner posts. The back of the frame should be two feet high, sloping down to eighteen inches at the front. Subdivide the frame with cross-strips three feet apart, so as to support sash of the regulation size. These can be bought ready-made more cheaply than they can be made at home. Dig the pit a foot wider than the frame, making it two feet deep, and boarding up the sides to prevent falling of earth. The bed proper is made of fresh stable manure not more than six weeks old heaped into the pit until it is above the level of the ground, and made firm and level. Set the frame upon this, water well, and put sash in position. As soon as the heat rises, which will be indicated by steam upon the glass, remove the sash and fill in on top of the manure with eight or ten inches of fine sandy garden soil, spreading it smoothly and evenly. The glass is then replaced, and when the bed is warmed again the seeds are sown broadcast or in drills.

Water every evening with tepid water, unless there are evidences of excessive moisture. When the plants appear admit the air freely, except in freezing weather, to prevent them from "damping off." In frosty weather air may be given in the middle of the day by simply raising the sash at the back an inch or two. Cover at night when the temperature is very low with straw or mats. As the plants grow strong accustom them gradually to the air by taking the sash entirely off during the day, and only partially closing them on mild nights. After the season is over, the sash may be stored away from the weather.



The words "THOROUGHbred SEEDS" are the exclusive property of Geo. Tait & Sons, by authority of the U. S. Patent Office, and their use by any other persons in connection with the sale of seeds is an infringement of copyright, which renders the violators liable to prosecution. ❀ ❀ ❀



THE prices here given we agree to deliver at any Post or Express Office all orders which are accompanied with cash for the full amount.

Special prices will be named to market gardeners who buy in very large quantities. We are in a position to compete as to prices with any responsible firm in this country, and beg to call the attention of Southern farmers to the fact that our situation and the extraordinary shipping facilities of Norfolk give us a great advantage over all Northern houses in the matter of quick delivery.

A thorough system of testing is applied to our seeds to ascertain their vitality, and this must be shown to be of satisfactory vigor before they can leave our warehouse. These tests are made not merely once in the year, but are constantly repeated, and our customers are thereby protected against any uncertainty of germination. Whenever seeds purchased from us fail to germinate properly, it is owing to the manner in which they are planted, to unfavorable soil or seasons, or to their destruction by insects.

Important varieties are grown directly under our personal supervision, and all others are procured from the most reliable sources of which we have knowledge.

As we have reason to believe certain unscrupulous dealers make a practice of trading upon the reputation of our house by selling as ours seeds of entirely different quality, we beg to again caution those who order Tait's Seeds through their local stores against accepting any packages which are not protected by our well-known red seal of the thistle blossom. This caution does not apply to the small yellow five and ten-cent packages, these being sealed in packages containing one dozen papers. They will thus protect not only us, but themselves as well.

We are obliged to list many kinds of vegetables which are of comparatively inferior value, there being always a demand for such from certain customers unacquainted with the finest varieties. We are careful, however, to point out the inferiority, and our readers will do well to be guided by our experience.

## ASPARAGUS.

(*Asparagus Officinalis*.)

✓ **MAMMOTH WHITE COLUMBIAN.**—This beautiful asparagus came from the old Conover's Colossal, but is distinct in the shape of the stalks as well as in their color. These are clear white without the least artificial blanching, and changeless in color as long as fit for the table. The color should make it much sought after in all markets, particularly by canners. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

Churchland, Va.—I find my Columbian Asparagus growing larger and more prolific every season. L. J. AMES.

✓ **CHARLESTON, FRENCH OR PALMETTO.**—Since this fine variety was introduced we find little demand for the Colossal and the other old stocks of asparagus. It is a rapid and even grower, very regular in size, and keeps in excellent condition long after cutting. With its immense stalks and bright green color it makes a most attractive and salable bunch, and most of our best truck-farmers now use it exclusively. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

Franktown, Va.—I have been using your Palmetto Asparagus for the past eight years with great satisfaction. A. E. DENNIS.


✓ **DONALD'S ELMIRA.**—This is considered an excellent sort, but it has not been popular anywhere in the South. The stalks are large and of good quality. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.



**BARR'S MAMMOTH.**—Although not used to any extent in the South, this is one of the favorite sorts in the neighborhood of Philadelphia. The stalks, which are large and tender, are of a light green color and have very few scales. It grows very rapidly, but is not so productive as the Columbian White or Colossal. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**CONOVER'S COLOSSAL.**—The standard variety up to the introduction of the Palmetto, but now little used by large growers. It is very productive, but is too inferior in size to be profitable in competition with the Palmetto. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.

**CULTURE.**—An ounce of asparagus should produce 500 plants, and is sufficient for sixty feet of drill. Sow the seed in the fall or early spring in rows one foot apart and one inch deep, having previously soaked the seed twenty-four hours in warm water. When up and large enough to be handled, thin out the seedlings to three or four inches in the row, reserving only the most vigorous. The young plants are easily choked out by weeds and grass, and the ground must be well worked during the season. Transplant the following spring into beds previously prepared by trenching to the depth of two feet, filling in the trench with rich manure thoroughly mixed with the soil. For convenience in cutting, make the beds about four and a half feet wide, with walks between, and set the plants in rows one foot apart each way, the crown of the plant four to six inches under the surface of the beds. Every autumn after the stalks are cut down, cover the bed with a heavy coating of manure, and in the spring dig this under with a fork, taking care to avoid injury to the roots. Cutting may be commenced when the bed is two years old, and the bed, if well cared for, should last for ten or twelve years. Do not cut too closely, as the health of the roots requires some foliage during the year. By increasing the distance between the crowns, asparagus of extra size can be grown; and when this is desired the rows should be five feet apart, with four feet between the roots. Too much manure cannot be given, and in most places an occasional dressing of salt will be found very beneficial.



White Columbian Asparagus.

**ASPARAGUS ROOTS.**

In response to requests from many of our customers we are now offering Asparagus Roots. These are grown by one of the best gardeners in New Jersey from choice seed stocks, and will be found fine, strong two-year-old roots. Six thousand to seven thousand plants are required to the acre, according to the number of rows made. We will have pleasure in making specially low quotations to buyers of large quantities, and are prepared to fill the largest orders. A family of ordinary size will find 100 roots sufficient to keep it supplied with asparagus during the season, and the bed need not take up more than five hundred square feet.

*Autander, N. C.*—The Asparagus Roots were the finest two-year-old I ever saw. Many thanks for the care you displayed in filling my order.

*Berkey, Va.*—The Palmetto Asparagus Roots you furnished me were very fine.

THOS. G. WOOD.

B. F. GIBSON.



✓ **PALMETTO**, \$1.00 per 100; prepaid by mail or express, \$1.25 per 100; \$5.00 per 1,000 F. O. B. Norfolk.

✓ **CONOVER'S COLOSSAL**, 60 cts. per 100; prepaid by mail or express, 85 cts. per 100; \$4.00 per 1,000 F. O. B. Norfolk.

✓ **MAMMOTH WHITE COLUMBIAN**, \$1.00 per 100; prepaid by mail or express, \$1.25 per 100; \$5.00 per 1,000 F. O. B. Norfolk.



French Globe Artichoke.

come into bearing until the second season, but if properly cultivated will continue to yield for many years. The plant will become exhausted if the heads are allowed to ripen, so that these must be cut off as they appear, even if not wanted for use. Should the plants show signs of deterioration by an unsatisfactory yield, it is advisable to make a fresh start with seed, or offshoots may be used to make a new bed.

### ✓ **ARTICHOKE ROOTS.**


(*Helianthus Tuberosus*.)

The artichoke best known in this country is the Jerusalem Artichoke, the roots of which are the edible portion of the plant. These grow in the form of large tubers, and are not only good for table use when boiled or pickled, but furnish also an excellent food for hogs, being very fattening. Nothing is more easily and cheaply grown than a crop of artichokes, and their productiveness is evidenced by the fact that the yield is said to often exceed two hundred barrels to the acre. They are planted in much the same way as Irish potatoes, the tubers being cut to any desired number of eyes, one being enough. The rows should be not less than three feet apart, with two feet between the hills. Planting may be begun as early as April 1st. After the crop has matured hogs may be simply turned into the field and left to take care of themselves. From two to three bushels are required to plant an acre. Per lb., 25 cts.; prepaid by mail or express, 35 cts.; per bush., \$3.00 F. O. B. Norfolk; per bbl., \$7.50 F. O. B. Norfolk.

### **BEANS—SNAP OR BUSH.**

(*Phaseolus Vulgaris*.)

Price Per Bushel will be Furnished on Application.

Especial attention is called to the fact that our quotations are for quarts in dry measure; these contain much more than the liquid measures commonly sold in the trade. 

### **WITH GREEN PODS.**

✓ **MAMMOTH STRINGLESS VALENTINE** ("Thoroughbred").—Of all the fine new varieties of green-podded beans this is certainly the earliest, the handsomest, the most prolific, and the best for the table. It has brought in many markets from twenty-five to fifty cents more per basket than any other kind, and as its quality becomes better known the demand should increase every season. Although showing plainly its parent stock, the Stringless Valentine is altogether distinct from the Extra Early Valentine, being not only absolutely free from "string," but at least one-fifth larger and decidedly earlier. Under equal conditions it will be ready for picking quite eight or ten days ahead of even Tait's E. E. Valentine. Per qt., 30 cts.; by mail or express, 45 cts.



*Norfolk, Va.*—The New Stringless Bean gave me a surprise at picking time. I thought for a time you had persuaded me to use a bean not nearly as good as the Extra Early Valentine, but I found it was all you represented it.  
J. T. LAMBERT.

*Churchland, Va.*—I can certainly speak highly of the New Stringless Valentine Bean, as my crop this season was splendid. They were very early and prolific.  
T. A. BIDGOOD.

*Portsmouth, Va.*—You may say anything you like about your New Mammoth Valentine Bean and I stand ready to endorse it, for no one could give it too much praise. I never saw a bean which at all compares with it as to quality, yield, and earliness.  
W. T. PARKER.

*Norfolk, Va.*—The Stringless Valentine made a magnificent crop of early beans and paid me handsomely. I think it the best green bean I ever saw.  
E. L. DIX.

*Portsmouth, Va.*—The Mammoth Stringless Valentine you recommended to me was the most profitable bean I had.  
J. L. OWENS.

*Churchland, Va.*—The New Stringless Bean was earlier than all the other green beans, and sold very much better. I was greatly pleased with it.  
L. J. AMES.

*Portsmouth, Va.*—The Mammoth Stringless Valentine Bean you sold me was the earliest and best bean I had, and brought the most money.  
R. M. BUNTING.

*Norfolk, Va.*—I find the Stringless Valentine superior to any green bean I have ever grown.  
E. F. CLARK.

*Dean's, Va.*—There is no bean which stands after picking like your New Stringless Valentine. I had a basket left from a shipment, and found that the beans were just as good for the table a week after picking as they were the first day.  
J. G. EBERWINE.

✓ **NEW STRINGLESS GREEN POD** ("Thoroughbred").—The pods of this new bean are unusually fleshy, of fine quality, and considerably larger than those of the Valentine, and it is also about a week earlier. Private gardeners will find it a delicious table bean, although we greatly prefer the Stringless Valentine. Per qt., 30 cts.; by mail or express, 45 cts.

✓ **EARLY MOHAWK**.—A very old bean which was once the standard early sort and is still grown to a limited extent by market gardeners in North Carolina on account of its ability to resist light frosts, its earliness and great bearing qualities. The pod is long, flat, but not tender, for which reason we do not recommend it for family use. Per qt., 25 cts.; by mail or express, 40 cts.

✓ **EARLY YELLOW SIX WEEKS**.—The rather misleading name of this bean is taken from the color of the mature seed. When grown on light, well-drained soils it is the finest of all flat green beans, but it is not recommended for general use, the round-podded sorts being of better quality. Per qt., 20 cts.; by mail or express, 35 cts.

*Beamon's Va.*—I tried this bean last spring by your advice, and am certainly satisfied with it. It is a very early kind, well shaped, and very productive.  
J. C. WILROY.

✓ **TAIT'S EXTRA EARLY VALENTINE**.—For more than twenty years our special strain of the Valentine has been one of the great trucking beans of the South, and it is still a favorite from Maryland to Florida, although the new stringless beans are now beginning to take its place, and will doubtless supplant it in a few years. It is nearly two weeks earlier than even the strains of Valentine known as "Improved"; is of finer quality and more uniform in ripening. The pods, which are very thick and fleshy, are set in great profusion, and the bearing period is remarkably long. No other bean is better adapted to fall cultivation, and large quantities are now sown every year in the latter part of August for a second crop. Per qt., 25 cts.; by mail or express, 40 cts.

✓ **IMPROVED EXTRA EARLY REFUGEE**.—This is an improvement upon the famous old "Thousand-to-One" bean once universally popular. It is an excellent kind for the fall crop, and is used for this purpose more than for spring planting. Our stock of this variety is greatly superior to the ordinary Refugee bean, being of better size and shape. Per qt., 25 cts.; by mail or express, 40 cts.

**WITH WAX PODS.**

✓ **CALIFORNIA BLACK WAX**.—This new selection from the Currie's Rust Proof Wax has been found especially adapted to this section, and in response to a general demand we planted a considerable acreage last season for seed. It is very like the parent stock in all its principal characteristics, but by many good growers is considered hardier and earlier as well as a prettier bean. A quality held in especial estimation is its ability to germinate and grow in cold, wet ground, usually so fatal to all kinds of beans. As beans must often be planted here under the most unfavorable conditions as to the weather, the value of this point is easily seen. Our stock is grown from the strain preferred by the leading bean-growers of Lambert's Point, Va., and we believe it will be found very superior to all others. Per qt., 30 cts.; by mail or express, 45 cts.

✓ **NEW WHITE WAX** ("Thoroughbred").—The name of this handsome bean is not taken from the color of the pods, as might be supposed, but from the clear white of the dried bean, the pods being a fine, rich yellow. The plate illustrating it in this catalogue gives a fair idea of the shape of the pod, but does not do justice to the remarkable productiveness of the

White Wax, the plant photographed having been grown in an extremely dry fall. Under ordinary conditions the number of the pods and their length show much more strikingly. It is hardy, and seems to possess every quality which could be desired in a wax bean except stringlessness and absolute freedom from rust. Under extraordinarily severe conditions it has occasionally shown more or less "spotting," but it is certainly the handsomest wax bean on the market, and we do not hesitate to commend it strongly. It should not be planted too closely, as the bush makes a strong growth and is apt to suffer for the want of ventilation and sunlight unless given somewhat more room than most kinds. Per qt., 30 cts.; by mail or express, 45 cts.


*Lambert's Point, Va.*—I have been growing the White Wax for several years, and consider it the best kind for my use. W. I. CONOVER.

*Norfolk, Va.*—I do not know any wax bean which can compare with the White Wax.

C. E. POWELL.

*Norfolk, Va.*—The White Wax is the handsomest wax bean I have ever seen, and yields best for me. T. J. LAMBERT.

✓ **GOLDEN EYE WAX ("Thoroughbred").**—The pod of this well-known variety is not nearly as handsome as that of the New White Wax or the El Dorado, but is smooth and straight, and has so far been exempt from that great enemy of wax beans, "the rust." It would be more generally planted if it were not such a light bearer, the yield being hardly half that of some varieties. Per qt., 25 cts.; by mail or express, 40 cts.



El Dorado Wax Bean.

curred its original popularity in the South. It ranks first in earliness, deserving especial consideration on this account, is most attractive in color, and bears more perhaps than any other kind of wax bean. The bush is noticeable for its sturdy, compact habit of growth, but it is only proper to state that the name "Rust Proof" is not altogether justified by its record regarding the disease. Although not unusually liable to rust, there have been seasons when it was badly damaged as a result of cold rains. Per qt., 30 cts.; by mail or express, 45 cts.

✓ **EL DORADO.**—All who admire the Currie's Rust Proof Bean will be greatly pleased with our fine selection from it known as the El Dorado. We have endeavored to eliminate as far as possible all tendency to rust, and also to still further develop its earliness. Wherever it has been introduced it has been very successful. Per qt., 30 cts.; by mail or express, 45 cts.

*Edenton, N. C.*—I like the El Dorado Wax Bean I bought of you last spring better than any I have ever planted. They came early, bore heavily, and stood transportation well.

W. B. SHEPARD.

✓ **IMPROVED KIDNEY WAX.**—We no longer supply the Kidney Wax to our home trade except in a small way, and consider large planting of it very unwise, as it is almost certain to become diseased in bad seasons. No bean is handsomer when perfect, its length and color being all that could be desired. Per qt., 25 cts.; by mail or express, 40 cts.

#### RUNNING VARIETIES.

— **KENTUCKY WONDER.**—This is probably the best of all the running snaps, as it is entirely stringless, and we recommend it strongly for trial. The pod, which is nearly round when young and of extraordinary length, has a tenderness quite its own and a delicious flavor. In addition to its pre-eminent quality it is also remarkable for the length of the bearing



EXTRA EARLY WHITE WAX BEAN.







season, as it is nearly as early as the dwarf snaps and continues to bear until frost. It must not be confounded with the Southern Prolific Bean, which is often sold as Kentucky Wonder, although much smaller and quite a fortnight later. Per qt., 45 cts.; by mail or express, 60 cts.

✓ **OLD HOMESTEAD.**—Apparently identical with the Kentucky Wonder described above.

✓ **DUTCH CASE KNIFE.**—An old variety which is early, very productive, and good as a snap or when shelled. Per qt., 40 cts.; by mail or express, 55 cts.


✓ **GERMAN POLE WAX.**—One of the most popular running sorts. It bears richly-flavored, stringless pods, and is used as a snap. Per qt., 40 cts.; by mail or express, 55 cts.

✓ **SPECKLED CRANBERRY.**—When green this bean makes a very tender snap, and is also excellent for shelling. Per qt., 40 cts.; by mail or express, 55 cts.

✓ **LAZY WIFE'S.**—A white-seeded variety which produces green pods of unusual length. It is very late in bearing. Per qt., 50 cts.; by mail or express, 65 cts.

✓ **SCARLET RUNNER.**—A beautiful climber, used largely for ornamental purposes, as it is of rapid growth, with handsome foliage and brilliant scarlet flowers. It will grow from twelve to fifteen feet high, and shows a constant succession of bloom during the summer and fall. As a table bean it is used both in the pod and when shelled, but it will be found rather coarse in flavor. Per qt., 40 cts.; by mail or express, 55 cts.

**CULTURE.**—A quart of bush beans will plant about 100 feet of drill, from 1¼ to 1½ bushels being allowed to the acre. A quart of running beans will plant about 150 hills. All varieties of beans, especially Wax, are very tender, and should not be planted in this latitude before the beginning of April. If a succession is desired, plant at intervals of about two weeks. Prepare the ground well, manuring lightly, and plant one inch deep in rows two feet apart. Allow two or three inches between the green kinds and about six inches between the wax. Keep well hoed, but avoid working the ground when it is wet or when dew is on the beans, as they will be likely to rust.




Golden Eye Wax Bean.

## LIMA BEANS.

(*Phaseolus Lunatus.*)

Price Per Bushel Furnished on Application.

Especial attention is called to the fact that our quotations are for quarts in dry measure; these contain much more than the liquid measures commonly sold in the trade. 



✓ **DWARF CHALLENGER LIMA.**—A veritable Dwarf Lima, growing only from twelve to eighteen inches high and possessing in full the delicious flavor characteristic of the genuine Challenger Lima. It is exceedingly productive, a single bush often producing from forty to fifty pods. The pods are short and unusually thick, displaying the seeds inside by prominent knobs, as shown in the illustration. They should be planted in rows two feet apart, with one foot between the hills, and one plant only should be allowed to grow in the hill. For shipment to Northern and Eastern markets this is by far the best of all Limas. Per qt., 30 cts.; by mail or express, 45 cts.



**BURPEE'S DWARF LARGE LIMA.**—This is of fine size, quite as large as the Running Large Lima, and is well flavored, but it is not absolutely true to the dwarf type. In productiveness it does not bear comparison with the Challenger, and it is not nearly so salable. Our seed is carefully grown from the best stock, but we advise those who want a Dwarf Lima to use either the Challenger or the Small Dwarf Lima. Per qt., 30 cts.; by mail or express, 45 cts.

**HENDERSON'S DWARF LIMA.**—Although of very small size, the beans of this new variety possess practically the same flavor as the running kind, and are borne heavily from early summer until frost. For those who do not object to the trouble of shelling small beans, this is perhaps preferable to the other dwarf kinds, since it is the earliest to come into bearing. Per qt., 30 cts.; by mail or express, 45 cts.

**DREER'S BUSH LIMA.**—Identical with the Dwarf Challenger.


**KUMERLE'S BUSH LIMA.**—Identical with the Dwarf Challenger.

**POTATO BUSH LIMA.**—Identical with the Dwarf Challenger.


**LARGE LIMA.**—The standard old Pole Lima, which needs no description, as every garden gave it a place before the introduction of Dwarf Limas. In very rich soil the vines often have a tendency to run too much, in which case we suggest severe pruning of the ends. This usually throws the energy of the vine into better production of pods. Per qt., 30 cts.; by mail or express, 45 cts.

**KING OF THE GARDEN LIMA.**—An improved Large Lima which has a larger pod and is more productive. The pods are borne in clusters and contain five or six beans each, the beans also being larger than those of the old variety. Per qt., 35 cts.; by mail or express, 50 cts.

**SMALL LIMA, SEWEE OR CAROLINA.**—This bean is now almost as well known as the Large Lima, although it was not at all appreciated for many years. It has a smaller pod, but is hardier and much earlier, and the flavor is decidedly more delicate. It is extraordinarily productive, bearing steadily until killed by frost. Per qt., 30 cts.; by mail or express, 45 cts.



Dwarf Challenger Lima.



Yellow Globe Mangold.

**CROSBY'S EGYPTIAN ("Thoroughbred").**—All truckers who are interested in extra early Beets should try this beside the Eclipse and Egyptian, as it has won great popularity in some

**CULTURE OF DWARF LIMA.**—Plant about the first of May in rows four feet apart and eighteen inches between the hills in the row. The same cultivation given snaps is required, and it must be remembered that the bushes cease to bear unless the ground is kept well worked around them. Like the Running Lima, the seeds rot easily if planted before the ground is warm.

**CULTURE FOR RUNNING LIMAS.**—It is necessary to have a rich, strong soil. They are more tender than snaps, and should never be planted until settled warm weather, the liability of the seed to rot if the ground is cold and damp being very great. The best time to plant is the last of April. In planting, first firmly place for supports poles ten feet long three or four feet apart each way, then put four or five beans, with the eye down, in the hill, thinning afterwards to two plants. Keep the ground clear of weeds. If the vines are too vigorous and slow to come in bearing, it is advantageous to stop their growth by pinching, the strength of the vine then going to make fresh pods.

## BEEF.

(*Beta Vulgaris.*)




parts of the East and the South, and is constantly making friends as it is introduced to new territory. It is really more like the Eclipse than the Egyptian in appearance, as it is quite roundish and much lighter in color than the well known stock from which it was selected. The tops resemble those of the old Egyptian, being few in number and very small. All the reports sent us by our customers in the great beet-growing section of North Carolina praise it in high terms. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

Portsmouth, Va.—The Crosby Beet pays me far better than any of the extra early kinds I have grown. C. L. SAWYER.

Washington, N. C.—I think very highly of the Crosby's Improved Egyptian Beet, and prefer it to all others for outside cultivation. THOS. H. BLOUNT.

**LENTZ EXTRA EARLY BLOOD TURNIP.**—This fine American selection is much liked by many truckers on account of its large size and handsome shape. Like the well known Egyptian Beet, it has a very small top, and may be grown very closely. Fully one-fourth more can be produced from the same space than of the ordinary Turnip varieties. The color is a fine, rich red, and the flavor excellent. It is claimed that the flesh retains its tenderness and sweetness long after most beets of equal earliness have become bitter and stringy. In this section it has been rather disposed to run to seed when forced. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.



Long Blood Beet.

**EXTRA EARLY ECLIPSE ("Thoroughbred").**—The handsomest of the extra early beets and a favorite everywhere. It is globe-shaped, of a fine blood-red color, and a very rapid grower, with small tops, the flavor being, perhaps, the most delicate of extra early beets. The foliage is purplish-green and the veins red. We consider the Eclipse one of the safest beets for a market gardener's first crop, although there are many growers who greatly prefer Crosby's Egyptian. Either variety will prove satisfactory. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.

**EXTRA EARLY EGYPTIAN ("Thoroughbred").**—This old standard variety is so well known that it is hardly necessary to say that it resembles the Flat Dutch Turnip in shape, and is deep red in color. Its earliness and hardness made it for many years the standard beet for early market use, but the Eclipse and the Crosby's Egyptian have now supplanted it to a considerable extent. A great number of bunches may be packed in one barrel or basket, as the tops are peculiarly small. It is sweet, crisp and tender when young, but soon becomes woody. Our strain of the Egyptian Beet is very superior, being very carefully selected, and we believe it to be the purest in existence. For years the leading Southern growers have cheerfully paid us the price asked for our fancy stock, although able to buy seed for much less. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.


**EDMOND'S EARLY BLOOD TURNIP.**—A market gardener's strain of very uniform shape, round, and with a single small tap root. The flesh is sweet and tender, and the skin blood red, with an interior of purplish red, shading to a lighter color around the circumference. The leaves are a bright green, waving in outline, and both ribs and stalk are dark red. This beet may also be planted very closely, and we can recommend it especially to those who want a long-keeping variety. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**EXTRA EARLY BASSANO.**—A beet nearly as early as the Egyptian, the flesh pink with white streaks, and the most juicy of all. As the flesh loses its color in boiling, it is less popular than it would otherwise be. The foliage is pale green with pink veins and stems, the tops being rather heavy. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**EARLY BLOOD TURNIP ("Thoroughbred").**—About ten days later than the extra earlies, the flesh being deep blood red, tender and of fine flavor. It is especially recommended for family use, though largely grown for local markets. Our seed of this variety is grown in America from the finest American stock, and every effort is made to secure a perfectly uniform, smooth and well-colored root. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**IMPROVED LONG SMOOTH BLOOD.**—An improved stock of the old long beet, which is large, well colored and highly prized by all for its keeping qualities. It grows with the root well under the ground and is very uniform in size, tapering symmetrically. The foliage is light green with dark red ribs and stalks. It is grown only for late use. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.


**WHITE SUGAR.**—Available for table use when young, but when grown fit only for stock and sugar making. Being very rich in nutritive elements as well as a heavy yielder, this is the most valuable field beet for cattle feeding, and we recommend it strongly for all who have use for such crops. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 40 cts.



Extra Early Egyptian Beet.



**VILMORIN'S IMPROVED WHITE SUGAR.**—Now that the cultivation of beets for sugar manufacture is receiving so much attention in the United States, we think it well to call the attention of those who are contemplating experiments in that direction to the necessity of using only the most suitable sort of sugar beet. Some kinds have nearly twice as much sugar as others, and it is this point which, other things being equal, should receive first consideration.



White Sugar Beet.

In this famous stock the percentage of sugar, when the beets are grown on suitable soil, will average from fifteen to eighteen per cent., and where it fails to produce a profitable crop no further experiments need be made. It is not so large as some other varieties, but is adapted to almost all soils, and can usually be relied upon to yield, with good cultivation, over ten tons to the acre. Under the best conditions, this amount would be largely exceeded. We shall be pleased to receive orders for any quantity. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.

**YELLOW GLOBE MANGEL-WURZEL.**—A stock beet, very large and productive. It keeps well, and is the best mangel for soils which are rather shallow. We feel that no words are too strong to use in urging all Southern farmers to devote more attention to the production of root crops. Mangels are of the greatest value for stock feeding, and can be grown at very slight expense. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.

**YELLOW OVOID MANGEL-WURZEL.**—This is entirely distinct from the Yellow Globe in shape, being intermediate between the long and round mangels. It is considered one of the best kinds for general use. The flesh is a pale yellow and remarkable for firmness. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.


**MAMMOTH LONG RED MANGEL-WURZEL.**—An improved strain of the Long Red which grows very large and well out of the ground. It has long, straight roots of a medium red color, and does best

on light soils. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.

**SWISS CHARD.**—This beet is not grown for its roots, the only valuable part of the plant being its leaf, the mid-rib of which is cooked in the same way as asparagus, and the rest of the leaf used as greens. Its tenderness and delicacy of flavor are dependent to a considerable degree upon the cultivation, and especial care must be given to keeping down weeds. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.

**CULTURE.**—One ounce is sufficient for 60 feet of drill, four or five pounds being allowed to an acre. For early crop, sow beginning of March, and for a succession, to middle of May.

For winter use the Blood Turnip and Long Blood are best, and should be sown about the middle of June. The stock beets require a longer season to perfect their growth, and must be sown early in May. Sow about an inch deep, in drills eighteen inches apart, thinning out afterwards to eight or nine inches in the drills. The field varieties in drills two feet apart, and thinning out to ten or twelve inches. To obtain very early beets for shipping, the Egyptian and Eclipse may be sown in a gentle hot-bed in December, the seedlings being transplanted to the open ground as early in spring as the season will permit, but under this system a large proportion may be expected to run up to seed before the root is fit for use. Beets require the soil to be deep and thoroughly worked with plenty of well-rotted manure, and the addition of a small quantity of salt will be found very beneficial away from the seacoast. Mangel-Wurzels and the Sugar Beets are greatly relished by cattle, and are cheap, wholesome, and excellent food. Our farmers could not do better than give their attention to these root crops. Six pounds of seed are put to the acre.



Swiss Chard.

## BROCCOLI.

(*Brassica Oleracea Botrytis*.)

**EARLY PURPLE CAPE.**—In its general habit broccoli resembles cauliflower, to which, however, it is much inferior in flavor. This variety is hardy, a fairly sure header, and seems to be the only one worth cultivating with us. Per pkt., 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.50.

**CULTURE.**—An ounce will produce about 2,000 plants. For main crop sow in April, in well pulverized and rich bed, covered lightly with fine earth. When the plants get sufficiently




strong transplant into deep, rich soil which has been trenched two feet deep and received a bountiful supply of manure, making the rows thirty inches apart and leaving the same distance between the plants. Give water plentifully at all stages of their growth.

**BRUSSELS SPROUTS.**

(*Brassica Oleracea Bullata.*)

✓ **FRENCH OR ROSEBERRY.**—We desire to call the special attention of our readers to this vegetable, which, although very highly esteemed in almost all parts of the world, has never been cultivated to any extent in the South. It will be found one of the most delicious products of the family garden, while for market it ranks with the most profitable crops. We import from France a fine strain, which has given the best results around Norfolk, and we offer it with confidence to those who wish to grow Brussels Sprouts. The stem often grows four feet high, and is crowned with Savoy-like leaves. This plant is remarkably hardy, and the small, round green heads produced on the stalk are improved instead of injured by frost. When properly cooked they melt in the mouth like the tenderest cauliflower. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 60 cts.; per lb., \$2.00.



Tait's Pilot Cabbage.

**CULTURE.**—An ounce will produce about 2,500 plants, and is sufficient for 300 feet of drill. Sow in May and transplant in July in rows eighteen inches apart, allowing one foot between plants in the row. Cultivate as for late cabbage, being careful to water freely in dry seasons. In the fall the leaves at the top of the stalk should be removed whenever they crowd the little heads.

**CABBAGE.**

(*Brassica Oleracea Capitata.*)

**Tait's Thoroughbred Long Island Stocks.**

ALL EXPERIENCED GARDENERS understand the necessity of using nothing but the finest cabbage seed obtainable, whatever the cost, and we have always found our own superb American stocks thoroughly appreciated in every section of the South.

✓ **THERE ARE MANY TRUCKERS,** however, who, being new to the business, have never yet had this lesson impressed upon them by painful experience, and we respectfully point out to them the folly of risking such an expensive crop for the sake of saving perhaps one dollar per pound in the cost of the seed. A pound of seed will furnish enough plants to set out two acres, and it is certainly not the part of wisdom to take any chances with an important crop in order to save fifty cents per acre.

ALL OF OUR CABBAGE SEEDS, with the exception of the Pilot and Tait's Extra Early, are grown in Long Island under our personal supervision, and we spare no expense or trouble to develop each sort to perfection.

**EXTRA EARLY.**

✓ **TAIT'S EXTRA EARLY PILOT.**—With the exception of Tait's Extra Early, which can hardly be said to form a head, this remarkable cabbage is the earliest in cultivation, being ready for market quite three weeks in advance of the Early Wakefield. The long, conical shape of the head allows nearly fifty per cent. more plants to the acre than of other cabbages, fifteen thousand being the usual number set per acre. The flavor is so exceptionally delicate and mild that it is well adapted for family gardens, although brought out especially for truckers, and all who grow cabbage at all should have a portion of their crop in this kind. It has very little tendency to go to seed unless the seed is sown too early in the fall, and bears long shipment finely. Although admittedly less hard than many of the later varieties, it is a not uncommon thing for the Pilot to sell for profitable prices when the Wakefield and similar cabbages fail to bring even the cost of shipment. For the first time in three years we have made a fair crop of the seed, but there will hardly be enough to last through the season, and early orders are advisable. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

Blacksburg, Va.—Tait's Extra Early Pilot Cabbage is more valuable in general characteristics than any other cabbage of its class. VIRGINIA EXPERIMENT STATION.  
 Amity, N. C.—No cabbage pays us as well as Tait's Extra Early Pilot. A. D. BRAWLEY.  
 Norfolk, Va.—I have had great success in growing your Pilot Cabbage. J. L. MASTERS.  
 Hampton, Va.—The Pilot Cabbage I bought of you last year was the finest thing I ever had. H. L. CROCKETT.  
 Norfolk, Va.—The Pilot Cabbage were wonderfully profitable, and I want you to be sure to save me at least a pound for the coming season. R. F. HURDLE.



*Raleigh, N. C.*—Tait's Extra Early Pilot Cabbage is, in our experience, the best of all the early cabbages for our use, as many more can be planted on an acre than others, owing to its upright, slim growth, and it is of the size that has been found to sell best in barrels.

NORTH CAROLINA EXPERIMENT STATION.

**NEW AMERICAN HARD-HEAD PILOT.**—An accidental cross of Tait's Pilot and the True Wakefield has produced a new extra early cabbage which is greatly liked by some of our local truckers. It differs from our regular stock of the Pilot in being much harder, more like the Wakefield in shape, and about ten days later in maturing; it is still earlier than any other hard-headed cabbage, and is certainly preferable to the Extra Early Wakefield, being both larger and earlier. We believe, however, that the original Pilot will always be found more profitable than either of these cabbages. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

*Hodge's Ferry, Va.*—I have been very successful with the New Hard-Head Pilot Cabbage and want a good deal for the coming year. L. M. COFFMAN.

**VERY EARLY FRENCH.**—Although a week later than the "Pilot," it is still an extra early, and often realizes better prices than larger but later kinds. It is of good size, shape and flavor, rather soft at the point, but will harden if given time to mature. We have been growing it for several years in Long Island, and those who know the French Cabbage only as it was at the time of its introduction from France will be surprised to find how much it has been improved in solidity and appearance, the tendency to rot having been practically eradicated. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.



Tait's Extra Early Cabbage.

✓ **TAIT'S EXTRA EARLY.**—An entirely distinct variety, with a short stem and low-spreading habit. The head does not form hard, but as there is no tendency to run to seed, it is admirably adapted for sowing in August, to be

cut during the winter and first of spring. Market gardeners in the vicinity of the cities of Washington and Norfolk have found its use in this way extremely profitable. The same result will probably follow its introduction in any place. For family use it is all that can be desired in an early cabbage, being tender, sweet and incomparably delicate in flavor. We regret to have to say that some seedsmen make a practice of substituting other cabbages for Tait's Extra Early, the Queen Cabbage being frequently so used. Buyers should accept no package of Tait's Extra Early which does not bear our red seal with the trade-mark of a thistle, as they will otherwise encourage fraud and injure themselves. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

*Norfolk, Va.*—I was about the first trucker to plant Tait's Extra Early Cabbage when it was introduced twenty-odd years ago, and still use it regularly every year. I have often made remarkable profits from the crop. C. A. SHIELDS.

*Norfolk, Va.*—I always do well with my Tait's Extra Early Cabbage, and shall want six pounds for this year's crop. J. C. HUDGINS.

**EXTRA EARLY JERSEY WAKEFIELD.**—This cabbage must not be confounded with Tait's True Early Jersey Wakefield, to which it is much inferior in point of size. It is, however, nearly a week earlier, and for that reason is grown to some extent by Southern shippers. It is of the regular Wakefield type in shape and firmness of head. We do not believe it offers as many desirable points as the Pilot, the latter being both earlier, larger and more productive to the acre. So great, however, is the confidence some truckers have in this little extra early that we know of cases where one farm will risk over half a million plants each season. Attention is called to the fact that our seed is American grown and sure to give better results than the French, commonly sold in the trade. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.



Tait's True Early Jersey Wakefield Cabbage.

**TAIT'S NEW MAY QUEEN.**—Two years ago we offered a new early cabbage, which we claimed would be found "the most notable introduction of recent years," and declared our confidence that it would "in time supplant all



the most popular varieties of early cabbage." The small quantity of seed we have been able to sell up to the present year was distributed as widely as possible, so as to have a general test, and the reports returned to us leave no doubt that we have again scored an extraordinary success. In shape the May Queen belongs to the best type of Early Drumhead, but there is no cabbage with flat head which at all compares with it in earliness, as it is only four or five days behind the True Early Wakefield. Being so much handsomer than any of the conical varieties, it of course finds a better sale in every market. It may fairly be said to combine the best qualities of both the Succession and the Jersey Wakefield, while it is at the same time far more solid than either of them. Perhaps its most valuable quality, however, is its unique freedom from rot in wet seasons, this characteristic being strongly in evidence during the spring of 1901, when rains were almost incessant, and all other kinds of cabbage were so damaged in shipment as to be practically worthless. One of the largest produce commission houses in New York assures us that when the cabbage market was at its worst he could on any day have sold at a high price five thousand barrels of the May Queen. In still one other respect also it is unequalled, this being the uniformity of heading. Nearly every plant begins to head at the same time, and a few cuttings clean the field. For the first time we have a good supply of the seed, and are able to fill orders for any quantity. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., \$1.00; per lb., \$4.00.

*Churchland, Va.*—Your New May Queen Cabbage pleased me very much this season. It has the finest head of any kind I have ever used, and I shall want it for the coming year. M. J. KILBY.

*Bad Axe, Mich.*—The seeds sent me last February were the finest I ever saw. The May Queen Cabbage were out of sight, as they grew so solid the worms could not harm them. I can truly say your seeds are all you claim them to be. H. H. WARREN.

*Sedgwick, Kansas.*—Your May Queen Cabbage was the most solidly headed cabbage we ever had, and did well in spite of the drought. D. ROSENBERGER.

*Norfolk, Va.*—Your New May Queen Cabbage made a very fine crop for me, making very regular heads and cutting more uniformly than any cabbage I have ever grown. L. W. T. LAND.

*New York, N. Y.*—The best cabbage which came on this market from Norfolk was the May Queen, as it was not only the only kind which came in good condition, but was also the most solid. HENRY PAPE.

*Norfolk, Va.*—I was very much pleased with Tait's May Queen Cabbage, and will send you some sample heads, so that you may see how handsome and solid they are. It paid me well. R. F. HURDLE.

*Churchland, Va.*—The new cabbage which you sold me last fall is remarkable in every respect. It headed up all at once, very hard, but did not go to seed at all, and carried perfectly to market when all my other cabbage rotted in the crate. J. A. HAMILTON.

**TAIT'S TRUE EARLY JERSEY WAKEFIELD.**

—This well-known cabbage has long been a favorite with market gardeners, and is still the principal variety cultivated by our truckers for early shipment. It has a hard, conical head, which matures immediately after the Extra Earlys, and is far superior to all cabbage of that class. In rainy seasons there is more or less trouble from the disposition of the head to burst as soon as it is thoroughly developed, but the True Wakefield has no other fault of any kind. Our strain of this cabbage is grown under our special supervision, by the most careful and experienced farmers in Long Island, and we believe that we are right in claiming that it is the finest type of Early Jersey Wakefield ever produced. Other excellent stocks of French and less successful American growth are to be had for a little lower price, but no market gardener can afford to be content with cabbage seeds which are no better than good. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

*Wanchese, N. C.*—I am very much pleased with the Wakefield Cabbage. Really I think two plants must come up from every one of your seeds. E. L. CAHOON.

*Tampico, Va.*—My experience with the cabbage seed bought from you was entirely satisfactory. J. W. MORRIS.


*Poolville, N. C.*—Please send my order for Tait's True Early Jersey Wakefield Cabbage. It is very important to have good seeds; this accounts for my buying from you, for I know when I get seeds from you they are all right. GEO. D. POOL.

*Bayford, Va.*—From the seeds bought from you I have the finest cabbage I ever saw. I wish I could have it photographed for you. T. W. TURNER.

*Newell's, N. C.*—I have bought Tait's True Early Jersey Wakefield Cabbage for some years and am very much pleased with it. C. L. MULWEE.

*Nashville, Tenn.*—I have found your Wakefield Cabbage very superior to any sold here. PILLOW HUMPHREYS.

**TAIT'S LARGE EARLY WAKEFIELD.**—A fine selection from the Early, four or five days later in maturing, and fifty per cent. larger. It possesses all the distinctly valuable qualities of the True Early Wakefield, and at the same time has no disposition to burst soon after the head is formed—an immense advantage for truckers. We consider it the very best early cabbage, but truckers must remember it is not in the extra early class. Many growers,



Tait's Victor Flat Dutch Cabbage.



however, claim that it is no later than the True Wakefield for them, and that it invariably finishes cutting before the smaller variety. Our seed is grown in Long Island under the most careful personal supervision, and we claim that this strain is superior to any in the trade. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

*Washington, N. C.*—You will notice that I am putting my whole crop of early cabbage in Tait's Large Jersey Wakefield. E. S. SIMMONS.


*Chadbourne, N. C.*—Your cabbage were certainly splendid. Mr. J. H. Bahrenberg, of New York, when he saw them at cutting time, said they were the handsomest ever grown. G. S. REID.

#### ✓ CHARLESTON WAKEFIELD.—


The Large Jersey Wakefield is known by this name in some sections owing to the fact that it has been grown more largely than any other cabbage at Charleston, S. C. It is described in the preceding paragraph. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

#### ✓ SECOND EARLY. SUCCESSION ("Thoroughbred").

The introduction of The Succession several years ago supplied a second-early cabbage which is nearly perfect except as regards hardness. It is not quite so early as the Newark Flat Dutch or Early Summer, but is much larger and superior in every point. Wherever it has had a trial, the best growers have accorded it the most practical endorsement, as is evidenced by their adoption of it as a crop in sections where second-early cabbage are profitable, and it has supplanted to a large extent all the popular old varieties. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.



Succession Cabbage.



Tait's Grand Duke Cabbage.

✓ IMPROVED VANDERGAW ("Thoroughbred").—A splendid strain of Flat Dutch originated by a Long Island market gardener and familiar in many places under the name of "All





TAIT'S SELECTED LOUISVILLE DRUMHEAD CABBAGE.





Seasons." It is a very sure header, of large size and compact growth, and has won high praise from farmers in every section, both as a second-early and for later crops. Every pound of seed we offer is Long Island grown. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **ALL HEAD ("Thoroughbred").**—One of the many Long Island selections of Early Flat Dutch and characterized by a compact, uniform head. It is an excellent variety for both family and market gardens, and deserves its popularity. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.



Tait's Louisville Drumhead Cabbage.

✓ **NEWARK FLAT DUTCH.**—This was once one of our most valuable cabbages to follow the Earlies, but as the Vandergaw and the Succession have been found superior in every respect, it is not generally used now. The heads are large and solid, and have the shape of the ordinary Flat Dutch. Being a cross between the Premium Dutch and the Oxheart, the conical head of the latter is occasionally seen among the flat. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **EARLY WINNINGSTADT ("Thoroughbred").**—A fine cabbage for the South, but hardly as generally good as some of the newer selections of second-earlies. The conical head is very solid and of excellent flavor. Our seed is Long Island grown, and is quite distinct from the ordinary imported Winningstadt. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **EARLY SUMMER.**—Of the same type as the Newark Flat Dutch and hardly to be distinguished from it. If sown in the fall, it is inclined to run to seed, and we

therefore caution our readers against treating it as they would the Wakefield. Hot-bed sowings in December or early spring give the best results always. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **FOTTLER'S IMPROVED BRUNSWICK.**—A very handsome cabbage with short stem and fine, solid heads, which stand long before bursting. It is good both as a second-early and for a late crop, but as a market crop is hardly as safe as the Succession, All Head, or Vandergaw. Heavy manuring is necessary to grow this variety to perfection, but it attains an extraordinary size under the best cultivation. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **SUREHEAD ("Thoroughbred").**—Although not used by many Southern market gardeners, the Surehead is a desirable cabbage for both medium and late crops. It is noticeable for uniformity of size, firmness of head, and fine texture, being excelled in these qualities only by the new May Queen and Succession. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **IMPROVED ALL SEASONS.**

But for the fact that advertising has created a demand for the All-Seasons Cabbage, and that many people know it only by that name, we should not list it at all. It is properly called Improved Vandergaw, and a description will be found under that head. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.



Tait's Large Wakefield Cabbage.

✓ **LATE.**

✓ **TAIT'S GRAND DUKE.**—This is the handsomest of winter cabbages, being peculiarly



noticeable for the regularity of its enormous heads and its compact habit of growth. The head is thick, very flat and broad, solid, fine grained, tender, and with remarkably few outer leaves. The "Grand Duke" is a rapid grower, and its short stalk enables it to resist the hot summers of the South peculiarly well, provided it is set out early. Those who have been unsuccessful with it will find a different result, we think, if the plants are given a start before hot weather. Gardeners who make a specialty of growing "open-head greens" are requested to make a trial of this cabbage, as it has been used in this way very profitably by Norfolk truckers. Per pkt., 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

✓ **TAIT'S VICTOR FLAT DUTCH.**—Our old standard Flat Dutch, the good qualities of which are too well known throughout the Southern States to need any comment. It was long regarded as the most reliable cabbage for the late crop, either in field or garden culture, but the Louisville Drumhead is now generally preferred by market gardeners. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

*Gloucester Point, Va.*—I can buy all the Flat Dutch Cabbage I want at \$1.40 per pound, but prefer yours at the higher price. THOS. G. LEWIS.

*Moyock, N. C.*—Your Victor Flat Dutch Cabbage always makes the finest kind of crops, and I thank you for having recommended it to me. R. B. FLORA.

*Sedgwick, Kansas.*—In spite of the long drought last summer your Victor Flat Dutch Cabbage made fine, solid heads. D. ROSENBERGEN.

*Norfolk, Va.*—I prefer your Victor Flat Dutch to any other late cabbage, and do not hesitate to say it is as good a cabbage for late summer as I could wish to have. R. V. HUGO.

**LOUISVILLE DRUMHEAD ("Thoroughbred").**—There is no cabbage of the Drumhead type which can be compared with this beautiful representative, its shape, color, firmness, and excellent table qualities giving it easily the very first place. Originally a fine stock, it has become, under the careful breeding of our Long Island farm, simply perfect in every point, and we find each year a stronger tendency on the part of our customers to drop all other late cabbages for the Louisville. While not as large as some of the coarse, inferior kinds, it is of fine size, very solid and uniform to a degree which is not excelled by even our famous Victor Flat Dutch. Heat and moderate drought have little effect upon it on account of the peculiarly short stem and low habit of growth, so that we particularly recommend it for sections where late cabbage are apt to be exposed to such conditions. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

*Norfolk, Va.*—Your Louisville Drumhead is the most reliable cabbage we can grow here for fall or winter. As long as I can get it, I think there is no use of trying anything else. C. A. SHIELDS.


*Wilmington, N. C.*—No late cabbage I have ever used compares with your good old Louisville Drumhead. C. H. HEIDE.

*Poplar Branch, N. C.*—Your Louisville Drumhead Cabbage is the best fall and winter cabbage I have ever tried. You cannot speak too highly of it. A. A. OWENS.

*Norfolk, Va.*—Be sure to reserve my order for Louisville Drumhead Cabbage, as I depend upon it for my late crop. It is by far the best winter cabbage in use. G. W. FRIZZELL.

*Tanner's Creek, Va.*—Tait's Louisville Drumhead is an all right winter cabbage, and I don't see how it could be improved. J. T. LAMBERT.

**TRUE DANISH BALLHEAD.**—This peculiarly round and solid cabbage has long been one of the leading exports of Denmark, enormous quantities being annually taken by Great Britain and the Continent; in late years it has become familiar in this country also, and we find it growing more and more popular, especially in the mountainous sections. It is a distinct type, rather under the medium size, and remarkable not only for the symmetry and firmness



Danvers Carrot.

of its head, but also for its keeping and shipping qualities. The head is very white and of good quality. As the stem is rather long, we doubt if it will ever be popular along the Southern coast, where short-stemmed cabbages stand the year better. Per pkt., 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 75 cts.; per lb., \$3.00.

**HOLLANDER.**—Identical with the Danish Ballhead, described in preceding paragraph.

**PREMIUM FLAT DUTCH.**—This is an old favorite fall and winter variety, growing low, with large heads, bluish green in color, broad and flat on top, and sometimes tinted with red and brown. The stalk is not nearly so short as that of the Victor Flat Dutch, and it does not therefore endure extremes of weather as perfectly. A favorite use of it in this section is for "greens," the seed being sown thickly in drills and the leaves cut during the winter when the head is forming. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

✓ **GREEN GLAZED.**—This name is derived from a peculiar glossy green, which distinguishes it from other cabbages. The quality is fair, and the leaves are, with good reason, believed to resist the attack of insects. It does not, however, make a good head, and should not be used for a main crop, though many growers find it



very profitable as "greens." Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

**PERFECTION DRUMHEAD SAVOY** ("Thoroughbred").—Truckers will find in this Savoy the finest strain of that type. The heads are globular, very uniform and firm, with every leaf densely savoyed. Like all Savoys, it is of delicate flavor, almost like cauliflower, and is excellent for winter use. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

**RED DUTCH.**—This old stock is familiar to every one as the variety grown only for pickling. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

**CULTURE.**—An ounce will produce about 2,500 plants; a half pound will give enough plants for an acre. For early cabbage sow last of September, and when large enough transplant in rows two feet apart. When a supply of plants has not been secured

in the fall, sow in a cold frame in December, or early in January, or in a gentle hot-bed the last of February, giving plenty of air to harden the plants. For middle crop, sowing may be made in March and until middle of April; and for winter sow Flat Dutch, Drumhead, and Savoys from 15th of May to last of June; transplant in July and August, giving plenty of room, say three feet apart each way, setting the plants in the ground up to the first half. It is useless to attempt the growth of cabbage without deep and thorough plowing or spading and an abundance of rich, well-decomposed manure or other suitable fertilizers. Frequent hoeings and stirrings of the soil are essential, and if done while the dew is on the plants great benefit will be derived. Each time the ground is worked it should be drawn up a little more around the stem until the head begins to form, when one final, thorough cultivation is to be given. The disposition which some varieties have to burst soon after maturity can often be checked by bending the cabbage to one side so as to loosen the roots. This can easily be done by hand in the family garden. Many successful gardeners grow cabbage without transplanting, sowing the seed thinly in drills or in hills and afterwards thinning to the proper distance in the row, or to one plant in the hill.



Long Orange Carrot.

## CARROT.

(*Daucus Carota*.)

**NEW OXHEART.**—The Guerande strain of the stump-rooted carrot is intermediate between the Half-Long Danvers and the French Horn, and is entirely distinct in its characteristics. It is a thick oval in shape, having a diameter of from three or four inches at the neck, and is rich orange in color. Having been introduced into this country only recently, it is not as yet very well known, and we therefore call especial attention to its fine qualities. No kind could be better for either family use or market. On hard, stiff soils carrots of the stump-rooted class do much better than larger growing varieties, and are more easily dug when mature. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**EARLY SCARLET HORN.**—The earliest good variety and the best for forcing. It is nearly two weeks earlier than the Long Orange, but never grows to much size. The root is thick, dented on the surface, and very sweet. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**HALF-LONG CARENTAN.**—The skin of this carrot is remarkably smooth and the shape perfect. It has red flesh, very free from heart or pith, and our North Carolina customers have found it most desirable for market. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75c.

**HALF-LONG DANVERS.**—It is claimed for this carrot that it will produce a greater weight per acre than any other sort, and it is therefore especially useful as a winter feed for milch cows. The flesh is closely grained, with little core, and the shape smoothly cylindrical. It has a small top and rich orange color. Owing to the shape of the root the crop is of

course much more easily gathered than the long sorts, a point worth considering when a large acreage is concerned. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**HALF-LONG WITHOUT CORE.**—This is one of the finest kinds for market or table use, as the skin is richly colored and very smooth, the quality being first-class. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**LONG ORANGE.**—The standard carrot for main crop, and available for both the table and stock feeding. It grows to a large size, and when well cultivated will usually average ten or twelve inches in height, with proportionate diameter. It has no neck, a small top, and is quite free from side-rootlets at all stages of its growth. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.




Chicory.



✓ **LARGE WHITE BELGIAN.**—A variety which is grown exclusively for stock. Its large roots grow one-third out of the ground, and the part covered is pure white. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

✓ **ORANGE BELGIAN.**—Like the white, used for cattle-feeding, although mild and good for table when young. Both this and the White Belgian are earnestly recommended to dairymen and other stock-raisers, who will invariably find good results from their use. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

**CULTURE.**—An ounce is sufficient for 125 feet of drill; three or four pounds are allowed to the acre. Carrots ought to be sown in light, fertile soil, deeply dug, and which has been heavily manured for the previous crop. Soak the seed and sow in drills from twelve to fifteen inches apart. The Scarlet Horn as early as the ground can be worked, and the main crop from the middle of March to the middle of April. Carrot seed are very slow in germinating, and should be rolled in firmly to prevent



Snowball Cauliflower.

evaporation of moisture while the seeds are sprouting. The same culture given to beets will suit carrots, especial care being taken to keep weeds from getting a start.

## CHERVIL.

(*Scandix Cerefolium.*)

✓ **CURLED.**—The leaves of the Curled Chervil are adapted to most of the uses made of parsley, such as for flavoring soups and stews or for garnishing dishes. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**CULTURE.**—An ounce is sufficient for 100 feet of drill. Sow early in the spring in shallow drills, and cultivate in general as advised for parsley. It may be transplanted if desired.

## CHICORY.

(*Cichorium.*)

✓ **LARGE ROOTED.**—The roots of this variety when dried, roasted and ground are utilized as a substitute for coffee, and are often mixed with it to produce a certain peculiar flavor. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 40 cts.; per lb., \$1.50.

**CULTURE.**—Chicory is very easily grown in any light, rich loam. Sow in May or June in drills eighteen inches apart, and when the plants are large enough thin to six inches in the row; hoe frequently. The roots, after being dug in the fall, are sliced and dried.

## CAULIFLOWER.

(*Brassica Oleracea Botrytis.*)


✓ **SNOWBALL.**—Of the same grade as the Fancy Erfurt, and equally celebrated for purity. We recommend both selections unreservedly, but find that in different sections preference is often shown for one or the other, owing to the effects of various soils and climates. The Snowball is characterized by symmetry of head, beautiful color, and shortness of stem, while it is as early as any other kind. Per pkt., 50 cts.; per oz., \$3; per  $\frac{1}{4}$  lb., \$9; per lb., \$35.

✓ **EARLY ALABASTER.**—Early, well-formed, and very uniform in heading; it is an excellent variety for family use or for market. Per pkt., 50 cts.; per oz., \$3; per  $\frac{1}{4}$  lb., \$9; per lb., \$35.

✓ **TAIT'S FANCY DWARF ERFURT.**—Our strain of this cauliflower, although offered under an unpretentious name at a moderate price, is the finest it is possible to produce, and by no means to be classed with the common stocks of Erfurt. The superiority which we claim



for it is particularly shown in its extra earliness and certainty of heading, but it possesses also every quality desirable for either market or family use. For an extra early variety the heads are quite large, although on account of a very compact habit of growth, the plants may be set very closely together, fifteen thousand being a fair number to the acre. This characteristic



Autumn Giant Cauliflower.

renders it especially valuable for forcing under sash, and persons who grow it in this way can get nothing better. The stalk is so short that it is very slightly exposed, and the upright growth of the outside leaves affords a great protection to the heart. As is well known, the Southern climate rarely produces cauliflower so showy as that grown in colder sections, but in ordinarily favorable seasons there should be no difficulty in raising them

from our seed to an average from six to eight inches in width, with a good, solid depth. With proper cultivation, very few plants will fail to produce well-shaped heads of snowy whiteness, and we invite a trial of it by all Southern truckers and amateur gardeners who have come to the conclusion that they cannot make a success of growing cauliflower. Per pkt., 50 cts.; per oz., \$3; per ¼ lb., \$9; per lb., \$35.

Churchland, Va.—After having grown your Fancy Erfurt Cauliflower for several years, I can say that it is a very fine stock, and entirely satisfactory to me. W. B. CARNEY.  
 Norfolk, Va.—I have never seen any cauliflower grown here which equalled my crop of your Fancy Erfurt this year. It is good enough for me, and I shall use it exclusively next year. R. V. HUGO.

✓ **VEITCH'S AUTUMN GIANT.**—This fine English introduction has been found especially adapted to the warm climate of the Southern States, and we feel safe in advising all truckers of that section who grow late crops of cauliflower to use it exclusively. It is a remarkably healthy and vigorous variety, enduring heat and drought better than any other cauliflower we have sold, and rarely fails to produce excellent heads. A most valuable characteristic of the Autumn Giant is its abundant foliage, by which it is greatly protected and preserved. The heads are well proportioned, beautifully white, firm and in great demand for canning and pickling as well as for cooking. In dry seasons any cauliflower must necessarily suffer, and under such conditions the Autumn Giant will, of course, fail to reach its full development and size, and total failure is not uncommon in years of extreme drought. Per pkt., 15 cts.; per oz., 60 cts.; per ¼ lb., \$1.75; per lb., \$6.00.

**CULTURE.**—An ounce will produce about 1,500 plants. For this delicious vegetable rich, well-tilled soil should be selected. Sow the last of September or the beginning of October in a carefully-prepared bed, rolling or treading the surface if the weather is dry. When about two inches high transplant into cold frames and protect during the winter, transplanting in spring to head in May. Or the seed may be sown in a gentle hot-bed in January, transplanting in February into another frame and set in the field early in April; and frames must be kept free from slugs, and if they appear the soil and plants should receive a light sprinkling of lime. For a late crop sow from the fifteenth of April to the first of July, transplanting in the same way as winter cabbage, and giving, if possible, rich, moist bottom land. The beds must be well weeded, and too much attention cannot be given to watering in



Collards.



dry seasons. The leaves will droop and the plant suffer seriously if this is neglected. The heads may be blanched by bending the leaves and tying them closely with a piece of matting. They should always be cut before the "curd" begins to split and open into branches, as the quality is then destroyed.

## COLLARDS.

(*Brassica Oleracea Vars.*)

✓ **TRUE SOUTHERN.**—This well-known variety of the cabbage family is of great value in the sandy belt along the South Atlantic Coast. It will live, flourish and yield a bountiful return with even the most careless cultivation and in places where it would be almost impossible to raise cabbage heads. Though quite coarse in flavor until touched by frost, it then becomes peculiarly sweet and tender, and there are few gardens in North Carolina and Georgia which do not allow generous space for the Collard. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.



Cardoon.

✓ **WHITE CABBAGE.**—We are now able to furnish genuine White Cabbage Collard, the seed of which has always been so difficult to secure. It is a great improvement upon the old Southern Collard, and is supplanting it rapidly, being more attractive in appearance as well as of finer quality. We recommend it strongly to all who are fond of "greens." Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**CULTURE.**—An ounce will produce about 2,500 plants. Sow in spring or summer as directed for cabbage, either in beds to transplant when large enough, or in rows where intended to stand. Three or four feet each way ought to be given the plants.

## CELERIAC.

✓ **TURNIP ROOTED.**—This is a species of celery which is grown for its roots only. These when cooked, sliced and served with vinegar are very much liked by many people. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**CULTURE.**—An ounce will produce about 3,500 plants. Same as for celery, except that no trenching or hilling is required. The size and quality of the roots depend upon the cultivation, and the ground should be frequently worked until they are well grown.

## CARDOON.

(*Cynara Cardunculus.*)

✓ **LARGE SOLID.**—The most desirable variety, as the leaves are almost free from spines. It grows about four feet high. Per pkt., 5 and 10 cts.; per oz., 40 cts.; per ¼ lb., 75 cts.; per lb., \$2.50.

**CULTURE.**—An ounce will produce about 3,000 plants. Sow early in spring in drills one inch deep, and when the plants are well up thin out to one foot apart. The stems, after being blanched like celery, are used for soups, stews and salads.

## CELERY.

(*Apium Graveolens.*)

✓ **NEW PINK PLUME.**—This novelty resembles the White Plume in every respect except in color and in its superior keeping qualities. It is very attractive, and we think it will become popular in family gardens. Per pkt., 5 and 10 cts.; per oz., 35 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **GOLDEN SELF-BLANCHING.**—Like the well-known White Plume celery, this variety does not require as much labor as is necessary for the blanching of ordinary kinds. It is very beautiful when matured, the heart being large, solid and of a rich, golden color. In quality it is the equal of any, and especial attention is called to the fact that it keeps much better than the White Plume. We have an exceedingly fine strain of this variety, and solicit a trial of it from all who make a specialty of celery growing, as we believe they will find it superior to any other. Cheap seed of this variety will be found untrue to type in every case. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., \$1; per lb., \$4.





Copyrighted, 1900 by  
J. H. HARRISON & Co.

FANCY ERFURT CAULIFLOWER.





**FIN DE SIECLE.**—A highly-improved strain of the large Schumacher celery; it is remarkably crisp and solid, and can be kept very late. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

**PERLE LE GRAND.**—For early use. This is considered an excellent sort, as it gets flavor and color very quickly. The heart is golden yellow, and the weight of the stalks makes it desirable for market. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$2.50.



Golden Heart Celery.

market gardeners. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**PERFECTION HEARTWELL.**—It is claimed for this variety that, although not of the best quality, it can be grown upon poorer soil than is required for others. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**WHITE PLUME.**—Those who use celery before freezing weather will find the White Plume very satisfactory. By gathering the stalks together and tying them with a piece of matting it may be blanched without the usual hilling process, the inner stalks and leaves being naturally white. Its appearance is handsome and the flavor excellent, very few of the stalks being hollow, but it must not be relied upon for winter use. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**SOUP OR FLAVORING CELERY (Old Seed).**—As most housekeepers know, celery seed are extremely useful for flavoring soups, pickles, salads, etc. Old seeds are as good for these purposes as new ones, and can be had very cheaply. Per pkt., 5 cts.; per lb., 40 cts.

**CULTURE.**—One ounce will produce about 4,000 plants. The cultivation of celery in a hot climate is attended with many difficulties, but although Southern celery is rarely so large as that grown in colder sections, it is not surpassed by any in firmness of grain and delicacy of flavor. Sow the seed as early as possible in spring in a moist place,

**CRAWFORD'S HALF-DWARF.**—Of the older varieties we regard this as the most satisfactory for Southern cultivation. It grows to a fair length, is a good keeper, and of rich, nutty flavor. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**WHITE SOLID.**—An old variety now little used by market gardeners. The stalks are long, round, very crisp, and solid; but in grain and flavor it does not bear comparison with the recently introduced varieties. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**INCOMPARABLE DWARF RED.**—The texture of the stalk is rather coarse, but a brilliant rose color renders them very attractive when mixed with the white. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**BOSTON MARKET.**—A fine celery of low and branching habit. It is not so large, however, as the Golden Self-Blanching and Giant Pascal, and is less desirable for the South. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**GOLDEN HEART.**—A large, showy variety, the heart of which blanches to a wax-yellow. It keeps well and is of good flavor, but is not as good as the Golden Self-Blanching. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**GIANT PASCAL.**—A green-leaved selection from the Golden Self-Blanching, especially adapted to Southern cultivation. The stalks are very large and thick, and yet rarely have any trace of the bitterness so often found in extra large kinds. It blanches easily and quickly to a golden yellow, and is exceedingly attractive in appearance. Being a good keeper also, it should prove very valuable to




Celeriac.



and cover them very lightly, rolling or pressing the surface firmly after sowing to facilitate germination. This is most necessary. When the plants are four or five inches high, transplant the trenches fifteen inches wide and four feet apart. For the long-stalk varieties dig the trenches a foot deep and put four or five inches of thoroughly rotten manure on the bottom, covering that again with three inches of good soil. Set the plants in two rows six inches apart and eight inches apart in the row, taking care to bring the soil closely around the roots. For the Dwarf and Half-Dwarf kinds trench only half the depth mentioned. Much growth need not be expected until the heat of summer is over. As the plants grow draw the earth up gradually to keep the leaf-stalks together, and so prevent the dirt from getting into the heart. Finish hilling up in the fall, to blanch for use, but always avoid working the ground when it or the plants are wet. The application of soapsuds will be found decidedly beneficial.

## CORN.

(*Zea Mays*.)

Especial attention is called to the fact that our quotations are for quarts in dry measure; these contain much more than the liquid measures commonly sold in the trade. 

✓ **TAIT'S NORFOLK MARKET CORN.**—To those who grow early corn for market we are now able to offer a variety which surpasses in general desirability every other kind which has been in use. This statement is amply justified by the remarkable record it has made in three seasons. Unknown in 1897, it was famous in 1898, and our sales of it for the last four years have been more than three times as great as the sales of all other early corns combined. It has driven Adams' Early out of cultivation, and may be said to have revolutionized the growing of early corn, since one is now perfectly safe in handling that crop, whereas it has always been one of the most speculative. If unsalable in the green state, the old kinds were worthless, but the Norfolk Market is valuable when matured. Unlike the varieties which have heretofore been considered standard, it is a really handsome corn, and valuable aside from its availability for "roasting ears," the ears attaining an average length of over eight inches, with about sixteen rows to the ear. As will be seen from our photograph, the rows are beautifully regular, and the cob is covered to the very tip. When in a green state the grains are very plump and milky, with a better taste than is possessed by either the Extra Early Adams or Adams' Early, and by many people it is even preferred to the sugar varieties. Consumers soon discover that its quality accords fully with its prepossessing appearance. We believe this corn supplies one of the proverbial "long-felt wants," there having been no corn up to this time which really filled the gap between the little extra early varieties and the later sorts. Our stock this year was again grown from picked ears exclusively, and we offer nothing with stronger recommendation than we are able to conscientiously give the Norfolk Market Corn. **Tait's Norfolk Market Corn is sold only in sealed bags, and none should be accepted without the Thistle seal.** The necessity of this warning will be evident when we say that Blount's Prolific is being sold as Norfolk Market by some of our unscrupulous competitors. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

*Great Bridge, Va.*—From one and one-half pecks of Tait's Early Norfolk Market Corn we sold last season over \$125 worth of roasting ears. There is no early corn which compares with it in value. G. L. & W. R. GWYNN.

*Marietta, Ga.*—I will want some of your Norfolk Market Corn. It is a success. A. D. LEGG.

*Lewiston, N. C.*—Tait's Early Norfolk Market Corn did fine for me this season. A. T. EASON.

*Portsmouth, Va.*—Your New Norfolk Market Corn made a splendid crop for me, maturing early, and I had no trouble in selling it at a good price as long as I could ship. J. SKEETER.

*Oaklet, Va.*—I beat the country this year on roasting ears, having made ears large enough for the table in fifty-two days from the day I planted. Tait's Norfolk Market is a very remarkable corn. JOHN SMITH.

✓ *Carrsville, Va.*—The corn I bought of you last year was the best I ever saw. C. A. CUTCHIN.

✓ **ADAMS' EXTRA EARLY ("Thoroughbred").**—Largely grown by Southern shippers and the earliest corn in cultivation. The ears, which are very small, can usually be cut about six weeks after planting. A crop of this corn cannot be made upon land which is not strong, and it is customary with the Virginia and Carolina growers to plant it in their richest soil and use guano liberally in addition. As it cannot compete with larger corns, it must be forced for the first market. Per qt., 15 cts.; by mail or express, 30 cts.; per bush., \$2.50.


✓ **ADAMS' EARLY.**—Once the favorite market variety in Virginia and the Carolinas. It is eight or ten days later than the Extra Early, but much larger, and it was the leading early corn up to the introduction of Tait's Norfolk Market. It is no longer a paying crop, and we caution our customers against the mistake of attempting to sell it in competition with a corn larger, handsomer, better and more productive. Only two kinds of early corn—Extra Early Adams and Norfolk Market—are now profitable for Southern growers. Per qt., 15 cts.; by mail or express, 30 cts.; per bush., \$2.50.

✓ **EARLY WHITE FLINT.**—We have a selection of the White Flint which is superior to the common stock. It is only eight or ten days later than Adams' Early, and produces a showy ear a foot or more long, with large and pearly grains. In rich soil it has an average of

TAIT'S  
EARLY NORFOLK MARKET  
CORN



PHOTO BY GEO. TAIT & SONS.





three ears to the stalk, and will occasionally have twice that number. It makes also the very best hominy. Per qt., 15 cts.; by mail or express, 30 cts.; per bush., \$2.50.

### SUGAR VARIETIES.

✓ **COUNTRY GENTLEMAN** ("Thoroughbred").—All who have grown the Country Gentleman Corn in this section agree in pronouncing it one of the very best for the South, where so few sugar varieties succeed. It is of particularly fine flavor, very milky and tender, and has an unusually small cob. The ears average eight inches or more in length, and a stalk will sometimes produce as many as four full-sized ears, but it is rather late in maturing. It is really an improved Shoe Peg. We note that any gardener who once tries the Country Gentleman is sure to come to us for it again in the following season. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **NE PLUS ULTRA** (Shoe Peg).—Wherever this corn is known it is a favorite on account of its productiveness and sweetness. The kernels are oddly shaped—suggesting the name of shoe peg—and are placed irregularly upon the cob. It is not very early in maturing. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **KENDALL'S GIANT**.—The originator of this new early corn claims that it has many points of superiority over all other large kinds, and we think it will be found worthy of a trial. The grain is remarkable for its whiteness. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **CORY EXTRA EARLY**.—The earliest of sugar corns and extensively grown in the North and West. It is very dwarf and has a short, thick ear. As it is not only one week earlier than even the Early Marblehead, but has also a larger grain, it should, of course, at once supersede that variety for extra early use. We do not recommend it for anything except extra earliness. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.



Egyptian Sugar Corn.

✓ **TRIUMPH**.—Very little later than the Cory and much larger. It has long, white ears of sweet and delicate flavor. Being midway between the second-early and the late corns, and remarkably productive, it is one of the best kinds to raise for general crop. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **EIGHT ROWED**.—An excellent corn for main crop, early and productive, but less used than the newer varieties. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **NEW NONE-SUCH**.—A recent introduction which originated in the West, and has been highly praised by many experienced growers who had an opportunity to examine fields of it in cultivation. In appearance it is unlike any other variety, both stalks and foliage having a color of their own, and its origin is unknown. The entire plant is tinted with a peculiar shade of pink. It is of extra strong growth, a heavy yielder, and perfectly true to its type. The ear is above the medium size, has twelve to fourteen rows to the cob, and is of fine quality. Market and family gardeners will find it very desirable. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **EGYPTIAN**.—This late variety is very desirable in every respect, being large, remarkably uniform and deliciously flavored. On account of its size and productiveness it is popular with those who grow for the canners. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **STOWELL'S EVERGREEN**.—For the main crop this is perhaps the most valuable variety, as it remains green for a long time, and is usually freer from worms in the ear than most sorts are in the South. The grain is deep and exceptionally well flavored. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **LATE MAMMOTH**.—The largest sugar corn which we have, and strongly recommended on account of size, quality and productiveness. It is very late, but will outsell any other kind so soon as it makes its appearance in the market. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **BLACK MEXICAN**.—The ears of this corn are black when the grains are matured, and they should, therefore, be cut when young to avoid a dark, unattractive appearance when served on the table. It is very sweet, and has won great favor in this part of the country, being preferred by many gardeners to any other sort, but is quite late in maturing. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.

✓ **HICCOX IMPROVED**.—A valuable variety for both market and garden, with handsome ears, richly flavored, and almost white. It is of medium earliness and excellent for canning purposes. Per qt., 25 cts.; by mail or express, 40 cts.; per bush., \$3.00.



NOTE.—One quart of corn will plant about 200 hills; six quarts of field corn are required to the acre, and from eight to ten quarts of sweet corn. As the sugar corns are very sensitive to cold, damp weather, they should not be planted until the ground has become thoroughly warm. Make the hills three feet apart each way, and put five or six kernels in a hill, thinning afterwards to two or three plants. If many side-shoots appear, break them off and keep the soil well hoed up around the stems. The small, extra-early varieties may be planted as closely as two feet apart if the ground has been heavily fertilized. In shipping roasting ears great care must be exercised to avoid using too large a package, as it heats very easily. Ventilated baskets or crates holding a bushel make the best package.

## POP-CORN.

(*Zea Everta.*)

Quotations per 100 pounds, per 1,000 pounds, and per ton will be gladly furnished at any time.

✓ **RICE.**—This variety is regarded as the best of pop-corns for commercial use, although several other excellent kinds may be had. It yields more than any other, and is all that can be desired for popping. The fodder is said to make good green food, and it is sometimes planted exclusively for that purpose. We can supply this kind in the largest quantities, and will have pleasure in making price on any amount desired. Per lb., 10 cts.; by mail or express, 20 cts.

✓ **RED RICE.**—There is little, if any, difference between this and the ordinary White Rice except as to color, and even this distinction disappears after popping. The ears are very beautiful, the ruby-colored grains being very clear and brilliant. Per lb., 10 cts.; by mail or express, 20 cts.

✓ **WHITE PEARL OR SILVER LACE.**—Preferred by some growers, but less popular than the Rice. It has a beautiful round grain, from which the name is derived. Per lb., 10 cts.; by mail or express, 20 cts.

## FIELD CORN.

[For list of varieties, see Field Seeds.]

## ✓ CORN SALAD OR FETTICUS.

(*Valerianella Olitoria.*)



Corn Salad.

✓ **LARGE SEEDED.**—An excellent salad, which, in sections where it is known, is often substituted for lettuce. Of the several varieties this has the largest and thickest leaves, and is generally preferred. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.

CULTURE.—An ounce will sow 20 square feet; five pounds will sow an acre. If wanted for early spring salad, the seed should be sown in shallow drills about the last of September or the first of October, giving in general the same treatment as spinach. Or, if sown early in the spring, it will be ready to cut in about two months. Manure the ground well before sowing, and keep down the weeds and grass.

## CRESS.

(*Lepidium Sativum.*)

✓ **CURLED OR PEPPER GRASS.**—This is the best variety, and is very much liked as a small salad on account of a certain peculiar piquancy of flavor. It may also be used for garnishing. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 50 cts.

✓ **WATER CRESS.**—This delicious, piquant salad is universally esteemed, and would be more generally grown but for the common idea that it will succeed only in a stream of water. It does best in such a situation, but may be grown in any really moist soil, and does very well indeed when sown in a damp hot-bed if not allowed to get too warm. Per pkt., 10 cts.; per oz., 40 cts.; per ¼ lb., \$1; per lb., \$4.

CULTURE.—An ounce will sow 100 feet of drill. As cress soon runs to seed and then becomes useless, it is well to sow at intervals of two or three weeks in drills eight inches apart. To secure the best germination of the seed cover very lightly with fine earth and press firmly with the back of the hand or spade.

## CUCUMBER.

(*Cucumis Sativus.*)

We are among the largest growers of cucumber seed in the world, and have had extraordinary opportunities for developing fancy strains. In the three famous stocks of White






Spine listed below we believe we own the finest forcing cucumbers ever in cultivation. Truckers who use large quantities of seed will oblige us by asking prices per 100 and per 1,000 pounds. Attention is specially called to the fact that we alone offer seed saved exclusively from the first setting of fruit, the price of which is \$3.00 per pound in any quantity. We guarantee that every ounce of this seed is from the cucumbers set first.

**Owing to almost total failure of the cucumber seed crop in 1902, stocks are extremely limited and prices very high.**

**TAIT'S NEW MODEL.**—Our favorite forcing strain, which has taken the place of the Boston Market Early White Spine and all other stocks of Early White Spine. In productiveness, hardiness, and symmetry of shape it is superior to any stock of cucumber ever originated, although some gardeners believe it is not quite so early as the Climax and Forcing Arlington. Especial attention is called to the Model's habit of setting the first cucumbers immediately around the hill. We have counted seven absolutely perfect specimens within a square of less than eighteen inches. Per pkt., 5 cts.; per oz., 15 cts.; per ¼ lb., 50 cts.; per lb., \$1.50.



Tait's Extra Early Model Cucumber.

*Washington, N. C.*—Please enter my order for 125 pounds of your Model Cucumber. I am very anxious to have this seed for the coming season. **W. P. BAUGHAM.**

*Berkley, Va.*—I find one great advantage in using your Model Cucumber, as it never shows any loss of color where exposed to hot suns. It is undoubtedly the best all-around cucumber in cultivation. **W. J. BERRY.**

*Washington, N. C.*—My cucumber crop this season was very fine, and I got for Tait's Model White Spine from one dollar to one dollar and fifty cents more per package than was gotten for any other kind of cucumber shipped from Washington. **S. F. FLEMING.**

*Hampton, Va.*—The Model Cucumbers I raised from your seed were, without exception, the finest I ever saw. **S. CLEMENS.**

*Portsmouth, Va.*—Of the various forcing cucumbers I find the Model White Spine decidedly the most satisfactory. In productiveness, size, shape, and color, as well as earliness, it surpasses any sort I am acquainted with. **J. VERNON CARNEY.**

*Scymour, Conn.*—Your Model Forcing Cucumber is fine, and all the seeds were all right. **W. S. COOPER.**

**TAIT'S CLIMAX FORCING.**—This selection of Forcing White Spine resembles in general type the Forcing Arlington and Tait's Model, but is thought by some growers to be a shade earlier than either of those two well-known varieties. In our seed-fields little difference was developed, all three being exceedingly fine specimens of extra early cucumbers. The Climax is well colored, regular in shape, and second in productiveness only to Tait's Model. Per pkt., 5 cts.; per oz., 15 cts.; per ¼ lb., 50 cts.; per lb., \$1.50.

**TAIT'S FORCING ARLINGTON WHITE SPINE.**—Those who are familiar with the Boston markets know the beautiful cucumber which comes in early in the season from the great greenhouses around that city. It is of fine shape and fair size, very dark green in color, and always commands a ready sale. This is a forcing strain of the well-known Arlington White Spine, developed by long selection, and now preferred by many truckers to any other extra early cucumber for either indoor or field cultivation. It is inferior to the Model in size and productiveness, but is possibly a shade earlier. We exercise the greatest care in growing this cucumber, and our stock is as pure as we can make it by rigorous selection. Per pkt., 5 cts.; per oz., 15 cts.; per ¼ lb., 50 cts.; per lb., \$1.50.

**JAPANESE CLIMBING.**—Many family gardens are necessarily so small that space cannot be spared for vegetables which run over the ground. Gardeners who have been cut off from growing cucumbers for this reason will welcome this introduction from Japan. It is entirely distinct from all other kinds, being a vigorous climber, with such abundant foliage that it may be used for planting on trellises as a screen. The fruit is cylindrical in shape, nine or ten inches long, and of first-class quality, being good for table use as well as for pickling. Any fence or trellis with proper exposure will answer for support, and we have no doubt the climb-




ing cucumber will become very popular, especially since the bearing season is from early summer until frost. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 35 cts.; per lb., \$1.00.

**ARLINGTON WHITE SPINE.**—A fine selection from the White Spine, most used by market gardeners in the Eastern States. It must not be confounded with the Forcing Arlington, to which it is decidedly inferior, especially as regards earliness. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., \$1.00.

**EARLY GREEN CLUSTER.**—The cucumbers of this variety, as indicated by the name, are produced in clusters. They are small and short, but this deficiency is to some extent offset by the productiveness of the vine. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

**NEW CUMBERLAND.**—This new pickling cucumber is now considered far superior to all of the older varieties grown for that purpose, as it is of really ideal shape and quality. It is an unusually prolific vine, and the fruit is distinguished by innumerable tiny spines set almost

as closely as hairs could be. The color is excellent, and in tender crispness the flesh surpasses any pickling cucumber in cultivation. All cucumber seed crops being extremely short this season, we shall hardly be able to supply it except to the earliest orders. Per pkt., 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$1.50.



Early Frame Cucumber.

**TURKEY LONG GREEN.**—For those who prefer slender cucumbers this is the best to be had, as the fruit is nearly twice as long as the old Long Green and the quality first-class. It is not very productive, however. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$1.50.

**LONDON LONG GREEN.**—An improvement upon the old Long Green, very superior in shape, length, and color. It is firm-fleshed and crisp, with few seeds, and makes good pickles. While fairly early, it is not much used in the South as a table cucumber. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$1.50.

**NICHOL'S MEDIUM GREEN.**—Of fair length, smooth and straight. The fruit is dark green, and good for pickling as well as for slicing. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$1.50.

**GHERKIN.**—The well-known burr cucumber, which is grown entirely for pickles. Per pkt., 5 cts.; per oz., 20 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.

**CULTURE.**—An ounce is sufficient for sixty hills; two to six pounds are planted to the acre (in hills). To obtain early cucumbers plant the seed on inverted pieces of sod six or eight inches square and place in a hot-bed, so that by the time the ground becomes warm enough for cucumbers the plants may be well started. Set the sod in hills previously prepared for them by enriching the soil, and if the nights are cool, protect from frost with an inverted pot or box. For the main crop plant the seed in open ground as soon as danger of frost is past in hills six feet apart, putting about a dozen seed to the hill. The young plants are often attacked by insects, and should not be thinned out until they are large enough to be safe. Leave about four plants to the hill, and gather the cucumbers as they are produced. If left to ripen on the vine, it will cease to bear. For pickles, plant any favorable time about the middle of summer.

### ENGLISH FORCING CUCUMBERS.

**TELEGRAPH.**—A famous old variety, which is generally preferred by experienced growers on account of its great length, perfect shape, and productiveness. Per pkt., 25 cts.

**DUKE OF EDINBURGH.**—A smooth, symmetrical cucumber, much liked by the English. It is very large and well colored. Per pkt., 25 cts.

**CULTURE.**—These varieties are grown only under glass, usually in houses arranged for forcing vegetables. Plant the seeds in November or December, putting them in three-inch pots and using soil as rich and loamy as can be had. Use only the strong plants, and set them out carefully when well started. Artificial fertilization is necessary, as insects are not able to perform that service as they do with outdoor blossoms. A packet contains about ten seeds.

### DANDELION.

(*Taraxicum Dens-Leonis.*)

**IMPROVED BROAD LEAVED.**—A fine variety, which produces leaves twice as large as the ordinary kind. Per pkt., 5 and 10 cts.; per oz., 40 cts.; per  $\frac{1}{4}$  lb., \$1.25; per lb., \$4.50.



Triumph. Eight-Rowed. Cory. Egyptian. Hickox Improved. Ne Plus Ultra. None-Such. Kendall's Giant. SOME CHOICE SUGAR CORNS.





**EXTRA EARLY BROAD LEAVED.**—The most desirable for early use. Per pkt., 5 and 10 cts.; per oz., 40 cts.; per ¼ lb., \$1.25; per lb., \$4.50.

**GIANT ERECT.**—A fine, vigorous dandelion, which we think will prove valuable for shipping to Northern markets. Per pkt., 5 and 10 cts.; per oz., 50 cts.; per ¼ lb., \$1.25; per lb., \$4.50.

**CULTURE.**—An ounce is sufficient for 100 feet of drill. In some parts of the country the dandelion is considered a most wholesome and agreeable salad. It is perennial, and can be cut very early in the spring. Sow the seed as early as the ground can be broken in drills about eighteen inches apart and half an inch deep. Hoe well during the summer, and do not attempt to cut at all until the following spring. If the leaves are blanched by being shaded with boards, etc., they will be much less bitter than if used in the natural state. The flavor of the roots after drying and roasting is said to somewhat resemble that of coffee.

**ENDIVE.**

(*Chicorium Endivia*.)

**GREEN CURLED.**—This plant is by no means appreciated in the South, being altogether unknown in many sections. It is a delicious salad, especially when served with lettuce, and is universally regarded as very wholesome. Nothing is prettier than Endive for garnishing, and we urge all our readers to introduce it in their gardens. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.




Curled Endive.

**CULTURE.**—An ounce will produce about 2,000 plants, and is sufficient for seventy feet of drill. It is easily cultivated, and the only attention required is regular hoeing until time for blanching. Sow in August for fall and winter use in shallow drills one foot apart, and when the plants are two inches high thin out to twelve inches in the row. When the leaves have grown to about eight inches gather them in the hand and tie together at the top with soft twine or matting. Blanching may be done in small quantities at intervals, but never except when the leaves are perfectly dry.

**EGG PLANT.**

(*Solanum Melongena*.)

**TAIT'S PURPLE PERFECTION.**—Badly colored, irregular, and undersized egg plants are more commonly seen in many markets than are specimens of the best type, and this is owing less to season and cultivation than to impurity of the seed from which they are often grown. The greatest care in selecting the seed stock is necessary to bring egg plants to perfection, and all growers are not willing to take such trouble and expense. Our superb strain of the Improved New York Purple has long been recognized by the market gardeners in the vicinity of Norfolk as one of the finest types ever produced, excelling in every desirable quality. It begins fruiting early, and being of strong and healthy habit, continues to bear throughout the season, while the size and form are very noticeable for their superiority to the ordinary stock of the New York Purple. The fruit is a beautiful, regular oval, of a deep, luscious purple, rarely showing any tinge of yellow or red unless injured by unfavorable weather, and the flesh is deliciously flavored. Few vegetables are less attractive to the eye than a dull, misshapen egg plant, and the gardener who grows this crop for market cannot exercise too much prudence in purchasing his seed.



Perfection Purple Egg Plant.

We especially invite a trial of our strain by truckers in the more Southern States. Per pkt., 10 cts.; per oz., 50 cts.; per ¼ lb., \$1.25; per lb., \$5.00.

*Diondale, Va.*—The Egg Plants bought from you last spring were splendid and made life worth living.

*Norfolk, Va.*—My crop of egg plant from your seed is all I could wish, as the fruit is perfect in form and color.

THOS. DIXON, JR.  
J. B. FERRATT.



✓ **BLACK PEKIN.**—A dark-foliaged variety with jet black fruit. It is very early, and although not a sure bearer, is used considerably in some parts of the North. The quality is fair, but we do not recommend it for either family or market gardens. Per pkt., 10 cts.; per oz., 50 cts.; per  $\frac{1}{4}$  lb., \$1.25; per lb., \$4.00.

✓ **NEW WHITE.**—This novelty from the South promises to be very popular, being of excellent quality as well as unique in appearance. The color is a creamy white, shading to pale green at the stem, and the fruit is well shaped. Per pkt., 10 cts.; per oz., 60 cts.; per  $\frac{1}{4}$  lb., \$1.50; per lb., \$6.00.

✓ **CHINESE SCARLET.**—An interesting introduction from China, small but very ornamental. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., \$1; per lb., \$3.

**CULTURE.**—An ounce will produce about 1,000 plants. As the seeds require much greater heat than is necessary or desirable for other plants, a frame should be prepared especially for them. Sow the seed early in March and keep the sash on until the plants appear, after which air must be given on warm days. The young plant is exceedingly delicate, and close attention must be given them during the earlier stages. When two or three inches high prick them out into small pots to induce stockiness, and, if possible, transplant again into larger pots. With every transfer the plant gains strength. Do not risk planting into the open ground too early, as a single cold night will seriously check the growth and probably cause the first blossoms to drop. When the weather has turned permanently warm set them in the field thirty inches apart each way. The ground ought to be very richly manured and earth kept well drawn up around the stems. Where only a few plants are wanted for family use and there is no hot-bed convenient, the seed may be sown in a window box, provided the room is kept at a uniform heat.



Garlic.

## GARLIC.

(*Allium Sativum.*)

Many people prefer garlic to any other flavoring for soups, stews, etc., and it is known to be an extremely wholesome food. It is propagated from small bulbs which multiply themselves by division. They should be put in the ground early in the spring, being set four inches apart in the row, with the rows one foot apart. A pound will set a row ten feet long. The most suitable soil is a rich loam, and the cultivation is about the same as that given onions. When the tops die down in midsummer the crop is matured, and should be harvested like onions. They will keep for a long time if stored in a well-ventilated room. Per lb., 40 cts.; prepaid by mail or express, 55 cts.

## KALE.


(*Brassica Rapa Acephala.*)

✓ **DWARF GREEN CURLED SCOTCH** ("Thoroughbred").—A yellowish-green kale, which is grown extensively in the South for shipping during the winter. It is never very tender, and is less desirable for family use than Tait's Favorite, but it is much prettier, and, as a rule, more profitable for market. It is exceedingly dwarf, averaging little more than a foot in height and spreading widely. This habit of growth gives great protection to the stalk, so that cold weather rarely injures it seriously. The leaves are very intricately and beautifully curled, and carry perfectly when packed. Note in the cultural directions on next page what is said with regard to the sowing of Scotch kale seed. Per oz., 5 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

*Norfolk, Va.*—In sixty-two acres of Scotch Kale from your seed I have not seen a single impure plant. C. W. GRANDY.

*Churchland, Va.*—It seems to me that your Scotch Kale has now reached perfection for I see nothing in my fields but the finest stock of Dwarf Scotch. B. F. AMES.

✓ **TAIT'S FAVORITE GREEN CURLED.**—When we introduced this celebrated selection of Siberian kale it at once demonstrated its superiority to all strains then in cultivation, and was promptly adopted by all the best growers. It is hardy, very productive, and while cutting early in the season, may be held until late without going to seed. Truckers



Dwarf Scotch Curled Kale.



who have seen their fields of kale become worthless from seeding as the result of a few warm days in late winter will readily understand the advantage of growing a kale which never runs up to seed until spring. The shape and curling of the leaf give it the appearance of an immense feather, and, like the Scotch, it retains its stiffness for a long time after being cut. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

Moyock, N. C.—The Favorite Green Curled Kale bought of you last year held longer before running to seed than any we have ever had.

✓ **PLAIN KALE OR SPRING SPROUTS.**—We recommend this very highly for family use, as it is a rapid grower, tender and sweet while young. Although usually sown in the spring,



Late Siberian Kale.

it may be sown in the fall, as it endures cold perfectly, and can be cut at any time during the winter. It has no value for shipping, but a good demand for it can be created in almost any local market. Few crops afford better pasturage for sheep, and it is largely used in this way, although many farmers are still unacquainted with it and ignorant of its great value for this purpose. Per oz., 5 cts.; per ¼ lb., 10 cts.; per lb., 25 cts.

✓ **LATE SIBERIAN.**—An excellent variety, which is the standard wherever the Favorite has not been introduced, but not to be compared with that improved strain. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

it resembles our Cos Lettuce somewhat, and is a very popular vegetable with the Chinese, being used both raw and boiled. It does best as a fall crop. Per pkt., 5 and 10 cts.; per oz., 25 cts.

**CULTURE.**—An ounce of Green Kale is sufficient for 150 feet of drill; an ounce of Scotch for fifty feet of drill. Curled Kale is grown for winter and early spring greens, and should be sown, the Scotch from the first to the last of August, and the Green Curled from the middle of August to the last of September. Make the drills from eighteen inches to two feet apart, and when the plants are large enough thin out to eight inches in the row and cultivate as for cabbage. Kale is a very strong feeder, and heavy manuring is necessary to make a good crop. Whenever the leaves show a tendency to turn yellow give a liberal top dressing of guano. Plain Kale is sown in the spring as early as the ground can be worked, either broadcast or in drills one foot apart. It is one of the most rapid-growing of vegetables, and is soon ready for use. It is advisable to make sowings of this kind at intervals of ten days, so as to have it always tender. Scotch Kale is peculiarly subject to the attacks of insects both before and after coming up, the flea bug being especially destructive. For this reason it is necessary to sow very thickly, and the rule with our Norfolk truckers is to put from five to seven pounds to the acre.

✓ **PE-TSAI.**—The so-called "Chinese Cabbage." In growth

**KOHL-RABI.**

(*Brassica Caulo Rapa.*)

✓ **EARLY WHITE VIENNA.**—The best variety of this useful vegetable. The edible part is the enlarged stem, which is very short and of globular shape. When well grown and properly cooked they are tender and palatable, being regarded by many people as nearly the equal of cauliflower in flavor. As Kohl-Rabi becomes tough when old, it should be eaten as soon as the stem thickens to two or three inches. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**CULTURE.**—An ounce is sufficient for 150 feet of drill. Sow the last of July in rows one foot apart, and thin so as to leave about ten inches between the plants. The thinnings are sometimes reset, as they bear transplanting very well. Work well to keep down weeds, but avoid throwing any earth in the crown.



Kohl-Rabi.

**LETTUCE.**

(*Lactuca Sativa.*)

✓ **GIANT WHITE FORCING.**—This beautiful new lettuce promises to become one of the leading kinds for shipment from this section, as last year's tests proved it perfectly adapted




to field culture. It is smaller than our well-known Imperial strain of the cabbage lettuce, but is firmer, more symmetrical, of better table quality, and has a great advantage over all varieties in the exquisite whiteness of its head. So round and white is it that the originator might well have named it "Snowball." Those who saw it at Norfolk last spring are enthusiastic as to its value, and we hope to see all lettuce-growers taking it into account for the coming crop. We believe they will make a mistake if they fail to do so, as it has far outsold all other varieties in the principal lettuce markets of the North. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.

Norfolk, Va.—I believe the Giant White Forcing Lettuce is by long odds the best kind for use here. R. L. BELL.

✓ **TAIT'S MIDSUMMER.**—Few crops are more profitable than summer lettuce, but the heat makes success extremely difficult in the South, and, indeed, many gardeners have come to regard the crop as one useless to attempt. Almost innumerable kinds of lettuce have been tried, but the majority have proved altogether unable to stand the sun, and very few have made even ten per cent. of heads. In this new strain we offer a lettuce which has given far better results than any sort ever grown in this section, and which we believe will enable many gardeners to produce excellent heads in the hottest seasons. It is unusually handsome, being of the largest size and more solid than most of the best cabbage lettuces, and in quality it is all that could be desired. The outer leaves are a clear, light green, the heart being creamy-yellow. Per pkt., 5 and 10 cts.; per oz., 60 cts.; per  $\frac{1}{4}$  lb., \$2; per lb., \$6.

✓ **TAIT'S IMPERIAL CABBAGE LETTUCE.** This has been thoroughly tested in different seasons, and can fairly claim to possess almost all the qualities which should characterize the ideal winter lettuce. Some of the most successful of the large growers in the vicinity of Norfolk now prefer it to any of the sorts heretofore regarded as standard, and we have repeatedly been unable to meet the demand for it. It is practically as hardy as any winter cabbage, and when well grown will fill barrels almost as rapidly, the heads being a foot across. The leaves are thick, crisp and stiff, and thus carry well in shipment—a most important consideration. The color is a bright green, and holds well after cutting, but the head does not form quite as solidly as some other sorts. We do not consider the Imperial desirable for forcing under glass, as it is rather too large, and it is too coarse for family use; as an open-air lettuce, however, we are willing to back it against any stock in existence for endurance of extreme cold and yield per acre. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 90 cts.; per lb., \$3.50.



Royal White Cabbage Lettuce.

Norfolk, Va.—For the past three years I have been growing your Imperial Lettuce in the field, and find it hardier and more generally desirable than any other. W. C. L. WILLIAMSON.

Kent, N. C.—I was very much pleased with a test I made of Tait's Imperial Cabbage Lettuce last winter. F. S. NEAL.

Kempsville, Va.—The Tait's Imperial Lettuce bought of you last year was the finest I ever grew of any kind. I had them so large that two and a half dozen filled a barrel. C. H. TOFFTON.

Hampton, Va.—Your Imperial Lettuce is the finest I ever grew. It keeps green all the winter, while other varieties burn and turn brown with the cold. WILLIAM TODD.

Norfolk, Va.—I have had more success with your Imperial Lettuce than with any other kind, and believe it is the most desirable outdoor lettuce ever introduced. It makes a splendid head and stands cold wonderfully. T. H. FROST.

✓ **SENSATION.**—This lettuce—well known in some parts of the country—is not thoroughly appreciated here, and we think it should be more generally tested. It is adapted to forcing as well as to open-field culture, and has a fine, well-shaped head, which feels solid before it is half grown. The color is a light green, slightly yellowish in tint, and it ranks very high in table quality. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

Norfolk, Va.—I find the Sensation better for field use than any I have used. B. F. BACKUS.

✓ **BIG BOSTON.**—A strain of the well-known Boston Market or Tennisball. It is of fair size, solid, and has the beautiful shape characteristic of the smaller sort. At one time the demand for it came almost solely from North Carolina, but we are now selling it to many of the best growers elsewhere, and regard it as one of the best for forcing under glass or cottons. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.

✓ **BOSTON MARKET.**—The small forcing variety, which was long a favorite on account of its close, firm head and compact growth. It has few outer leaves, and may therefore be set very closely together. Its size, however, handicaps it in competition with larger varieties, and we doubt if it can be profitably grown in the South at present. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.

✓ **TAIT'S COLOSSAL CABBAGE.**—An improved strain of the Black-Seeded and one of the largest of cabbage lettuces. For open-field culture the Colossal is one of the best that could be selected, as it is early, hardy, perfect in heading, and a good shipper, but we believe that the




LETTUCE

CABBAGE

TAIT'S  
IMPERIAL







Imperial will invariably bring better results. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 90 cts.; per lb., \$3.50.

✓ **ROYAL WHITE CABBAGE.**—A market gardeners' lettuce, which is a favorite for three reasons—viz.: It is perhaps the most reliable of all kinds, being a sure header even in unfavorable seasons; it is very hardy, and its quality is the finest, no lettuce being sweeter or more delicately flavored. In size it is much smaller than the Colossal or Imperial, but many growers do not consider this a serious disadvantage. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **EARLY SIMPSON.**—An improved Silesia, which is highly esteemed by Jersey gardeners. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **RAWSON'S HOTOHOUSE.**—Market gardeners who use glass will find this a good sort, very uniform in size and well formed. It is said to have little or no tendency to rot in the heart, as so many varieties do under glass. It is not used for field culture. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **EARLY CURLED SILESIA.**—Grown principally for the leaves, which are excellent for salad when young and tender, but will form a head if given time and room. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **CURLED INDIA, OR HANSON.**—We have found this a fair summer lettuce of large size and the best flavor. It has a flat, cabbage-shaped head, with pure white inside leaves. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **CALIFORNIA CREAM BUTTER.**—One of the sorts which are slow in running to seed, and therefore adapted to summer use. The head is of medium size, compact and almost perfectly round. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **TRIANON COS.**—None of the Cos varieties do very well in this section, but we think the Trianon will give fair results, as it stands heat better than any other kind. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **WHITE COS ROMAINE.**—This kind is used most for early crops. It requires tying up, as the leaves do not close in like those of the Trianon. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

**CULTURE.**—An ounce will produce about 2,000 plants and is sufficient for 150 feet of drill. To raise the best of lettuce good, mellow, well-enriched soil is needed. Norfolk truckers treat the cabbage-head varieties in the same way as cabbage, sowing the seed the last week of September and setting the plants in the open field during November. By this method of cultivation fine, large lettuce may be cut early in the spring. For the family garden, seed may be

sown in October in a warm, sheltered bed, protecting it during severe weather with a covering of straw; or they may be transplanted into cold frames, to head during the winter. For a succession sow in beds from the last of March to the middle of May, covering the seed lightly. Always keep well thinned, or the plants will grow weak and spindling.



Carentan Leek.

in drills one inch deep and eight inches apart, selecting light but rich soil. Thin out to one inch and cultivate until the plants are six inches high. They are then ready for transplanting, and must be removed from the seed-bed very carefully, the leaves trimmed, and set in rows twelve inches apart. Make holes with a dibble every nine inches, in which insert the plants nearly up to the leaves, and give water freely. Afterwards keep soil well loosened, earthing up gradually as the leeks increase in size.

**LEEK.**

(*Allium Porrum.*)

✓ **LARGE AMERICAN FLAG.**—An excellent, hardy leek of good size. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.

✓ **LARGE CARENTAN.**—Of French introduction, short and thick, with dark leaves. It will be found a very superior variety for market-gardening purposes, and will eventually take the place of the older sort. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.

**CULTURE.**—An ounce will produce 1,000 plants and is sufficient for 150 feet of drill. Sow in Feb-

**MANGEL-WURZEL.**

[See Beet.]

**MARTYNIA.**

✓ **PROBOSCIDEA.**—A very popular variety for pickling. The pods should be gathered while small and tender. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.



**CULTURE.**—An ounce will plant about 100 hills. If wanted early, the seed should be sown in a hot-bed and the seedlings transplanted into the open ground as soon as the weather becomes warm. The least troublesome culture, however, is to sow in April in hills three feet apart, thinning to a single plant in each hill.

## MUSKMELON.

(*Cucumis Melo.*)

**Owing to an extremely short crop, our supply of melon seeds is very short, and prices are proportionately high.**

**TAIT'S IDEAL MUSKMELON.**—When at its best, the Ideal certainly combines an extraordinary number of valuable characteristics, being very early, of the size now demanded by the best restaurant trade, attractive as to exterior, deep fleshed, richly colored, crystalline in grain, more exquisitely aromatic than any other sort, and absolutely unique in flavor, while its productiveness is probably unequalled. We have actually cut from one vine twenty-four well-formed melons, nearly all of first-class quality, and a group of three or four perfect specimens lying so closely around the hill as to touch each other can be frequently seen. The color of the skin is nearly that of the Osage, but the resemblance goes no further, as the Ideal is of altogether different shape and size, and is covered with an elaborate, well-defined mass of network. The flesh is so deeply colored as to look quite red, and the taste of a representative specimen is simply incomparable. Improvement in this respect could hardly be hoped for, for it is literally true that a sample Jenny Lind seems to lose its sweetness when eaten immediately after a sample Ideal. This has been often tested, and must not be regarded as an exaggeration. In proportion to its size it is easily the heaviest of all muskmelons, proving the thickness and firmness of the flesh. It is therefore a good shipping variety, able to endure much handling and long shipments. On many farms it has not succeeded for some reason, but when the soil and situation suit it no kind will give as good results. All melon-growers should plant a small field for trial. Per pkt., 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.



Martynia.

*Petersburg, Va.*—I am very much pleased with Tait's Ideal Muskmelon. It is the finest flavored of all the cantaloupes. R. B. READE.

*Franklin, Va.*—Your Ideal Muskmelon is decidedly the finest I have ever seen. R. J. CAMP.

*Norfolk, Va.*—No melon on my place gave as good results as your New Ideal. C. D. NORTHERN.

*Norfolk, Va.*—The quality of your Ideal Muskmelon is certainly superior to any kind I have ever used. R. W. WEBB.

**ROCKY FORD ("Thoroughbred").**—As is very generally known among truckers, this New Colorado melon has had for a number of years a remarkable sale in the principal markets, being extremely popular in both New York and Boston. The fruit at maturity is not a great deal larger than an extra fine orange, the rind light green in color and prettily netted, the flesh being about the same as the Jenny Lind in appearance. It is perhaps the sweetest of all muskmelons, but simple sweetness is not the test of a melon, and it is not, in our opinion, superior to Tait's Fancy Jenny Lind in quality, while decidedly less exquisite in flavor than our new Ideal. The vine is productive to a marked degree, so much so that it is not easy in walking through a field to avoid treading upon the fruit. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 40 cts.; per lb., \$1.25.

**PAUL ROSE.**—Although this oval-shaped cross of the Osage and Gem was very unsteady as to type for the first year or two after its introduction, it is now quite fixed, and has become one of the popular kinds. The size is under the medium, and it is thus adapted to shipping in baskets and small crates. The flesh is salmon-colored and unusually thick, the quality being above the average, and the vine is unusually productive. We have been informed that the Florida growers have been more successful with it than with any muskmelon ever used there. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 40 cts.; per lb., \$1.25.

**FANCY EMERALD GEM ("Thoroughbred").**—The finest stock of Emerald Gem in existence, having been improved into a really distinct melon, and one which is much esteemed by Southern shippers. It is extra early, of medium size, round with a slight flattening at both ends, and has only moderate ribbing. The skin is a deep emerald green, and is usually smooth, although occasionally more or less netted. The flesh varies in color according to the maturity of the fruit, being a rich salmon color when ready for the table, and is remarkable for its thickness. It is peculiarly crystalline, and is not only sweet, but very highly flavored as well. In productiveness few melons surpass it, and the vine seems to be unusually vigorous in its habit of growth. A peculiarity which growers will note is that the fruit when mature is detached by a light touch of the hand or foot. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 50 cts.; per lb., \$2.00.

*Norfolk, Va.*—Your Emerald Gem Melon was the finest last year that I have ever seen.

*Norfolk, Va.*—I can congratulate you on the purity of your Fancy Emerald Gem Cantaloupe, for it is the best stock I ever saw. JOHN HOLLAND.  
P. S. LAND.



✓ **OSAGE.**—The shape of this melon is nearly that of a cocoanut, and the size is rather above the medium. It has a dark-green skin of peculiar netting, with wide, smooth seams, and when cut the firm, aromatic, salmon-yellow flesh shows very attractively. It found capital sale for several years, but as it is very liable to show irregularities of shape and color, we do not recommend it for market gardening. No muskmelon is so difficult to keep pure. Per pkt., 5 cts.; per oz., 15 cts.; per ¼ lb., 40 cts.; per lb., \$1.25.

✓ **TAIT'S FANCY JENNY LIND.**—The Jenny Lind's "fineness" of flavor—quite distinct from the agreeable sweet taste of the average good melon—its convenient size, just right for serving in halves, extra earliness, and the fact that a hundred may usually be cut without one proving really poor, have enabled it to hold its own against most of the new muskmelons. It



is phenomenally prolific, and thus, although so small, the yield stands comparison with much larger melons. Its bearing season is also very long. It needs no detailed description, as there are few people unfamiliar with its shallow but intricate netting and green flesh. Shippers of cantaloupes should remember that in addition to the superior qualities

of the Jenny Lind and its popularity, it is one of the earliest of muskmelons, and will thus often get in market in time to avoid the glut, which is inevitable in years of heavy melon crops. Tait's Fancy Jenny Lind is Jersey grown, under our personal supervision, from the finest strain in existence, and has never failed to produce perfectly true fruit. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

Norfolk, Va.—Your Jenny Lind seems perfect in every respect, and I can say that it is always the same. W. I. SIMPSON.

Portsmouth, Va.—I could not ask for anything better in quality than your Jenny Lind Cantaloupe. In my large crop this season every melon was apparently first-class. JOS. SKEETER.

Portsmouth, Va.—The Jenny Lind Melons I had from your seed this year could not be improved upon in quality or uniformity. B. W. BAKER.

✓ **HYBRID BAY VIEW.**—An oblong melon of unusual size, very similar to the old Large Persian, and grown principally for family use. It is very prolific, and has a green rind with flesh of great sweetness. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **LONG ISLAND BEAUTY.**—Of the many fine muskmelons available for family use and local market this will be found one of the best. It is of the Hackensack type, but is superior to even the Extra Early Hackensack, its appearance, earliness and quality being all that could be desired. Various muskmelons of similar shape are often sold as Long Island Beauty, and we beg to caution our readers against ordering from any except first-class houses. Per pkt., 5 cts.; per oz., 15 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.

✓ **GOLDEN GEM.**—Also known as Golden Jenny. It is best known around Philadelphia, for which market it is largely grown by Jersey gardeners. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **EARLY WHITE JAPAN.**—Fair sized, well flavored, the skin creamy white, and the flesh of a light-green color. We do not recommend it for general use, although it is a favorite with the Boston market. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **CHICAGO MARKET NUTMEG.**—An excellent green-fleshed melon, shaped like a nutmeg and highly scented. It is especially suited to the garden, and we rarely sell it for market use. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **BANANA.**—This variety has cucumber-shaped fruit nearly two feet long when well grown. The skin is smooth and light yellow, often cracking when about ripe. The orange flesh, while sometimes finely flavored, is generally of indifferent quality, and most markets do not care for it. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

✓ **GREEN MONTREAL.**—Originated in Canada and best suited to a cool climate, but sometimes grown South successfully. The fruit is round, somewhat flattened at the ends, and covered with a dense netting, the quality of the flesh being first-class. It is coarse grained and more juicy than a watermelon. It is one of the largest and most showy melons in cultivation, specimens having been grown to weigh upwards of twenty-five pounds. We are reliably informed that fancy Montreal melons have often retailed in Boston at one dollar each, the demand for them being very active at even that price. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

**CULTURE.**—An ounce is sufficient for sixty hills; three pounds will plant an acre twice, replanting being usually necessary. The melon delights in warm, rich soil with the best drainage, and they can never be grown to perfection under unfavorable conditions. Very good melons, however, can be grown on almost any land if the trouble is taken to dig holes two feet square and fill them with a rich compost of wood-mould and cow-pen manure. Plant when all danger of frost is past in hills, putting about ten seeds to the hill. It is necessary to allow for considerable loss from insects, and it is best not to thin at all until the plants are well started. When they are large enough to be safe thin to two in a hill, and keep the ground on and

around the hills mellow and free from weeds. Pinching the ends of the shoot will strengthen the vine and promote early setting of the fruit.

## WATERMELON.

(*Cucurbita Citrullus*.)

**KENTUCKY WONDER.**—Of excellent quality and good for both family and market gardens. It is of oblong shape, very large, and has a handsome dark green rind. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 30 cts.; per lb., \$1.00.

**NEW SUCCESS.**—In this new variety, which is a cross between the Triumph and the Sweetheart, we have a watermelon of great promise. It has not been very generally tested as yet, but seems to have fairly earned its name in the South. We have a limited quantity of the seed, grown by the originator, and will be glad to supply it in lots not exceeding five pounds. Per pkt., 10 cts.; per oz., 20 cts.; per  $\frac{1}{4}$  lb., 40 cts.; per lb., \$1.50.

**BLUE GEM** ("Thoroughbred").—The Blue Gem resembles very closely the well-known Kolb Gem in its color and thick oval shape, but it is a better flavored melon and is very distinct as to color, the stripes being exactly like a Kolb Gem, only more indistinct, while the color is a dark purplish blue, very rich and lustrous. It has been largely used in Georgia, and is generally liked wherever tried. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**"NIGGER HEAD"** ("Thoroughbred").—This melon, which gets its name from the dark color of the skin, is supposed to have originated in Nansmond county, Va., and is very popular there. It is nearly round, of good size, fine quality, and has found good sale in all markets. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 25 cts.; per lb., \$1.00.

**DUKE JONES** ("Thoroughbred").—Good judges of watermelons claim that this is more prolific than any variety in use, and one grower states that he has grown from two-thirds of an acre a car-load of eight hundred, of which the average weight was forty-three pounds. The flavor is exceptionally good, and we could recommend this melon in the strongest terms but for a tendency which it has to become somewhat hollow at the heart. This serious defect makes it unsafe for a market crop. The color is dark green and the shape blocky oval. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.


**SOUTHERN TRIUMPH WATERMELON** ("Thoroughbred").—This is undoubtedly the largest watermelon in existence, frequently weighing over eighty pounds and averaging more than any other sort, even those which are much later in ripening. Its fine color—a solid dark green—as well as its mammoth size, make it attractive externally. It cuts handsomely, and has been found to carry perfectly in shipment. The flesh is bright red and very sweet, and the shape thick oval. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 25 cts.; per lb., \$1.00.

*Hertford, N. C.*—The Southern Triumph and the Jenny Lind Melons I bought of you this year produced the finest melons seen in Hertford in fifty years. T. D. SANDERS.

*Portsmouth, Va.*—The Triumph Watermelons grown from your seed last year were very fine. I sold them all in the local market, and none for less than \$25 per hundred. B. W. BAKER.

*Emmerton, Va.*—All of your seeds produced satisfactory results, and I have just returned from a second trip to Washington with watermelons. Best prices on the market each time. W. A. BROCKENBROUGH.

**BLACK DIAMOND.**—Many growers are much pleased with this cross of the Kolb Gem and the Hoosier King. It is a large melon with a



rind so dark in color as to appear almost black, and with a lustre something like that seen on the skin of the Blue Gem. In shape it resembles the Kolb Gem, but in size far exceeds that old variety, and is of better quality. Shippers will find it a watermelon well worth trying, though we prefer the Improved Black Diamond for reasons mentioned in the description of that melon. Per pkt., 5 and 10 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**WONDERFUL SUGAR.**—A handsome oblong melon introduced from the West Indies and universally pronounced a great acquisition for home use or local markets. In shape and marking it is different in other respects. The remarkable sweetness quite justifies the rather high-sounding name under which it was brought out. Per pkt., 5 and 10 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

*Churchland, Va.*—The Wonderful Sugar Watermelon you have sold me for the past two years is the best variety I have ever seen grown, the quality being perfect. J. E. PEAKE.

*Zuni, Va.*—The Wonderful Sugar were the finest melons I ever ate in my life. I feel safe in saying that I did not cut a melon from these seed which was not good to eat. It has the finest flavor of any kind I have ever tasted, and, moreover, grows ten days earlier than any other melon we can get. I think, with favorable seasons, they will grow to weigh forty to forty-five pounds. We do not expect to plant any other sort for early melons next year. J. M. DARDEN.

TAIT'S  
FANCY SELECTED JENNY LIND  
MUSKMELON





PHOTO BY GEO. TAIT & SONS







**TAIT'S IMPROVED BLACK DIAMOND.**—Second to the Southern Triumph only in point of size and superior to it in productiveness, this improved strain of the Black Diamond is certainly one of the leading melons for market. It resembles the original stock in general appearance, but differs from it in four very important particulars, being materially larger, better formed, and of finer quality, while at the same time possessing a skin which is not at all easily scratched. Those who have grown the original Black Diamond for market will have good reason to remember how carefully the fruit must be handled to prevent the dark skin from being scratched through to the lighter color beneath, and how seriously the sale is affected by such a disfigurement. If there were no other point of superiority, this one alone would be sufficient to make the old Black Diamond second choice. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.


✓ **BLACK BOULDER.**—A large, dark green melon, very thick in proportion to its length, and one of the very best for market. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **KLECKLEY SWEET.**—For local market this will be found very desirable, as it is one of the sweetest varieties in cultivation. It is long, dark green, and remarkable for the brittleness of the rind at maturity. When cut, a melon will often crackle ahead of the knife like glass, and all who are familiar with watermelons will recognize this indication of delicate, crystalline flesh. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

✓ **DIXIE ("Thoroughbred").**—The rind of the Dixie would, at first sight, seem to limit its use to local markets, as it is only about one-quarter of an inch in a well-ripened specimen. Practical experience, however, has proved that, although so thin, the extraordinary toughness of the rind enables it to endure repeated and severe handling. The inside more than bears out the promise of the exterior, and the flesh is unsurpassed for rich coloring, fineness of grain, and exquisite delicacy of flavor. Our stock is selected with the utmost care. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.


✓ **NEW FAVORITE ("Thoroughbred").**—Introduced in 1892 by the originator of the well-known Florida Favorite. It has the oblong shape and deliciously tender flesh of the Florida Favorite, but is nearly double the size as well as more prolific, and a great improvement in every way except in sweetness, in which point the Florida Favorite will probably always be able to hold its own. The shape, marking of rind, and color of seed are about the same in the two melons, but the New Favorite has many less seed. With an ordinarily favorable season, the melons will average above the medium size, and can be grown to weigh over seventy pounds. The flesh is the brightest red, very crisp and sweet. Having a fairly thick, strong rind, it bears shipment splendidly, and will undoubtedly find ready sale wherever it becomes known. Those of our growers who cater to the family trade should certainly make a trial of it. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **SEMINOLE.**—A Florida "sport," which is favorably regarded by those who are acquainted with its earliness and productiveness. The flesh is tender and melting. Melons of two colors are found on the same vine, but the quality does not vary. The skin is either a gray or a light green, and the shape very long. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.



New Seminole Melon.

held the foremost place among shipping melons until 1897, but some of the recently introduced sorts have now practically supplanted it. The flesh is a bright red, rather coarse in texture and flavor. Its quality is not really first-class, and its popularity rests altogether upon the



Kolb Gem Watermelon.

✓ **FLORIDA FAVORITE ("Thoroughbred").** There is no watermelon of finer table quality than this, but it is very small, and cannot be grown for shipment on account of brittleness of the rind. It is earlier than most family melons, and for home use we have no better kind. The shape is oblong and the color of the rind dark green with light green stripes. The flesh is really melting, having less fibre than any other kind except the far-famed Muskile. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.


✓ **KOLB GEM ("Thoroughbred").**—The introduction of this thick, blocky melon was signaled by the immediate adoption of it by the largest growers throughout the country. It



attractiveness of the melon, either cut or uncut, and its carrying qualities. We take great pride in our strain of the Kolb Gem, believing it to be the best representative of the true type. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **JORDAN'S GRAY MONARCH.**—This watermelon, sometimes called the Long White Icing, is very large, long and well shaped. The skin is a mottled gray, and the rind, although not very thick, enables it to bear much handling. The flesh is light crimson, very crisp and sweet. The Gray Monarch is a special favorite with the truckers of the Powell's Point, N. C., section, and is considered the most profitable kind used there. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **CUBAN QUEEN.**—This variety may be grown to an immense size by proper cultivation, and is good for both family and market use. The skin is beautifully striped with light and dark green, the shape being oblong with a tapering stem end. As it is possible to raise Cuban Queen melons weighing over 100 pounds, we suggest it and the still larger Triumph to those who wish for any reason to grow enormous watermelons. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.



Scaly Bark Watermelon.

and is good enough to deserve the name by which many people know it—the Ice Cream. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.


✓ **SWEET HEART ("Thoroughbred").**—A variety which has taken a very prominent place among the best of the new watermelons, being undeniably the finest melon which came on the Norfolk market in 1901. The introducers say that no melon in cultivation will produce a crop so uniform in size, shape and color, and that the fruit remains in condition for use longer than any other early sort. It is large, oval in shape and very solid, with a rind mottled light and very light green. The rind is strong enough to bear shipment, notwithstanding its thinness, and the quality is not at all inferior to that of the Florida Favorite. We have no kind which seems better adapted to this section, and it is particularly recommended for extensive trial. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **PRIDE OF GEORGIA.**—Perfectly round, skin striped with light and dark green. The flesh is a bright red, and the fruit is early enough to make it desirable for markets which take the striped melons. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **DARK ICING.**—A round melon, which is early, very solid, and of excellent flavor. The rind is a dark green, faintly mottled with a lighter shade, and rather too thin for shipping. In some parts of North Carolina, however, it is grown by truckers for shipment. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **ICE RIND.**—Known also as Dark Icing, and highly esteemed for its delicious flavor. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **MUSKILE.**—The famous melon of the Eastern Shore of Virginia, the seed of which is so carefully guarded by the melon growers of that section that we are very seldom able to offer it at all, although always ready to pay a high price for it in any quantities. It is extremely tender and sweet, but the rind is very thin, and so brittle that melons often break simply from handling, so it is never grown for very distant markets. Although the Florida Favorite is practically as good, there is a certain charm about the Muskile which is lacking




Cuban Queen Watermelon.



in any other watermelons, and it is rightly considered unique. We have never heard of a Muskile which was disappointing in quality, and do not believe it ever proves so when grown in congenial soil. Persons ordering the Muskile should always give a second choice, as we are never in a position to offer it positively. Per pkt., 10 cts.; per oz., 20 cts.; per  $\frac{1}{4}$  lb., 60 cts.; per lb., \$2.00.

✓**RATTLESNAKE.**—An oblong striped melon, formerly much valued by market gardeners for shipping, having a very thick rind and handsome flesh. It is not now in much demand except in certain local markets, but we continue to grow a very fine stock for those who like it. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.



Mountain Sweet Watermelon.

ties, giving great relief in certain affections of the kidneys. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 80 cts.

**CULTURE.**—An ounce is sufficient for thirty hills; five to six pounds will plant an acre in hills. A rich but light and well-drained soil is needed to produce the best results. Avoid planting until the warm weather has become settled, as the vine will never thrive if checked by cold. Make the hills at least ten or twelve feet apart each way and put about eight seed in each; thin to two vines in the hill and cultivate as muskmelons.


✓**CITRON (Red Seeded).**—This is an improvement on the old preserving citron, being much more productive and of finer texture. It is round and smooth, the skin being striped and marked with light green. The flesh is white and almost as hard as the rind. The red seed are known to possess very valuable medicinal quali-

## MUSHROOM SPAWN.

(*Agaricus Campestris.*)

**ENGLISH.**—As the French Spawn is said by many experienced growers to be very liable to rot unless the conditions are precisely right, we are now offering only the finest English. It is white when young, turning brown rapidly; the gills are loose and pinkish-red in color at first, changing to liver-white. There is a great deal of spawn sold at fancy prices, but we can assure our customers that no stock better than ours is imported. Per lb., 15 cts.

**CULTURE.**—One pound of Spawn will plant about ten square feet. It is a mistaken idea which many people have that the growing of mushrooms is too troublesome and difficult for an amateur to attempt. As a matter of fact, they can be raised in cellars, under the benches of greenhouses, or in any shed where a temperature of from fifty to sixty degrees can be maintained through the winter, and the results certainly compensate for what trouble is incurred. The beds should be made up about two months before the mushrooms are wanted, as it takes about that time for them to begin bearing. For their preparation procure fresh horse manure, free from litter and straw, and incorporate with it an equal bulk of loam from some old pasture; put it in a heap under cover and turn daily until the extreme heat is out. The beds may be of any size desired, but the proportions recommended by the best growers are about four feet wide, eight inches deep, and any convenient length. Put the compost of loam and manure in layers, pressing each firmly with the back of the spade. Leave until the heat has subsided to about ninety degrees, and then make holes two inches deep and a foot apart each way to receive pieces of spawn the size of a walnut. Refill the holes and allow eight or ten days for the spawn to diffuse itself through the entire bed; then cover with two inches of fresh soil, and over this spread a layer of straw or litter four inches deep. The bed must never be allowed to become dry, and an examination should be frequently made to see that it is thoroughly moist. If the surface becomes dry, wet it gently with water heated to about 100 degrees.



Mushrooms.

## MUSTARD.

(Sinapis.)

✓ **CHINESE.**—When cooked like spinach, the broad leaves of this variety have an agreeable flavor and are much liked. They are often a foot or more in length, and have a crimping much like that of a Savoy cabbage. It is ready for use within five or six weeks from the time of sowing, and has an advantage over many other greens, in that it loses little bulk in boiling. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.



Chinese Mustard.

✓ **WHITE LONDON.**—The seeds of the white mustard are used for pickling and other domestic purposes, while the plant itself makes early greens which are relished by many people. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.

✓ **BLACK OR BROWN.**—Available for the same purposes. The seeds of this variety form the mustard of commerce. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 40 cts.

✓ **GIANT SOUTHERN CURLED.**—A favorite in the South, growing very large with a beautiful curled leaf. It is very tender and of especially good flavor. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**CULTURE.**—An ounce of White Mustard is sufficient for 80 feet of drill; of the other sorts an ounce will sow 160 feet of drill. Sow the White and Brown in early spring for greens, broadcast or in drills eighteen inches apart. The others may be sown in fall or early spring in rows about two feet apart, and thinned out afterwards to two feet in the row.

## OKRA.

(Hibiscus Esculentus.)

✓ **WHITE VELVET.**—Extremely productive; the pods round, light colored and smooth. It is the finest variety in cultivation, but is not sufficiently known in Virginia and North Carolina to be safe for a market crop, for which a green okra is required at present. In the far Southern States this is now the favorite variety, and we are making every effort to promote its popularity here. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

✓ **IMPROVED DWARF.**—This variety begins to bear when very small, and, if cultivated, will continue to bear until frost. This vegetable is by no means as well known as it deserves, being exceedingly wholesome and nutritious. It seems a rather peculiar and unattractive dish to those who taste it for the first time, but a fondness for it is easily acquired. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

✓ **LONG GREEN.**—Has long, pale green pods borne on a tall and vigorous stalk. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

**CULTURE.**—An ounce is sufficient for seventy-five hills. The seed of okra will not germinate when the ground is cold and wet, and it should not, therefore, be planted too early in the season. Sow in hills two feet apart, and thin out to one plant in the hill. Hoe often and earth up well to the stem. The pods are much esteemed for the agreeable richness they impart to soups and sauces, and must be gathered while young and tender. Okra can be preserved for winter use by putting the pods down in pickle like cucumbers, or by slicing them in narrow rings and drying like peaches.



Dwarf Okra.




**ONION.**

(*Allium Cepa.*)

✓ **PRIZETAKER** ("Thoroughbred").—The remarkable size of this onion, averaging twelve or more inches in circumference, attracted much attention when introduced a few years ago, and consumers were not slow to find that its qualities in general were in proportion to its bulk. It is now one of the most popular varieties throughout the country. It is a globe-shaped onion of rich straw color, very uniform in shape and size and phenomenally productive. The neck is small and the bulb ripens up very hard, keeping excellently. Some of our onion growers around Norfolk are extremely enthusiastic in their praise of the Prizetaker, and say they find it as profitable as the White Queen. Specimens have been known to weigh as much as four pounds each. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **WHITE FLAT BERMUDA.**—An extra early flat onion, which is exceedingly mild in flavor and very much liked in all markets. As most market gardeners are aware, it is always more or less difficult to get really pure strains of the Bermuda varieties. We take pleasure in calling attention to our fine Italian grown stock, which will be found invariably genuine. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **PALE RED BERMUDA.**—Southern growers, especially those in Florida, have found this onion one of the surest and most profitable crops within their reach. It is of handsome shape, somewhat elongated, perfectly symmetrical, and very attractive in color. Like the White Flat Bermuda, it is extremely early and a good shipper. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.



White Queen Onion.

✓ **SILVER KING.**—The Mammoth White Garganus is the proper name of this handsome Italian variety. It is one of the largest onions in cultivation, often measuring over twenty inches in circumference and weighing as much as four pounds. Being a rapid grower, it produces marketable bulbs the first season. It is flattened in shape, but very thick and silvery white in color, the flesh being peculiarly sweet. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **TAIT'S NEW OPAL.**—The keeping qualities of this new onion are simply marvelous. We have been shown a specimen in perfect condition which the French originators stated had been taken from the ground two years before it was exhibited. In shape and general appearance it is not unlike the Yellow Danvers, being a slightly flattened globe of a pure yellow color. Bulletins of the Texas and North Carolina Experiment Stations commend it highly, and we have had a demand for it from every part of the United States. Per pkt., 10 cts.; per oz., 50 cts.; per ¼ lb., \$1; per lb., \$4.

*Castroga, Cal.*—Your Opal Onion is said to be the best of all keepers. Please send me as follows.

*Hollandale, Miss.*—Your Opal Onion has been highly recommended to me for its keeping qualities. Please send me value of enclosure.

IRA W. ADAMS.  
P. M. ALEXANDER.

✓ **TAIT'S EXTRA EARLY WHITE QUEEN.**—We consider this onion—sometimes erroneously called "Pearl"—more generally desirable than any other in our list, especially for market gardening. It has been many years since we first imported it, and although during this time an almost innumerable number of new varieties have been introduced, some of them of great value, none have ever proven themselves able to take its place. It is not only of the most agreeable flavor and attractive appearance, but is extra early and large. Perfectly matured



bulbs may usually be obtained from the seed in about six months. It is flattened in shape, but quite thick and beautifully symmetrical. The skin is silvery white, the flesh snowy and of such tender sweetness that the raw onion may be eaten like an apple. The truckers of Tidewater Virginia find it very profitable to bunch the young onions as soon as they are large enough to be marketable, and sell them thus—green with the tops. Few of the Italian onions are good keepers, and no attempt should be made to hold the crop very long after maturity, but the demand for them is generally so active that there is little object in doing so. The cheapest method of growing them is to begin with the seed, but many prefer to gain time by the use of sets which, planted in August or September, produce full-grown onions early in April. We can supply the seed in any quantities throughout the year, and usually have our own growing of sets ready for delivery by the tenth of August. In the vicinity of Norfolk this crop is considered more remunerative than almost any other, and we can assure all Southern truckers that it will be to their interest to make a trial of it. Our strain of this onion must not be classed with the White Queen as usually sold, as ours is quite twice as large. Western-grown onion sets will not succeed here, and we caution our readers against yielding to the temptation to save money by buying cheap sets. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

*Rip Raps, Va.*—We have tried other Queen onions, but yours are always different in results. They do not run up to seed, and are the largest and the prettiest in shape.

*Norfolk, Va.*—I believe that, taking one year with another, the most profitable crop I have grown during the last fifteen years has been your Queen Onion.

*Suffolk, Va.*—We expect you to always save us our regular quantity of your Queen Onion, as we depend entirely upon you for this crop.

*Lambert's Point, Va.*—The Queen Onion I bought of you last year made beautiful onions, the size and shape being the best I have ever seen.

*Norfolk, Va.*—I have never found any stock of Queen Onion which equalled yours in purity and size.

*Raleigh, N. C.*—"Tait's Extra Early Queen" we have found to be a fine strain; very early. It is a beautiful onion.

✓ **EXTRA EARLY PEARL.**—In no way different from the ordinary White Queen, and, as usually sold, far less reliable than our selected strain of that onion. There are no grounds for classing it as distinct in any particular. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **EXTRA EARLY FLAT RED ("Thoroughbred").**—A light red onion, much earlier than the Large Red, and very good where the seasons are short. It is an excellent keeper. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.


✓ **SPANISH KING.**—This onion, which is widely advertised as a distinct sort, is identical with the Mammoth Prizetaker listed above. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.

✓ **GIANT ROCCO ("Thoroughbred").**—After having been practically dropped from cultivation for several years, the Rocco is coming into popularity again, and we are having considerable demand for the seed. It is a magnificent large globular-shaped onion of light red color and very rapid growth. As is the case with the Extra Early White Queen, the seed generally produce full-grown onions within seven months from the time of sowing, and the bulbs are marketable at nearly all stages of their growth. The flesh is tender and mild-flavored, but it is well to remember that none of the Italian onions are good keepers. The Rocca, if held in the field after maturity and exposed to hot suns, followed by excessive rains, is liable to a rot which begins in the crown and rapidly spreads through the entire onion. For this reason we advise an early marketing of the crop whenever there is a demand which at all justifies it. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 50 cts.; per lb., \$2.00.


✓ **WHITE PORTUGAL, OR SILVERSKIN ("Thoroughbred").**—A fine, handsome bulb of pleasing flavor, but not a very good keeper in the South. It is of flattened shape, very early, and the most popular variety for pickling. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **SOUTHPORT WHITE GLOBE ("Thoroughbred").**—One of the most beautiful white onions, globular shaped, and of mild flavor. It is a favorite market onion, salable everywhere. Our seed is grown in New Jersey, where, as most people know, onion seeds and onion sets come nearest perfection. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.


✓ **YELLOW GLOBE DANVERS ("Thoroughbred").**—We can recommend this standard variety for all uses, its uniformity of shape, bright color and fine quality making it all that could be desired. No other onion ranks with it in productiveness, 500 bushels and upwards per acre being often claimed as the yield under the best cultivation. Although one of the earliest yellow onions, the Danvers is a perfect keeper, and may be stored for a long time before market-



Extra Early Red Onion.



LONG ISLAND BEAUTY MUSKMELON.








ing, if desired. All Danvers onion seed sold by us is the finest New Jersey stock, and we make no attempt to compete as to prices with the cheap and inferior Western seed. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per 1/4 lb., 50 cts.; per lb., \$2.00.

**LARGE RED WETHERSFIELD** ("Thoroughbred").—Dark red in color, rather flat, but very thick. It is of unusually large size, keeps well, and has been found to suffer little from our hot summers. Owing to this peculiarity, it can be relied upon to invariably produce matured bulbs from seed the first season, if sown as early as the first or middle of March. The flavor is exceptionally strong. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per 1/4 lb., 50 cts.

**CULTURE.**—An ounce is sufficient for 100 feet of drill; five to six pounds are sowed to the acre in drill; forty to fifty pounds are sowed to the acre broadcast for sets. Onions require a strong, deep, rich and friable soil, which has been well manured for a previous crop.



Rocca Onion.

The seed may be sown in February or March, in beds about thirty inches wide, with the rows from twelve to fourteen inches apart; draw the drills shallow, as the best onions grow on the surface. Sow very thickly and cover with about half an inch of fine soil, pressing the earth down with the back of a spade or a roller. When well up, thin out to six inches apart in the rows. Keep the beds clean and free from weeds and the ground well stirred until the young onions are started, after which it is well to hand-weed. Or, in this latitude, a good crop can generally be obtained by sowing in October in the way described. They will grow until very cold weather and resume their growth in the spring. On account of the heat of our climate large and perfect onions of the American varieties can rarely be grown from seed the first season, and the general practice is to raise the White and Yellow from "sets" planted in the fall and spring. Sets are obtained by sowing the seed early in the spring in beds very thickly, removing them when tops have died down to a dry, airy room, keeping them thinly spread until the following February, and then transplanting into rows nine inches apart, with six inches between the bulbs in the row; or the seed may be sown in the same way in August and treated similarly when the tops have died. The sets of the Rocca and Queen do not keep well, and it is best to

raise them from seed. Sowings made the first of October will usually be sufficiently matured by April, or perfect bulbs may be had by mid-summer if the seed is sown in February. Both soil and salt may be advantageously applied to onion beds, and, as is generally known, successive crops can be grown indefinitely upon the same ground.

### ONION SETS.

(PRICES OF ONION SETS ARE SUBJECT TO CHANGE.)

Quotations per bushel and per 100 bushels furnished on application.

Especial attention is called to the fact that our quotations are for quarts in dry measure; these contain much more than the liquid measures commonly sold in the trade.

We wish to state that our onion sets are all Jersey grown, from the very best seed stocks, and should not be put in the same class with Western grown sets, which are always on the market at low prices, but are usually of impure stock and rarely produce good bulbs in our climate and soil.

|                                    |                   |                             |
|------------------------------------|-------------------|-----------------------------|
| White Portugal, or Silverskin..... | Per qt., 25 cts.; | by mail or express, 35 cts. |
| Large Yellow Danvers.....          | " 25 "            | " " 35 "                    |
| White Queen—(Ready in August)..... | " 30 "            | " " 40 "                    |
| White Pearl—(Ready in August)..... | " 30 "            | " " 40 "                    |


**CULTURE.**—A quart of onion sets of average size will plant about forty feet of drill. Plant the White and Yellow early in the spring in rows nine inches apart, allowing six inches between the bulbs. As the best onions are those which grow on top of the soil, it is advisable to draw the drills very shallow. Sometimes, especially when planted very early, the set will throw up a seed stalk, which must be promptly pinched out, or there will be no development of the bulb. For the successful cultivation of this crop, rich soil and heavy fertilizing are absolutely necessary, and the beds must be well cleaned of weeds and grasses.

As the sets of the Queen or Pearl rot shortly after being taken from the ground, they must be planted in September and October, no stock of them being carried after that time. They grow rapidly, and should be available for the table in early spring. We no longer grow the Potato Onions, and cannot supply either Yellow or White.

**PARSLEY.***(Apium Petroselinum.)*

**PLAIN.**—A strong, hardy plant, excellent for seasoning. The leaves may be used after drying as well as in the green state. When it is desired to cure them, the leaves should be thoroughly dried, rubbed to a powder, and then closely bottled. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

**EXTRA DOUBLE CURLED.**—Equally as good as the Plain for seasoning, and being a more handsome variety, is preferred for gardening, etc. Every garden should have its row or bed of Parsley, as few plants are so useful in the kitchen or so easily grown. As a market



Double Curled Parsley.

gardening crop, it is very profitable indeed if trouble is taken to protect it in severe weather during the winter, and we recommend it especially to those who have small farms. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**FERN LEAVED.**—With the qualities of the ordinary parsley, and of such beautiful appearance that it may be grown as a foliage plant. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**MOSS CURLED.**—Another new and very pretty variety of compact growth

and bright green color. It makes a very beautiful border plant, and is, of course, especially pretty for garnishing. Per pkt., 5 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**CULTURE.**—An ounce is sufficient for 150 feet of drill.—Sow in autumn or spring in drills fifteen inches apart, or as edging for beds. Keep the ground well open and the weeds down by frequent hoeings, and when the plants get strong thin out to six or eight inches apart. Parsley seed is very slow in germinating, often requiring a month, and should be sown in rich, mellow soil, the surface being then made very firm. We advise that the ground be covered with old bags after sowing the seed. The moisture is thus retained until the seeds have sprouted, while the effect of heavy rains is also prevented. With this precaution there is never any difficulty in securing a stand of parsley, even during the heat of summer. During intensely cold weather, it is well to give the bed some slight protection of hay, grass or burlaps, as all damage may be easily avoided.

**PARSNIP.***(Pastinaca Sativa.)*


**IMPROVED HOLLOW CROWNED.**—The best variety for general cultivation, with long, smooth roots depressed at the top. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 60 cts.

**CULTURE.**—Sow very thickly, early in and at any time during the spring, in drills eighteen inches apart, in deep, rich, sandy loam, which has been well manured for a previous crop. When the plants are two or three inches high, thin out to six or seven inches apart and hoe frequently to keep down weeds. The roots, which are excellent for stock as well as for the table, are much improved in flavor by being left in the ground during the winter.

**PEAS.***(Pisum Sativum.)*

Price Per Bushel Furnished Upon Application.

All of the peas offered by us are grown in Canada under the most careful personal inspection, and are as pure as such care can make them. In competition with the foremost seedsmen in the United States we have invariably taken the first place, and have never failed to win special praise from the Experiment Stations.



Parsnip.

Especial attention is called to the fact that our quotations are for quarts in dry measure; these contain much more than the liquid measures commonly sold in the trade. 

**EXTRA EARLY.**

✓ **NEW GRADUS.**—An English introduction, which marks a new step in pea culture, as it possesses an unprecedented combination of qualities. It is about as early as the extra early trucking peas, is quite twice their size, and yet has every characteristic of the finest wrinkled sugar peas. No sugar pea ever originated can bear comparison with it, and we trust that our customers will not be slow to learn its value. Height, three feet. Per qt., 40 cts.; prepaid by mail or express, 55 cts.

*Franktown, Va.*—I bought last year some of the Gradus Peas which you recommended so highly, and they were decidedly the best I ever had in my life. J. B. SAVAGE.

*Driver's, Va.*—The moderate growth of vine made me doubtful at first whether the New Gradus Peas would come up to your representations, but when the time came for picking I found it was all you said it was, and the finest pea I ever saw in my life. F. L. JONES.

✓ **PROSPERITY.**—This is merely another name for the New Gradus Pea. Per qt., 40 cts.; prepaid by mail or express, 55 cts.

✓ **THOMAS LAXTON.**—The latest introduction of the famous English gardener of that name. It is a cross of the Gradus and a hardy, extra early pea, and the tests of two years seem to indicate that in earliness and hardiness, at least, it is superior to the parent stocks. The pod is a dark green, thick and about the same length as the Gradus. Per qt., 40 cts.; prepaid by mail or express, 55 cts.

✓ **TAIT'S EXTRA EARLY NONPAREIL.**—The earliest and purest pea in the world; endorsed as such by the Virginia and North Carolina Experiment Stations and by the most successful growers in the Southern States. It is a single-picking pea, not quite so large podded as some other varieties, but an enormous yielder and more beautifully colored than any other. The clear, waxen green of the pod is remarkably permanent, so that the Nonpareil may be held without injury for several days in case of temporarily depressed markets or a scarcity of pickers. The same advantage will, of course, appear when shipments are long in transit, and also makes the Nonpareil one of the two best peas for fall planting. Some of the largest growers of peas in the South are now using the Nonpareil exclusively, and we regard it as the finest selection we have ever made. "At the North Carolina Experiment Station we have made careful tests of many varieties. The strains sold by Messrs. George Tait & Sons, of Norfolk, Va., under the names of Nonpareil, etc., we have always found to be the earliest." Height, two feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

*Berkley, Va.*—There is no pea which can touch the Nonpareil in earliness, and I did not find the pods any shorter than those of later peas. THOMAS RAMSEY.

*Grove, Va.*—Please send me the value of enclosure in your Nonpareil Peas. I am much pleased with them. THOS. G. WYNN.

*Hertford, N. C.*—I like your Extra Early Nonpareil Pea very much. J. L. SKINNER.

*Morrison, Va.*—The peas I bought of you—Tait's were the finest I ever raised. The Tait's Ideal Muskmelon was a big success with me. W. H. SCROPE.

*Ashland, Va.*—The Nonpareil Peas turned out well, and were the earliest in this section by two or three weeks. W. C. CRENSHAW.

*Raleigh, N. C.*—I was much pleased with your peas. The Nonpareil was the earliest of fifty sorts. PROF. W. F. MASSEY.

*Norfolk, Va.*—I prefer your peas to any extra early peas I have ever seen grown here. P. S. LAND.

*Moyock, N. C.*—I am partial to Tait's Nonpareil Pea, as I shipped over a hundred bushels to one this season of the seed bought of you. T. B. JONES.

*Bath, N. C.*—The peas I bought of you were all O. K., and I must say that I like them better than any I have ever planted. They are the earliest pea I ever used and give an abundant crop. J. B. HUGHES.

✓ **TAIT'S EXTRA EARLY DESPOT.**—This splendid pea has now been sold by us for nine years, and competent judges unanimously bear testimony to its superiority over all other brands of extra early peas except the Nonpareil, to which it is inferior only in earliness and coloring of pods. The vine is a strong grower, but without the least tendency to "run," and produces pods which are unexcelled in appearance, size and uniformity. We recommend this variety especially for the fall crop, for which purpose it and the Nonpareil are incomparably best. No other variety will endure dry weather as well and yet keep true to the dwarf type in rainy seasons. We have known cases when the Despot produced really good pods without a drop of rain having fallen upon the vines. Height, two and a half feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

✓ **TAIT'S EXTRA EARLY ECLIPSE.**—An old stock once very popular with the growers in Eastern North Carolina, but now superseded by the Despot, the largest podded of all extra early peas. The pods are long and large, well shaped, and set in great profusion. Like the Nonpareil, the crop matures practically at one time. Height, two and a half feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

✓ **ALASKA.**—There are a great many stocks of this pea, and the name means less than in the case of any other sort, some strains being fine selections, while others sold as Alaska are frequently worthless. When pure, it is one of the best extra earlies. Height, two feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

✓ **FIRST AND BEST ("Thoroughbred").**—Of the same type as the Eclipse and a favorite with many truckers who are not acquainted with our fancy strains of Nonpareil and Despot. Height, two and a half feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.



**FIRST OF ALL.**—An extra early, which is popular in sections where the Nonpareil has had no opportunity of showing its superiority. The pod is fair sized and of good color, but there can be no comparison between it and the Nonpareil or the Despot. Height, two and a half feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

**DANIEL O'ROURKE.**—An excellent standard strain, extra early, and a heavy bearer. Height, three feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

**EARLIEST OF ALL.**—One of the numerous selections from the Daniel O'Rourke, and not remarkable for either earliness or productiveness. It is planted principally in the North. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

**RURAL NEW YORKER ("Thoroughbred").**—A fine, early stock, vigorous and very uniform if grown from pure seed stock. Height, three feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

**TOM THUMB.**—A wonderfully prolific dwarf extra early, which is preferred by some of our truckers on account of the small space occupied by the vine. For the same reason it is frequently planted between the rows of other crops. A heavy bearer, grown principally for canners. Height, nine inches. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

**FRENCH CANNER.**—This very productive small pea is the favorite with canners, as it is not only sweet and tender, but does not change color at all in the process. Those who grow peas for the canning factories should protect their interest by using this safe variety. Height, four feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

### LATE.

**IMPROVED WHITE SUGAR MARROWFAT.**—All truckers who are interested in Marrowfat Peas should plant nothing but this new strain, as it is far superior to the best Royal Dwarf White Marrowfat, being much larger, more prolific, and of better quality. Canners will buy these peas in any season. Special attention is called to the fact that this pea is also earlier than the old type of Marrowfat, being ready for picking quite ten days before the Black-eye. Height, four feet. Per qt., 20 cts.; prepaid by mail or express, 35 cts.


*Chuckatuck, Va.*—Taking your advice last spring, I planted some of the Improved Sugar Marrowfat Peas, and they were most satisfactory in every respect. I found them very early, very prolific, and larger podded than any kind I ever saw.

*Churchland, Va.*—I think very highly of the Sugar Marrowfat, and always plant it.

*Norfolk County, Va.*—The Sugar Marrow is a splendid pea. But for the drought last year I should have picked at least 500 baskets from six bushels.

FRANK WRIGHT.

I. L. YEOMAN.  
G. W. FRIZZELL.



Tait's Magnum Bonum Pea.

**WHITE MARROWFAT.**—Less desirable than the White Sugar Marrowfat, but a general favorite, as it is popular with canners. Per qt., 15 cts.; prepaid by mail or express, 30 cts.

**BLACK-EYE MARROWFAT.**—This variety, formerly the best known of the Marrowfats, has large, full pods, borne abundantly, and was very largely used until the introduction of the White Sugar Marrowfat. Per qt., 15 cts.; prepaid by mail or express, 30 cts.

**BLUE IMPERIAL.**—A fine old standard variety, which yields abundantly. Height, three feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

### EDIBLE PODDED.

**GRAY SUGAR.**—Southern people usually call this the Cabbage Pea. The pods are edible



and are cooked as snap beans. Height, four feet. Per qt., 35 cts.; prepaid by mail or express, 50 cts.

✓ **GIANT SUGAR.**—The most vigorous and the largest podded of the sugar peas, but rather inferior to the Melting Sugar in quality. The pods are extraordinarily broad and thick, and the vine is very productive. Per qt., 35 cts.; prepaid by mail or express, 50 cts.

✓ **MELTING SUGAR.**—An improved variety, which grows four or five feet high and produces an immense quantity of large, broad pods of light color. It is very sweet and as tender as a young snap bean. Gardeners who have continued to grow the old "Cabbage Pea" are recommended to try the Melting Sugar, and we think they will admit the propriety of its attractive name. Per qt., 35 cts.; prepaid by mail or express, 50 cts.

**WRINKLED.**

✓ **NEW GRADUS.**—The finest of all new sorts. See "Extra Early" above.

✓ **ALPHA.**—Extra early, of fine quality and a good bearer; excellent for early family use, though many people object to the smallness of the pods. Height, two and a fourth feet. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **AMERICAN WONDER.**—A wonderful pea indeed, exceedingly dwarf and yet as productive as many large-growing varieties. The


vine never grows to more than nine or ten inches, but is literally covered with large, well-filled pods containing peas of the finest flavor. Our strain of this pea is perfectly pure—a statement which cannot be made regarding most stocks of American Wonder. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **McLEAN'S PREMIUM GEM.**—This pea needs no support and is very desirable for family gardens. It is early, and is one of the most satisfactory dwarf peas ever introduced. Whenever an order comes to us calling simply for a good early wrinkled pea, the chances are a hundred to one that the peas come from a bag labelled Premium Gem, and we never have any complaint about our choice. It is likely that the New Gradus will supplant it to some extent in time. Height, one foot. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **HEROINE.**—A first-class pea, which deserves its universal popularity. The pods are fine size, and in productiveness it ranks among the best. Height, two and a half feet. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **CHAMPION OF ENGLAND.**—This famous old variety was the first wrinkled pea, and for many years had no rival as a sweet pea for family use. It is still largely grown, although finer sorts have been originated, and can be relied upon to produce a very heavy crop. Height, four and a half feet. Per qt., 25 cts.; prepaid by mail or express, 40 cts.

✓ **MAGNUM BONUM.**—This splendid selection has been warmly welcomed by lovers of peas, and we have never yet had a sufficient stock to supply



American Wonder Pea.

the demand. The vine is strong and vigorous, with pods of prodigious size, and continues long in bearing if supported by stakes or trellis of any kind. The pod is packed with large peas of the richest flavor. The Gradus, McLean's Premium Gem, and the Magnum Bonum make an ideal succession of fine peas. Height, four feet. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

Hampton, Va.—Your Magnum Bonum is the finest pea on earth, so far as quality is concerned. A. HOWE.  
Newark, Md.—I have grown the Magnum Bonum Pea for several years, and do not see how it could be improved upon. G. B. JONES.


✓ **TELEPHONE.**—One of the best late varieties, with very large pods. Height, four and a half feet. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **YORKSHIRE HERO.**—An excellent wrinkled pea for following the extra earlys, being large, prolific and well flavored. The pods are very broad, and the peas have an advantage over most sorts in that they remain tender a longer time than any others, never becoming really hard. Height, three feet. Per qt., 30 cts.; prepaid by mail or express, 45 cts.

✓ **CANADA FIELD.**—A very valuable crop for stock feeding. See "Miscellaneous Field Seeds."

**CULTURE.**—A quart is sufficient for about seventy-five feet of drill; extra early peas are planted in drills at the rate of one and a half to two bushels to the acre; Marrowfat and

tall growing kinds at the rate of one and a half bushels to the acre. Dry and moderately rich loam is best adapted to early peas; heavy soil is preferable for the late sorts. As fresh, rank manure is apt to induce too heavy a growth of vine, manuring for the spring crop should be done in the previous autumn, or, if deferred until the time of planting, only thoroughly decomposed manure should be used. For an early



Golden Dawn Pepper.

crop for family use, sow the rows ten inches apart, with four feet between double rows. If a succession is wanted, sow at intervals of two weeks until April, the object of truckers being to secure an early rather than a large crop. Marrowfats are sown by them from the middle of November to the middle of January, and Extra Earlys from the tenth of January to the twentieth of February. Deep planting is preferable, as it enables peas to better withstand extremes of either heat or cold. The late varieties do best when in rows far apart and with low-growing crops planted between. Commence hoeing when the peas are two inches high, and when the tendrils appear stick with brush and draw the earth up on each side to help in supporting the vine. If the season be a particularly wet one, the vines are apt to grow so rank as to retard the filling of the pods. In such cases it is sometimes found beneficial to root-prune them by running a spade down to the roots, cutting off their ends. Considerable profits are usually realized from a fall crop of peas planted about the first of September and shipped in October or November, there being usually an active demand for them

about that time. For this purpose the Despot and the Nonpareil are by far the best, as both these stocks resist heat and drought wonderfully. The reputation of our peas is taken advantage of by unscrupulous merchants to sell inferior stocks, and our friends should be careful to see that any peas offered as Tait's have our seal upon them.

## FIELD PEAS.


[See Field Seeds.]

## PEPPER.

(*Capsicum*.)

✓ **LARGE BELL, OR BULL NOSE.**—The favorite pepper for pickling or for use as mangoes. The rind is thick, fleshy and of mild flavor. Although very much smaller than the Ruby King, it is still preferred by some gardeners.

Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.



Bull Nose Pepper.

and cucumbers, or made into salads. We recommend the Ruby King to market gardeners in particular, as the finer appearance gives it a great advantage over the Bell. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **SMALL CHILI.**—The variety from which pepper sauce is made. The pod is red and exceedingly pungent. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **LONG RED CAYENNE.**—A narrow, bright pepper, which is generally dried and used in that condition for various culinary purposes. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **SWEET SPANISH.**—This is one of the mildest kinds, and is used both for salad and in pickles. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **RED CHERRY.**—Named from its close resemblance to the cherry. It is used either as the Cayenne or in pickles. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.



Cherry Pepper.



PHOTO BY  
GEO. TAIT  
K. O. N.

TAIT'S IDEAL MUSKMELON







**SWEET GOLDEN DAWN.**—Very much like the Bell in shape and general appearance, but of a soft, yellow color and much less “fiery” in flavor, even the seeds being rather sweet. The bush is extraordinarily productive, more so, perhaps, than any other variety, and it is particularly recommended on account of its earliness. It has proved extremely profitable to some of the Norfolk growers. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

**CULTURE.**—An ounce will produce about 1,000 plants. Sow in warm, mellow soil late in the spring, and when the plants are large enough, thin so as to leave eighteen inches between them. Hoe frequently to keep down all weeds, cultivating in general the same as egg plant. If the seeds are sown indoors, so as to get the plants started early, arrangements must be made to have a uniform, high temperature.

**PUMPKIN.**

(*Cucurbita Pepo.*)

✓ **KING OF THE MAMMOTHS.**—This is recommended to all who want to grow large pumpkins for exhibition or for their own gratification. It attains an extraordinary size under good conditions. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 60 cts.; per lb., \$2.00.


✓ **CONNECTICUT FIELD.**—The small early field variety, too well known to need description. Productive and grown for stock. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 40 cts.

✓ **LARGE CHEESE.**—A larger and better pumpkin, which keeps well and is good for the table. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **CASHAW.**—Excellent for family use, very solid, with orange-colored flesh and a crooked neck. It is thought to be the equal of the winter squash. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **TENNESSEE.**—A bell-shaped pumpkin of medium size, with a creamy white, slightly ribbed rind; the flesh is peculiarly fine grained, very thick and dry, and makes delicious pies, the flavor generally being considered superior to the best sorts of sweet potatoes. The vine is productive, and the pumpkins keep until very late in the season. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**CULTURE.**—A pound is sufficient for about 200 hills; five or six pounds are put to the acre in hills. Plant last of spring in hills ten feet apart. Hoe frequently until the vines get a strong growth. Pumpkins should never be allowed in the garden.



Cheese Pumpkin.

**RADISH.**

(*Raphanus Sativus.*)

**EXTRA EARLY.**

✓ **TAIT'S FAVORITE FORCING.**—The greatest value of this famous radish lies in its availability for forcing under glass, under which culture it may be depended upon to pull in twenty to twenty-five days, according to the forcing given, but it is also largely used for field culture. It is perfect in both shape and color, the skin being a bright, transparent red, and owing to an unusually small top many bunches may be put in a single package—a considerable saving in expense with large shipments. As a medium summer radish, it is all that could be desired, not even the famous Lady Finger surpassing it in crisp tenderness or delicacy of flavor, and it is an excellent all-round outdoor variety. Our seed is saved from selected and transplanted roots, so that the tendency of the ordinary olive-shaped radish to be irregular is never found in the Favorite. Under the most favorable conditions, it is possible to grow this radish in fifteen days, astonishing as this statement may appear. We will be glad to make quotations for 100 to 1,000 pounds, but advise early orders, as large orders for the Favorite are already on our book. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts. Price per 100 lbs. and 1,000 lbs. on application.

Norfolk, Va.—I wish I had sowed more of your Favorite Radish last spring, as they were the only ones which brought any money in the Northern markets. J. T. LAMBERT.

Norfolk, Va.—The Favorite Forcing Radish is certainly a fine kind for hot-beds; I have been using it for several years, and want some as soon as you get the new crop of seed. R. W. SEELY.

Norfolk, Va.—I have done very well every season with your Favorite Forcing Radish, and prefer it any strain I have used. It is beautiful in shape and color, and the earliest radish in cultivation. J. W. RICHARDSON.

Norfolk, Va.—There is no radish like Tait's Favorite. It is the prettiest, the earliest and best. L. F. POSTLE.


✓ **FORCING SCARLET GLOBE.**—One of the most desirable radishes for forcing under glass, and also good for field culture. It is very attractive in both shape and color, being a bright, transparent red and very smooth skinned. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

**NE PLUS ULTRA.**—Under this name the Forcing Scarlet Globe is often sold in the North and East. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

**STARTLE.**—Identical with the Forcing Scarlet Globe.

### EARLY.

**EARLY SCARLET TURNIP.**—Formerly one of the leading kinds grown by our Southern truckers for shipment, but now supplanted by Tait's Favorite and the White-Tipped Scarlet Turnip. It is extremely hardy, enduring severe cold after being well rooted, and is usually



Favorite Forcing Radish.

uniform in shape under all circumstances, our stock being grown from transplanted and selected roots. The color is a bright scarlet and the flesh of fair quality. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.; \$28.00 per 100 lbs. F. O. B. Norfolk.

**WHITE-TIPPED SCARLET TURNIP.**—A very handsome radish, bright red with the exception of the tail, which is pure white. It is thought by some growers to be a shade less hardy than the Scarlet Turnip, and to show more disfigurement on account of freezing weather, but it is grown more largely than any other kind. We can supply this and all other kinds of market radishes in ton lots at special prices, and will be pleased to make quotations per 100 pounds, per 1,000, and per ton. Our seed is always French grown, saved from transplanted roots, and entirely out of the class of the cheap California, Dutch and English radish seed. As these low-priced seeds are never from transplanted roots, there is no certainty as to shape and color, and, as a rule, there is a great tendency to side roots and forks. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.; \$28.00 per 100 lbs. F. O. B. Norfolk.

**EARLY WHITE TURNIP.**—The Philadelphia gardeners are partial to this radish, and

it is grown to some extent in the South for shipment to that market. It is a rapid grower, rather small in size, with brittle, sweet flesh and pure white skin. There is little demand for it in any place except the one mentioned, and we do not recommend it for market gardening unless used for retailing mixed with the Scarlet. A bunch of the two kinds is very attractive in appearance. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.


**SCARLET OLIVE-SHAPED.**—A radish with a small top and fine olive-shaped root. It is early and valuable for both family use and market. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.

**WHITE OLIVE-SHAPED.**—Like the Scarlet Olive-Shaped in general type, but snowy white in color. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.

**FRENCH BREAKFAST.**—This is one of the olive-shaped varieties and a great favorite for family use. At the top it is a rich scarlet, from which color it shades gradually to white at the tip. It is very early, and should be eaten when of medium size, as it soon becomes pithy and unfit for the table. A good plan is to make several sowings at intervals of five or six days, so as to have them always in perfection. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts.

**EARLY FRAME.**—The best long radish for forcing. It has a smaller top than the Long Scarlet, is earlier and not quite so long; the skin is peculiarly attractive when forced under protection, being a beautiful translucent red. It is equally good for field culture, although not extensively used in that way. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 15 cts.; per lb., 50 cts. Price per 100 lbs. on application.

**LONG SCARLET SHORT TOP.**—This is the long kind which is shipped most largely from the Norfolk section to the Northern markets. The root, which grows partly out of the ground, is bright scarlet and the leaves are very short. It is adapted to cultivation in the open field or in frames, but is less desirable for the latter than the Early Frame. Our French strain of the Long Scarlet Short Top is of extraordinary purity, and can-



Chartier Radish.



not be classed with cheap American seed, which produces roots split and misshapen. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 15 cts.; per lb., 50 cts. Price per 100 lbs. and 1,000 lbs. on application.


**INTERMEDIATE.**

✓ **LONG CHARTIER.**—This handsome radish may be grown to a very large size before becoming pithy, and is good for local markets. It is entirely distinct in color, being a brilliant scarlet at the top, shading to a rose in the middle and blending into a pure white at the bottom. In shape it is between the olive-shaped and long. It is an excellent sort for spring, summer and fall. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **LONG WHITE NAPLES.**—An excellent white radish, long and slender, with crisp and mildly-flavored flesh. It is grown almost exclusively for summer use. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **LONG WHITE VIENNA.**—The beautiful "Lady Finger" radish, unquestionably the finest long white radish in cultivation, although less profitable than the White Strasburg, which is earlier. It is pure white, of the prettiest tapering shape, and delicious flavor. As a table radish, it has really every quality which could be desired. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **WHITE STRASBURG.**—A fine strain of radish, which grows to a very large size and remains tender for a much longer



Black Spanish Radish.

time than most kinds of radish. Its flesh is pure white, nearly transparent, and very pungent. For market use this is undoubtedly the best sort of its class, and those of our truckers who ship white radish to Northern markets use it almost exclusively. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts. Price per 100 lbs. on application.

✓ **GOLDEN SUMMER.**—Oblong, turnip-shaped, with heavy foliage; it stands the heat of summer well and grows to an unusual size. The skin is very thick and coarse in texture, but the flesh is brittle and of good flavor. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

**WINTER.**

✓ **RUSSIAN WHITE WINTER.**—This is the largest radish grown, often having a length of twelve or more inches; the flesh is firm and keeps perfectly. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **CALIFORNIA WHITE MAMMOTH.**—Identical with Russian White Winter.

✓ **LONG BLACK SPANISH.**—The most popular of the winter radishes; the skin is black and the flesh hot and white. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

✓ **CHINESE ROSE.**—Excellent for winter use, being of firm grain and pungent flavor. The root is conical in shape and the skin is a bright rose color. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 60 cts.

**CULTURE.**—An ounce is sufficient for 100 feet of drill; eight pounds will sow an acre in drills; broadcast, 15 pounds of long and 25 to 30 pounds of turnip are sown to the acre. The tenderness and sweetness of radishes are greatly dependent upon the rapidity of their growth, and they should not be sown upon cold and heavy soils. Dig the ground deeply and make it very rich with thoroughly rotten manure. If rank, fresh manure is used, the roots will be liable to fork. Sow as early as possible in the spring, broadcast or in drills one foot apart, thinning as needed. The early varieties are very hardy and

will endure great cold before being killed, but as they are rarely good after having their growth checked, the beds should be covered in cold weather with straw or cedar brush. A very slight protection will be sufficient, especially if they are sheltered by fences or woods. Most varieties become pithy as soon as they are grown, so that successive sowings should be made every two weeks. The winter varieties are sown from the middle to the last of August and used as needed.

**RAPE.**

**TRUE DWARF ESSEX.**—An excellent forage plant, especially for sheep, and grown extensively for them in Europe, though little known to farmers in this country. It grows with wonderful rapidity, and is so tender when young that it makes a most delicious salad, being often sown solely for this purpose. On good soil it will produce twenty tons or more to the acre, and many farmers grow it for turning under for manure. We are glad to say that we are having pronounced success in introducing Rape on Southern farms, and feel confident that it will soon be thoroughly established as a standard crop wherever stock are kept. The seed we offer is grown for us in England from the finest stock of the True Essex.

Price Per 100 Pounds Furnished on Application.



CULTURE.—Two and a half pounds are sown to the acre in drill; for forage or green manure it is sown broadcast at the rate of five pounds to the acre. Prepare the ground by thoroughly ploughing and sow in July, August or September, pasturing as freely as desired after the plants are well grown.

## RHUBARB (PIE PLANT).

(*Rheum Hybridum.*)

✓ **MYATT'S VICTORIA.**—Very large, somewhat later than other varieties, but the best for general use. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 40 cts.; per lb., \$1.25.

CULTURE.—An ounce will produce about 600 plants. Rhubarb is most satisfactorily raised from roots, but where these are not to be had, sow in April, in deep, rich ground, in drills a foot apart and one inch deep, and when well up thin out to six inches apart. In the fall trench a piece of ground at least two spades deep, manuring abundantly, and set the plants out three feet apart each way; cover with leaves the first winter, and give a dressing of coarse manure every fall. It is best not to gather the stalks the first season, and in our Southern country a shady situation is absolutely necessary for it.

### RHUBARB ROOTS.

We can furnish fine Rhubarb Roots in any quantities. As they are not carried in stock, orders should be sent a few days before roots are needed. Large roots. Per doz., 75 cts.; per 100, \$4.50 F. O. B. Norfolk; prepaid by mail or express, per doz., \$1.75.

## SALSIFY OR VEGETABLE OYSTER.

(*Tragopogon Porrifolius.*)

✓ **WHITE FRENCH.**—The old standard variety of salsify. Grown for the long, tapering roots, which, when cut into pieces half an inch long, boiled until tender, and then served with drawn butter, are very palatable and nutritious. They are also sweet and agreeable when mashed and baked like turnips, or when fried. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per ¼ lb., 30 cts.; per lb., \$1.00.

✓ **MAMMOTH SANDWICH ISLAND.**—A greatly improved strain, very large and superior, being fully double the size of the French Salsify and of delicate flavor. The roots are well shaped, smooth and almost white. Market gardeners especially will find it most desirable, and will never sow the French after growing a crop of the Mammoth. Per pkt., 5 and 10 cts.; per oz., 20 cts.; per ¼ lb., 40 cts.; per lb., \$1.50.

Norfolk, Va.—The Sandwich Island Salsify seed produced the handsomest roots ever brought to the Norfolk market. R. V. HUGO, Prop. "Marsh Point" Market Garden.

✓ **IMPROVED WHITE FRENCH.**—By some growers this new selection is regarded the equal of the Sandwich Island, if not its superior in quality. It is very thick and noticeable also for smoothness and symmetry. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 65 cts.; per lb., \$1.50.

CULTURE.—An ounce is sufficient for sixty feet of drill. Salsify delights in light, mellow soil dug very deeply, and which has been enriched for a previous crop. Sow thickly in spring in drills twelve inches apart, covering the seed one inch. When up about an inch, thin out to six inches apart. As the roots are perfectly hardy, they may be left in open ground all winter, care being taken to take them up before growth begins in spring. Applications of liquid manure in dry weather are very invigorating.



Salsify.

## SPINACH.

(*Spinacea Oleracea.*)

Price Per 100 Pounds, 1,000 Pounds, and Per Ton will be Quoted Upon Application.

✓ **TAIT'S IMPROVED CURLED SAVOY.**—The standard spinach for Southern market gardening must be a plant which will, unprotected, endure our most rigorous winters, which will give the greatest possible yield, and which, when shipped to far-distant markets, will arrive fresh and uncrushed. It has been our endeavor to produce in "Tait's Improved Savoy" a spinach which would meet perfectly all these requirements, and we have succeeded so that—to quote the most experienced grower of Norfolk—"It has now reached a point where improvement seems no longer possible." The leaves are of the brightest green, are curled to perfection, and retain their peculiar crispness long after being cut and packed. Triangular, prickly seed, indicating the presence of the flat, smooth-leaved variety, appear to a very limited extent in the seed sent out by us, our fields being very thoroughly "rogued," and the seed cleaned by machinery especially arranged for removing them. Many thousands of dollars have been lost by Norfolk truckers in recent years through using cheap, inferior stocks of spinach, and we warn all growers against careless buying of the seed. Being among the largest growers of spinach seed in the world, we can, and invariably do, offer it at as low a price as is consistent with the grade of our



seed. Orders for any quantity can be filled, and we can supply Long Island grown seed as well as imported. Per ¼ lb., 10 cts.; per lb., 30 cts.; \$11.00 per 100 lbs. F. O. B. Norfolk.

Lambert's Point, Va.—Your Savoy Spinach is a fine stock which has done well for me every season.

W. I. CONOVER.

Kempsville, Va.—I am greatly pleased with the Spinach you have been supplying me.

W. C. L. WILLIAMSON.

✓ **LONG STANDING.**—A heavy cropper, which will stand two weeks longer than the Savoy before going to seed. Per ¼ lb., 10 cts.; per lb., 30 cts.

✓ **LARGE VIROFLAY.**—Has leaves of large size and great thickness. Per ¼ lb., 10 cts.; per lb., 30 cts.

✓ **ROUND-LEAVED.**—A standard variety in the North and the best for family use. It will not, however, bear shipment. Per ¼ lb., 10 cts.; per lb., 30 cts.

✓ **PRICKLY.**—A vigorous and hardy variety, but not so prolific as other kinds. Per ¼ lb., 10 cts.; per lb., 30 cts.

✓ **ROUND FLANDERS.**—Very productive and an excellent spinach. Per ¼ lb., 10 cts.; per lb., 30 cts.

✓ **NEW ZEALAND SUMMER.**—In the South ordinary kinds of spinach are worthless during the warm season, and there are many gardeners who will be glad to welcome this introduction from New Zealand, since it endures heat wonderfully. We are sure it will become extremely popular, and urge our readers to give it general trial. Per oz., 10 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

Pinchurst, N. C.—The New Zealand Spinach is a fine plant which you should boom, as I find it unaffected by even 120 degrees of heat, to which temperature it was subjected in my green-houses. A few plants would furnish enough spinach for an average family during the summer.

OTTO KATZENSTEIN, *Manager Pinchurst Nurseries*

**CULTURE.**—An ounce is sufficient for seventy-five feet of drill; in two and a half foot rows, twelve pounds are put to the acre; in ten inch rows, forty pounds to the acre. Spinach cannot be grown upon poor land. Manure heavily and trench deeply, then for early spring use sow from twentieth September to twentieth October in drills one inch deep and fifteen inches apart. If it is intended for cutting during December, sowings may be made as early as first September, but there is considerable danger of failing to get a "stand" if the month be a warm one, as spinach is a cold-weather plant, and succumbs very quickly to either dry or moist heat. As a field crop, our large growers now plant it on well-drained wide beds, with the rows nine or ten inches apart. When the plants are started, commence thinning out until they are from four to ten inches apart, according to the strength of the soil. Sow again for summer use early in the spring, and continue to sow at intervals until warm weather sets in, after which the plants rapidly run to seed.

## SQUASH.

(*Cucurbita Melopepo.*)

Price Per 100 Pounds on Application.

### BUSH VARIETIES.

✓ **EARLY WHITE BUSH.**—This variety, which is the earliest squash, grows in a bush form, and consequently takes up but little room in the garden and field. The flesh is finely grained and of good flavor. The hard texture of the rind enables it to bear shipment perfectly, and it is largely grown here for that purpose. Pure stocks of the White Bush Squash are very uncommon, and we call especial attention to our fine selection. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **SILVER CUSTARD ("Thoroughbred").**—Every market gardener who grows early scollop squash should use this, as it is an immense improvement upon the Early White Bush. It is


considerably earlier as well as almost double the size of the old kind, and is at the same time of better quality. We have been selling it for a number of years, and find that it is always appreciated wherever it is introduced. A special beauty is the striking purity of the skin. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **GOLDEN BUSH.**—Similar to the White in every respect except color. The skin is a deep orange yellow, with pale yellow, well-flavored flesh. It is very productive. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **GOLDEN CUSTARD ("Thoroughbred").**—Those who prefer the yellow bush squash will find this the best kind for their use, as it is decidedly superior to

the ordinary Golden Bush. It is very large, beautifully colored, and of the best quality. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **MAMMOTH YELLOW SUMMER CROOKNECK.**—Valuable for early crop, and the best and richest summer squash; skin bright yellow, and when true covered with warty excres-



Boston Marrow Squash.



ences; the shell becoming exceedingly hard when ripe. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **STRAIGHT-NECKED YELLOW SUMMER.**—This is an improvement on the Crookneck, and is considered not only more attractive in shape, but also of superior quality. In general character it is much the same as the Crookneck. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

### RUNNING VARIETIES.

✓ **CANADA CROOKNECK.**—Not of the largest size, but an excellent variety, much liked for winter use. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **BOSTON MARROW.**—An old standard variety, with thin skin of deep orange color, mottled with cream when ripe. It can usually be cut about fifteen days after the bush sorts listed and keeps quite well, being used for fall and winter. It has fine grained flesh of much richness, but more moist than the Hubbard. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **EARLY ORANGE MARROW.**—For a number of years this fine squash—a great improvement upon the Boston Marrow—has been only partially appreciated, but we note that it is now taking the prominence to which it has always been entitled. It is, perhaps, the most delicately flavored of all, and is especially valuable to truckers on account of its earliness. We recommend it for both the early and late crops. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **HUBBARD.**—Of superior quality and largely used in the Northern States, as it may be kept through the winter. The shell is a bluish green, sometimes shaded with yellow and orange, with orange-yellow flesh. It is especially popular in the North, being there considered the equal of sweet potatoes for baking, but for some reason does not succeed in this section. Per pkt., 5 cts.; per oz., 10 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.

✓ **MAMMOTH CHILI.**—With extra care this squash will attain a really enormous size, specimens having been produced which weighed over two hundred pounds. It is of good quality and deep orange-yellow in color. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per  $\frac{1}{4}$  lb., 20 cts.; per lb., 75 cts.



Crookneck Squash.

**CULTURE.**—An ounce of bush is sufficient for fifty hills, four or five pounds being put to the acre. An ounce of running for twenty hills, three or four pounds to the acre. When all danger of frost is past and the ground becomes warm, plant in hills in the same manner as cucumbers and melons, allowing eight or ten seeds for each hill. The bush varieties should be about four feet apart and the running kinds about eight feet apart. When the plants are up, thin so as to leave three of the strongest plants, and keep the weeds well hoed off. Care should be taken to avoid growing squashes in the vicinity of other cucurbitaceous plants, as hybridization is almost certain to follow.

### SPRING SPROUTS.

[See Kale.]

### SWISS CHARD.

[See Beet.]

### TOMATO.

(*Solanum Lycopersicum*.)

✓ **HAWKINS' SUNRISE (Novelty).**—A tomato larger, more attractive, and better in quality than Sparks' Earliana, while quite as early and prolific, can certainly expect to receive the attention of every Southern trucker interested in the crop. In the new extra early "Hawkins' Sunrise"—offered for the first time in this announcement—we have a variety which seems to answer perfectly to that description. It has been grown for two years by Mr. Wallace Hawkins, a tomato specialist of Norfolk county, and with it he has beaten every tomato shipped from this point. Through his courtesy we were last year furnished with seed stock sufficient to produce a considerable quantity of seed for this season's delivery, and orders will be accepted up to two pounds for one customer, to which amount we are obliged to limit the sale in order to secure general distribution. As Mr. Hawkins' success with the tomato is well known in this locality, there will no doubt be an eager demand for it, and no time should be lost in sending orders as soon as possible after the catalogue is received. The Sunrise is a brilliant red tomato, very thick and symmetrical, and beautifully smooth from the first to the last picking. In productiveness, solidity, and table quality it is exceptionally fine, but its two greatest claims for pre-eminence rest upon its extraordinary combination of size with earliness



and its apparent exemption from all kinds of disease. If it has defects they have not been developed in the two years of cultivation on Mr. Hawkins' farm, and we confidently expect it to prove a very important acquisition to market gardening. Per pkt., 25 cts.; per oz., 75 cts.; per ¼ lb., \$2.00; per lb., \$8.00; 2 lbs., \$15.00.

✓ **SPARKS' EARLIANA.**—Another season's test of this new extra early tomato proves that it is quite as well adapted to this section as it is to New Jersey, where it originated three years ago. Numbers of our principal growers now depend upon it altogether, and practically all use it to some extent. We have a large quantity of seed grown in Long Island from Mr. Sparks' own stock, and offer it again with confidence, although we are far from endorsing the extravagant claims made for it by certain seedsmen. It is sometimes represented—by illustration and description—as having fine, very large fruit; but such representations are misleading. A bright red tomato, rather than over medium size, and of indifferent quality, the Earliana is yet undoubtedly the first to color up, is unusually prolific, and does not seem to be at all disposed to blight or rot. It has a substantial skin, is quite solid, and carries well in long shipment. Unless supplanted by the new Hawkins' Sunrise tomato, which we are introducing this year, it will probably continue to grow in popularity throughout the South. Per pkt., 25 cts.; per oz., 75 cts.; per ¼ lb., \$2.00; per lb., \$8.00.



↖ **BEDELL'S LONG ISLAND.**—If earliness is not the prime consideration, there is really no tomato which can bear comparison with this, as it is easily first in every other respect. The fruit is very solid, perfectly formed, and of exquisite smoothness, the color being a peculiarly bright and attractive red. In quality it is the best flavored tomato in cultivation, and we recommend it strongly for both market gardening and family use, except for the first crop. Per pkt., 10 cts.; per oz., 30 cts.; per ¼ lb., \$1.00; per lb., \$4.00.


✓ **FORDHOOK FIRST.**—Those who grow the Atlantic Prize and other rather irregular tomatoes of the extra early class may find this worth trying, as it is usually smooth and of good size, the color being like that of the Acme. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 75 cts.; per lb., \$3.00.

✓ **BEAUTY ("Thoroughbred").**—This tomato was once decidedly the favorite for both market and family gardens, although it now has a tendency to blight in unfavorable seasons, and has lost much of its former popularity. The skin is crimson-purple, perfectly smooth, and the flesh being light pink and of excellent flavor. The fruit grows in clusters, and is borne from early to late in the season. Like all our stocks of tomato, the seed is grown under the most careful inspection, and such seed should not be classed with the cheap seed sold by canneries at nominal prices. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **FORDHOOK FANCY.**—A new Western selection, which, in habit of growth, is unlike most early tomatoes, being very dwarf and bushy, while the leaves have a curious savoyed crimping. The fruit is purplish red except when ripened in cloudy or cool weather, when the red predominates. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per ¼ lb., 75 cts.; per lb., \$3.

✓ **ACME ("Thoroughbred").**—The fruit of this variety has the pinkish purple color so much in demand in some markets, and was a favorite shipping tomato some years ago. It is round, solid, and of good quality, but is extremely thin-skinned and a very unsafe variety for market. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.

✓ **PERFECTION.**—This was once considered the best red tomato for general crop, but we now offer much finer varieties, Bedell's Long Island being greatly superior in every point. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per ¼ lb., 65 cts.; per lb., \$2.50.




New Presto Tomato.



**DWARF CHAMPION** ("Thoroughbred").—This remarkable and entirely distinct type of tomato grows in a compact bush form, with thick, sharp-pointed stems and heavy foliage. Even when in full bearing it retains its upright form, and the fruit is held well off the ground. It resembles the Acme in solidity, color, and symmetrical form, but is less liable to rot. It continues long in bearing, and is grown to some extent for shipping. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., \$1.00; per lb., \$4.00.

**NEW PRESTO**.—A new extra early, which we recommend for general trial, as it is of remarkable earliness, being ready for market several days before even the inferior



Sparks' Earliana Tomato.

Presto as regards earliness, and we do not recommend it for any purpose. Per pkt., 5 and 10 cts.; per oz., 25 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

**PONDEROSA**.—Heavy advertising has created a greater demand for this large red selection than its qualities merit. It is very showy when grown to perfection, but cannot be fairly called of the best quality, and in the South it is rarely smooth-skinned. Its mammoth size and peculiar solidity are the principal merits which can be claimed for it. Per pkt., 10 cts.; per oz., 35 cts.; per  $\frac{1}{4}$  lb., \$1.00; per lb., \$4.00.


**PEAR-SHAPED**.—This variety furnishes the yellow pear-shaped fruit which is used for preserves and pickles. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

**YELLOW PLUM**.—Perfectly smooth, of oval shape, lemon-yellow color, and very pretty when preserved. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

**RED CHERRY**.—Fruit about an inch in diameter, set in bunches and grown for pickles. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.


**LARGE YELLOW**.—A large tomato with yellow skin and solid flesh, deeply ribbed. Per pkt., 5 and 10 cts.; per oz., 30 cts.; per  $\frac{1}{4}$  lb., 65 cts.; per lb., \$2.50.

**CULTURE**.—An ounce will produce about 2,000 plants. The tomato flourishes best in warm, light soil, moderately rich. For early use sow in January in a hot-bed, or, if only a few plants are wanted, they may be sown in a window-box. In order to get the plants strong and stocky, they ought to be transplanted when two or three inches high; and when all danger of frost has passed, set out in the open ground about four feet apart. For a late crop sow in the open ground in early spring or as desired. Pinching off the extremities of the vines will accelerate early fruiting. Tomatoes succeed much better when they are supported by brush or trained to a trellis, and we strongly recommend all amateur growers to adopt the latter method in their gardens. A great deal of room can be saved, and rotting of the fruit can be almost entirely prevented. The trellis should be made about four and a half feet high, with horizontal slats not more than eighteen inches apart. The posts must be very firmly set in the ground, as the weight when the vines are in full bearing is greater than might be supposed.



Fordhock Fancy.





EARLY ORANGE MARROW SQUASH.





## TURNIP.

*(Brassica Rapa.)*

✓ **EXTRA EARLY WHITE MILAN.**—This new extra early turnip is a selection from the Purple Top Milan, and is particularly recommended to all market gardeners. It is the same as the older variety except as to color. Per pkt., 5 and 10 cts.; per oz., 15 cts.; per ¼ lb., 25 cts.; per lb., \$1.00.

✓ **EXTRA EARLY MILAN STRAP LEAF.**—A purple top flat variety, which has been in general use for a number of years, growing



White Flat Dutch Turnip.

steadily in popularity. It is fully ten days earlier than any other and perfect in size and color. Hardy, with a very small top and attractive appearance, it has practically supplanted all other early varieties, and now has no real rival except in the new White Milan. Our strain of Milan is the finest ever developed, and we have no hesitation in advising all those who grow early turnips to use it for their main crop. Per pkt., 5 cts.; per oz., 10 cts.; per ¼ lb., 20 cts.; per lb., 75 cts.

✓ **EARLY WHITE FLAT DUTCH.**—Of medium size, very early, and an excellent spring turnip, though decidedly inferior to the Milan for market gardening. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **WHITE FLAT STRAP LEAF.**—A rapid grower, and good for either family use or shipping. It is of medium size, very sweet and tender, and is especially popular in the South. As the

flesh becomes spongy very soon after maturity, it should not be kept too long. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **JERSEY NAVET.**—Early and of good quality. It has not been much used in the South, but we have received very favorable reports from those who have had an opportunity of judging its merits. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **RED TOP STRAP LEAF ("Thoroughbred").**—Known also as "Blue Top" and "Purple Top." It is one of the best varieties for general early fall use, and is an old favorite in nearly every garden. Only American grown seed of this turnip should be used, as foreign seed, although much cheaper, rarely make well-shaped roots. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.


✓ **SEVEN TOP.**—The leaves of the Seven Top turnip are very abundant, and were formerly generally considered the best for "greens" boiled with cured meats. Being remarkably hardy, it grows through the whole winter, but the root is of no value. The Pomeranian White Globe is really a better kind for "greens," and we find that there is less demand each season for the Seven Top. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **LARGE WHITE NORFOLK.**—A handsome turnip of large size, which has long been the standard sort for stock feeding. It is of spherical shape, flattened at the top, and under proper cultivation attains a very large size. The flesh is sweet but somewhat coarse of grain. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **POMERANIAN WHITE GLOBE.**—A favorite turnip for both stock and table use, differing from the Norfolk principally in having a more globular shape. It makes greens of excellent quality, for which it is largely grown around Norfolk. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **PURPLE TOP GLOBE ("Thoroughbred").**—A beautiful round white turnip, with a bright purple color around the top. It is especially valuable for market, as it is a rapid grower and of the first quality. We consider it in many respects the most desirable turnip in our list, and recommend it unreservedly. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

✓ **AMBER GLOBE ("Thoroughbred").**—A superior yellow turnip, which keeps well and is a general favorite. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.



White Globe Turnip.



**YELLOW ABERDEEN.**—Although we had much difficulty in getting Southern farmers to try this fine turnip, its good qualities gradually became known, and is now one of the most popular varieties for winter. It has firm, yellow flesh of great sweetness, and no kind can be said to excel it in keeping under unfavorable conditions. Being of rather slow growth, the Aberdeen should be planted a week or two earlier than most turnips. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**LONG COW HORN.**—The long, white root of this variety grows half above the ground, and is usually so crooked as to be very unsightly. The quality, however, is all that could be wished, and is deservedly popular wherever the people are acquainted with it. The color shades from pure white at the tip to green at the top. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**WHITE FRENCH, OR ROCK.**—One of the very best winter turnips, with sweet and finely grained flesh. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**PURPLE TOP YELLOW RUTA BAGA ("Thoroughbred").**—We take especial pride in our splendid Long Island Ruta Baga, which we regard as the very best type in existence; of excellent size, entirely devoid of the objectionable "neck" always characteristic of the imported, finely grained and perfect in both color and contour, it needs no pedigree to fix its origin. For market gardening it is precisely such a symmetrical, handsome root as is needed, and will at all times outsell those grown from less highly-bred stocks. The cost of growing is, of course, much more than is the case with the French and English, but it will be observed that we offer it at a very moderate figure, no higher than the average retail price of others. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

*Matthews, Va*—Will you have any of the Ruta Baga seed this season that you sold last year? You sent me some, and they were the best I ever saw or raised. I have some now (April 27th) and they are as sweet and nice as in January.  
WALTER R. STOAKES.

**ROBERTSON'S GOLDEN BALL.**—Globe shaped, flesh bright yellow, and perhaps the sweetest and most delicate of the yellow varieties. It is not of large size, but in firmness and keeping qualities has no superior. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**WHITE EGG.**—Egg shaped, with firm, mild and sweet flesh. It grows partially out of the ground and has very few leaves. Being beautifully smooth and white, as well as of rapid growth, it is one of the most desirable kinds for market gardeners; but few of our Southern growers are acquainted with it. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**WHITE RUTA BAGA.**—Similar to the Yellow, with the exception of the color and texture of the flesh. It is large and productive, but being rather more woody than the Yellow Ruta Baga, is far less used. Some persons value it highly for its leaves, these being considered excellent for greens. Per oz., 5 cts.; per ¼ lb., 15 cts.; per lb., 50 cts.

**CULTURE.**—An ounce is sufficient for 150 feet of drill; one to one and a half pounds to the acre. The successful cultivation of turnips requires land which has been thoroughly enriched and put in the best condition. For spring use sow the earlier varieties in drills fourteen inches apart and afterwards thin out the plants to six inches apart. For fall and winter supply sow from twentieth July to first September, though the strap leaf varieties will usually make turnips if sown as late as the middle of September. For the ruta bagas and large turnips the drills ought to be two feet apart and the plants thinned out in the drills to ten inches apart.

## TOBACCO.

(*Nicotiana Tabacum*.)

**CONNECTICUT SEED LEAF.**—One of the hardiest varieties of tobacco and excellent for cigar wrappers. It is best adapted to sections where the tenderer and finer kinds do not succeed. Per pkt., 5 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.

**YELLOW ORINOCO.**—A standard yellow variety of much merit, used for high-grade fillers. It has been in use for quite fifty years, and is still a favorite. Per pkt., 5 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.


**STERLING.**—Very early and one of the brightest yellow tobaccos. Per pkt., 5 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.

**VIRGINIA HESTER.**—Yellow and unsurpassed for its qualities, being early, large and of the most desirable color and texture of leaf. This is generally considered the most reliable tobacco in cultivation. Per pkt., 5 cts.; per oz., 25 cts.; per ¼ lb., 50 cts.

**CULTURE.**—An ounce of tobacco should produce at least 10,000 plants if sown properly. It is advisable to sow as early as possible, the usual custom being to make a large fire over the place intended for the seed-bed in order to destroy weed seeds. The ground is put in the finest possible condition, the seed sown broadcast on the surface and pressed down firmly with a plank or the back of a spade. The bed must be protected by cotton or other covering. When the seedlings get five or six inches high, they are transplanted in rows four feet apart, with three feet between the plants. Cultivate thoroughly.



## Sweet and Pot Herbs.



**E**VERY garden should contain an assortment of herbs, the uses to which they may be put in the kitchen being almost innumerable. Their cultivation in general requires very little care, and many kinds, being perennial, need to be sown only once. No special soil is necessary, and the harvesting of the crop is exceedingly simple. The seed should be sown as early as possible in spring, the plants thinned to a proper distance, and an occasional hoeing done to prevent weeds and grass from smothering them at first. The best time for harvesting is just at the time the flowers begin to appear. The drying should be done quickly in a dark room, and the quality of the leaves will be retained when they are kept in closely-corked bottles much better than if exposed to the air.

Small market gardeners living near cities will generally find herbs one of the most profitable crops they can raise.

**ANISE.** (*Pimpinella Anisum.*)—A well known annual herb, used principally for seasoning and garnishing. The seeds have an agreeable taste, which is taken advantage of in the flavoring of many medicines. In thinning, leave about three inches between the plants. Per pkt., 5 cts.; per oz., 15 cts.

**BORAGE.** (*Borago Officialis.*)—A hardy annual, which is used principally as a pot herb and a salad; the flavor is considered very agreeable and unique. It should not be allowed to go to seed, as it spreads rapidly and is liable to become a weed. Per pkt., 5 cts.; per oz., 20 cts.

**CARAWAY.** (*Carum Carui.*)—Grown for the seeds, which are used in confectionery, pastries, etc.; the leaves are also sometimes put in soups. The plant will usually yield a fair crop of seed the second season, reaching full productiveness in the third year. In thinning, leave about six or eight inches between the plants. Per pkt., 5 cts.; per oz., 10 cts.

**CATNIP.** (*Nepeta Cataria.*)—The Catnip, or Cat-Mint, has long been recognized as a valuable mild nervine for infants, and is said to afford excellent bee pasturage. It is gathered when in bloom, the whole plant being pulled up by the roots and dried in the shade. It is perennial, easily cultivated, and can be sown in either fall or spring. Allow one and a half to two feet between the rows. Per pkt., 5 cts.; per oz., 40 cts.

**CORIANDER.** (*Coriandrum Sativum.*)—A hardy annual, the seeds of which form an important article of commerce, being largely used in the manufacture of liquors, in confectionery, and as a disguise to the taste of medicines. Gather the crop on a dry day, handling the foliage carefully, as the seeds are apt to absorb an unpleasant odor from the leaves when they are bruised. Per pkt., 5 cts.; per oz., 10 cts.

**DANDELION.** (*Taraxicum Dens-Leonis.*)—Although it is not commonly known in the Southern States, where so many other kinds of "greens" are to be had, the improved varieties of this plant have a high place among salads. The leaves of the Dandelion are very tender when cooked, peculiarly wholesome, and can be cut very early in the season. For culture see Vegetable List. Per pkt., 5 cts.; per oz., 10 cts.

**DILL.** (*Anethum Graveolens.*)—An annual with seeds of a peculiarly pungent taste. They are used in various ways as a condiment, and often added to pickled cucumbers to heighten the flavor. Per pkt., 5 cts.; per oz., 15 cts.

**FENNEL.** (*Foeniculum Officinale.*)—A hardy perennial with handsome leaves, desirable for seasoning and garnishing, and especially good for fish sauces. Per pkt., 5 cts.; per oz., 15 cts.

**FOXGLOVE.** (*Digitalis Purpurea.*)—A handsome perennial plant, which produces large stalks of beautiful thimble-shaped flowers. It has important medical qualities. Per pkt., 5 cts.; per oz., 25 cts.

**HOREHOUND.** (*Marrubium Vulgare.*)—A perennial herb, which is held in high regard as a tonic and for use in cough medicines. It is of very easy culture. Per pkt., 5 cts.; per oz., 30 cts.

**HYSSOP.** (*Hyssopus Officinalis.*)—This hardy perennial has many medicinal qualities, the tops and leaves being used. It succeeds best on sandy, well-drained soils. Per pkt., 5 cts.; per oz., 25 cts.

**LAVENDER.** (*Lavandula Vera.*)—A hardy perennial producing long, sweet-scented spikes of flowers, which are used for the distillation of oil, lavender water, etc. The flowers



are also dried before they fade and laid away among linens, to which they impart their characteristic odor. Per pkt., 5 cts.; per oz., 25 cts.

**PARSLEY.** (*Apium Petroselinum*.)—A plant almost indispensable in the kitchen garden. The following are the most important varieties:

**PLAIN PARSLEY.**—A strong, hardy plant, excellent for seasoning. Sow in autumn or spring in drills fifteen inches apart, or as edging for beds. Keep the ground well open and the weeds down by frequent hoeings, and when the plants get strong, thin out to six or eight inches apart. Per pkt., 5 cts.; per oz., 10 cts.

**EXTRA DOUBLE CURLED PARSLEY.**—Equally as good as the plain for seasoning, and being a more handsome variety, is preferable for garnishing, etc. Per pkt., 5 cts.; per oz., 10 cts.

**FERN-LEAVED PARSLEY.**—With the qualities of ordinary parsley and of such beautiful appearance that it may be grown as a foliage plant. Per pkt., 5 cts.; per oz., 15 cts.

**MOSS-CURLED PARSLEY.**—Another new and very pretty variety, which makes a beautiful border for beds. Per pkt., 5 cts.; per oz., 15 cts.

**POT MARIGOLD.** (*Calendula Officinalis*.)—Grown altogether for the leaves, which are used for soups. It is an annual with showy flowers. Per pkt., 5 cts.; per oz., 10 cts.

**ROSEMARY.** (*Rosmarinus Officinalis*.)—An ornamental perennial, very fragrant and with a bitter, pungent flavor. It also furnishes an oil for various purposes. The plant yields little until well established in the second season. Per pkt., 10 cts.; per oz., 40 cts.

**RUE.** (*Ruta Graveolens*.)—The acid bitterness of this herb has passed into a proverb, and no description of its principal quality is needed. It is a hardy perennial, and will do as well on poor, thin soil as elsewhere. Rue has medicinal virtues as a stimulant and antispasmodic, but should never be used without proper authority. Per pkt., 5 cts.; per oz., 15 cts.

**SAFFRON.** (*Carthamus Tinctorius*.)—Both the leaves and the flowers of saffron are utilized, a powerful dye and "rouge powder" being manufactured from the latter. It is a hardy annual, and thrives in almost any situation. The leaves should be gathered while perfectly fresh and then dried quickly in the shade. Per pkt., 5 cts.; per oz., 15 cts.

**SWEET MARJORAM.** (*Origanum Marjorana*.)—The leaves of this perennial are used both when green and after drying. Per pkt., 5 cts.; per oz., 10 cts.

**SUMMER SAVORY.** (*Satureia Hortensis*.)—A useful culinary herb, the dried leaves and flowers of which are put in dressings and soups. It is a hardy annual, and should be cultivated like Sweet Marjoram. Per pkt., 5 cts.; per oz., 10 cts.

**SWEET BASIL.** (*Ocimum Basilicum*.)—An annual, producing seeds which have nearly the flavor of cloves; the seeds, stems and tops of shoots may be used for sauces and stews. Per pkt., 5 cts.; per oz., 20 cts.

**SAGE.** (*Salvia Officinalis*.)—A hardy perennial, which spreads rapidly and may be divided each season. The leaves are plucked about the time the flower stalks are forming, then spread in a dark room and dried as quickly as possible. Its uses in dressings, etc., have made this the best known and the most extensively cultivated of all herbs. Some medicinal properties are ascribed to it, especially in the form of infusions. The seeds should be sown in rich soil as early as possible, and a foot or more allowed between the plants after thinning. Per pkt., 5 cts.; per oz., 25 cts.

**TANSY.** (*Tanacetum Vulgare*.)—One of the herbs commonly used in "bitters." It is perennial and hardy. Per pkt., 5 cts.; per oz., 40 cts.

**THYME.** (*Thymus Vulgaris*.)—A favorite herb for seasoning, and supposed to possess various medicinal qualities; the plant is perennial, and both leaves and tops of stems are utilized. Per pkt., 5 cts.; per oz., 30 cts.

**WORMWOOD.** (*Artemisia Absinthium*.)—The leaves of this perennial medicinal herb are highly aromatic, but have the proverbial bitterness of wormwood. They are used as a tonic and vermifuge, for bruises, and are also said to be very beneficial to poultry. It is propagated by division of the roots and by cuttings as well as from seed. Per pkt., 5 cts.; per oz., 25 cts.




TAIT'S THOROUGHBRED  
WHITE GLOBE  
TURNIP.



*Photo by Geo. Tait & Sons.*







## Lawn Grasses.



**N**O one should suppose that by sowing grass seeds at any season of the year in soil of any character, and in any state of cultivation or neglect, a durable, attractive turf is to be formed. From the beginning, the lawn is both troublesome and expensive, and even when obtained it is, like liberty, preserved only by "eternal vigilance." The coarser natural grasses and weeds will take possession unless kept down, and wherever, from any cause, a bare spot is formed it will rapidly enlarge unless repaired.

Those who think a beautiful lawn worth some trouble will be well rewarded if the following instructions are carried out:

As in house-building, so in the making of a lawn—a good foundation must be secured, or the rest of the work will be entirely wasted, and too great care cannot be exercised in preparing the ground before sowing. Have it dug to the depth of two spades or deeply ploughed, all clods being broken, and if it is inclined to be heavy, work in a coating of three inches of woods-mould. The roots must be able to penetrate quite two feet in order to keep the grasses growing through the scorching days of July and August. Unless the ground is already very rich, give a liberal application of fertilizer; stable manure is not desirable, and it invariably contains seeds of weeds and noxious grasses. Bone dust applied at the rate of 1,000 pounds per acre is possibly the best food for the lawn, as it never produces the "burned" appearance so often noticed after the use of strong fertilizers. Harrow or rake the surface to the finest possible condition, and roll until all elevations and depressions have been removed.

In sowing the seed do not be afraid of having the grass too thick. There is no danger of this, and it is to be remembered that the quantities advised hereafter are the minimum.

Rake the seeds in lightly, or a brush harrow may be used, and then follow with a roller of medium weight. This last operation, or a substitute for it, should not be neglected, as




nothing so well assures germination as a firmly rolled surface. Sowings made in the fall, from the middle of September to the middle of November, are most successful, but if deferred until spring, sowings may be made in February, March and April.

As the grass begins to grow, it will almost always be accompanied by weeds of various kinds. Seeds of some of these exist in every soil ready to sprout as soon as exposed to the heat and light, and their sudden appearance after the ground has been prepared for the lawn must not be credited to carelessness on the part of the merchant who supplies the grass seeds. Many kinds of weeds are easily taken out by hand when young, especially if attacked when the ground is soft and wet. The utmost care should be exercised to prevent a single weed from going to seed and thus starting a new crop.

When the grass is well set, about five inches high, it must be mown with the machine set to avoid cutting too closely, two inches at least being left above the root. After that a cutting every ten days and an occasional rolling will make the grass finer, strengthen the turf, and keep all rank-growing weeds in check. In the heat of summer the mower should be arranged so as to leave ample protection to the roots. Watering must be done with discretion. Unless the drainage is perfect, it is as dangerous to give too much water as it is to neglect watering altogether. **If possible, water only after sunset, and take care to get the surface moistened thoroughly.** If bare spots appear, they may be patched by breaking the ground about ten inches deep, smoothing the surface and raking in double the usual allowance of seed. To maintain the vigor and color of the grass, a light top dressing of bone dust two or three times a year is advisable.

For terraces or banks with steep grades, where seeds are apt to be washed away before they can germinate and get a hold upon the ground, some gardeners advise mixing the seeds thickly with soil, making a paste of the two and applying it in the form of a thin coating, as with plaster. If bags are laid on the terraces after the seeds are sown, the evaporation of moisture will be arrested and germination greatly facilitated. As soon as the young grass appears the covering should be removed and a gentle watering given as needed until the grass is well set.



**T**HOUSANDS of lovely lawns in the South bear testimony to the qualities of this famous mixture. It is used by the Government for Public Parks, and is especially recommended by professional gardeners for cemetery lots. The combination of varieties has been made with great skill, so that at no season of the year does a lawn made from our mixture look unsightly, unless it has not been properly cared for. When the grasses which are at their best only in cool weather begin to suffer from the heat of summer, other kinds suited to the season develop, and a perfect, luxuriant sod is thus constantly maintained, so long as it is not neglected. **The germination of our grass seed is always satisfactory, and our "Norfolk Mixture" will be found entirely free from weeds.**

A quart is allowed to a lot of 200 square feet, and we advise not less than four bushels per acre. Price per bush., \$4.00 F. O. B. Norfolk; per qt., 25 cts.; sent by mail, 10 cts. extra.

We can make special mixtures to meet particular requirements, and if a cheaper grade is desired we can, by varying the kinds and proportions of grass, supply it at any specified price. We invite correspondence on this subject, and will always take pleasure in furnishing any information at our command. Superintendents of Southern Parks will find it to their advantage, we think, to correspond with us.

### WHITE CLOVER FOR LAWNS.

When, for any reason, it is inconvenient to give such care, or to go to such expense, as is required for the lawn grasses, a very pretty green plot may be made by sowing White Dutch Clover alone. It is very hardy, enduring all extremes of weather remarkably well, and will usually take care of itself against the native weeds, etc. Fine, low natural grasses will gradually appear, and if grazed or occasionally mown a really beautiful lawn will be made in a short time, although the "velvety" effect of lawn grass need not be expected. Unless proper attention is to be given to the lawn, we strongly advise the use of clover. Sow at the rate of twelve pounds to the acre. Per lb., 30 cts.; sent by mail, 40 cts.



**W**E give the utmost attention to this part of the business. As a rule, farmers are far too careless with regard to the quality of the clover and grass seeds which they buy. It requires an experienced eye to detect the various grades of these seeds, and, indeed, it is no uncommon thing for us to meet persons who are entirely ignorant that different grades exist. To them clover is clover, whether it be old or new, pure or full of noxious weeds. Like everything else, clover and grasses may be had to order at any price, but the farmer who thinks that he has saved money by buying cheap (?) seeds need feel no surprise if his fields are covered the next season with weeds previously unknown. We handle no low-grade grass seeds, preferring to dispense with the custom of those who are satisfied with such rather than risk injury to the reputation enjoyed by our house. The purity and freshness of our grasses can be relied upon with the same confidence that is universally felt with regard to the garden seed sent out by us.

For the information of persons unacquainted with the culture of clover, etc., we would state that both time and money are wasted on cold, wet or neglected soils. Such lands require draining, liming and thorough ploughing, harrowing and rolling before they can be expected to give profitable returns.

It is not advisable to keep cattle on recently sown pastures, their hoofs being very injurious to the young roots.

The quantities given hereafter, as necessary per acre, apply only where one grass is sown. When mixtures of two or more kinds are made the quantities should, of course, be proportionately lessened.

The market prices of these seeds are constantly changing; quotations by mail or wire furnished upon application. They are sold strictly net cash, and small orders must be accompanied with remittance for full amount.

## CLOVER.

**MEDIUM RED** (*Trifolium Pratense*).—The common clover in general cultivation, and indispensable on every well-managed farm. Apart from its great value as a forage plant, it is one of the cheapest and most effective mediums of enriching the ground for a succeeding crop or restoring fertility to worn-out lands. It has, in common with all other clovers, the faculty of absorbing nitrogen from the air, and by means of its enormous development of roots greatly loosens and ventilates the earth. Rich mineral constituents are brought up from the sub-soil and left by the decayed roots in a form which is available for subsequent crops. The turning under of the entire plant with its foliage is, of course, still more beneficial. Clover may be sown on any good land, but heavy loams and clay soils are best adapted to it. There is no danger of any land becoming "clover sick" if a rotation of crops is pursued. The finest permanent pastures are made by using it in connection with Orchard Grass, Oat Grass, or the Fescues, a favorite mixture in the Southern States being fourteen pounds of Orchard Grass with eight pounds of clover. It produces excellent hay when sown alone or with grasses, but is cured more easily and with less risk of spoiling if in mixture. The cereals also, such as oats, wheat or rye, are sometimes seeded down with clover, but not always with desirable results. Sowings made in the fall, from the 10th of September to the 20th of October, will generally be well set before winter, and, if conditions are favorable, in condition to use in early summer. Avoid cutting or pasturing too closely in either late summer or late autumn, as more or less foliage is needed for protection during the summer and winter.

If the soil has a tendency to "throw out" crops in freezing weather, sowings in the spring will usually be safest, although there is then more danger of trouble with weeds. The ground

should be put in excellent condition and the seed covered with a light harrow. Price variable. For an acre, fifteen pounds.

**LARGE RED.** (*Trifolium Pratense Perenne.*)—Known also as Pea Vine, Sapling or Mammoth Clover, and in England as Cow Grass. It is a vigorous perennial plant, making a growth of from four to six feet. The stalk is so coarse that when cured, stock usually reject all except the leaves, and it is rarely sown in mixture with grasses. On account of its ability to "catch" on a poorer soil than is usually required for ordinary clover, it is especially adapted to reclaiming land which has become exhausted. After one or more crops have been ploughed under, the character of the soil will be materially changed. Its value as a green manure has long been recognized in the West and Northwest, but Southern farmers are not so well acquainted with it as they should be. Price variable. For an acre, fifteen pounds.




Red Clover.

until the twentieth of October. Later than this, there is danger that cold weather will come before it has had time to get well rooted. A very common practice is to sow the seeds in the furrows of corn and cotton fields at the time of the last cultivation. Once thoroughly set it is very hardy and grows with such vigor that by early spring it will yield a heavy cutting. Several more crops can be made the same season, but as the plant is an annual, resowings every year are necessary. For winter pasture nothing could be better than a mixture of Rye and Crimson Clover, it being much better for the purpose than the ordinary Red Clover. In Northern States Crimson Clover is sown in the spring, but in this latitude it is advisable to depend altogether upon fall sowings. Price variable. For an acre, eighteen to twenty pounds.

**WHITE.** (*Trifolium Repens.*)—Every permanent pasture should, and all natural pastures do, have more or less White Clover. It is adapted to all soils, and having deeply-reaching roots, is able to endure long seasons of drought. A small proportion of it is always added to mixtures of grasses for lawns, and where expense is a consideration, the grasses may be entirely dispensed with. A heavy seeding of White Clover alone will give a close, firm and durable turf, in which the low natural grass will, after a while, make its appearance. Weeds are seldom able to interfere with its growth, and if an occasional cutting or mowing is made, a really handsome lawn can be obtained. Price variable. For an acre, ten pounds.

**ALFALFA OR LUCERNE.** (*Medicago Sativa.*)—Opinions as to the value of this clover are very conflicting—in the West a high estimate being justly placed upon its qualities, and it seems adapted to many of the Southern States. Along the Seaboard nearly all trials were failures for many years, few farms being able to grow it successfully for more than one year, but it has now been found that the principal trouble lay in light seeding. Instead of fifteen pounds—once thought a sufficient quantity per acre—forty pounds are now used by the best growers, the results being all that could be desired. In localities where it flourishes, it endures extreme droughts, its roots penetrating to astonishing depths

**ITALIAN OR CRIMSON.** (*Trifolium Incarnatum.*)—This valuable Trefoil, erroneously known in some parts of the South as "German" Clover, has long been a standard variety in Europe. In Italy and Southern France, especially, it is largely relied upon for green feed, and is also highly valued when cured as hay. It grows from a foot to two feet high and has dark-red blossoms, which, unlike those of other clovers, are long and cone-shaped. The stem is much smaller than that of Red Clover, and when grown for hay is apt to fall over more or less unless partially supported by oats or some other stronger plant. In Virginia and North Carolina, where it is extremely popular, sowing is commenced about the last of August and continued



Crimson Clover.



in search of water. It is a vigorous grower and several crops may be made each year, the cutting being made when blossoming begins. It should always be sown alone, and must not be grazed. All unnecessary handling of the hay after it has been cured in cocks should be avoided, as the leaves waste badly, and the most economical way of feeding it is in the green state. Land is improved by a crop of Alfalfa, the action of the roots being especially beneficial. Price variable. For an acre, thirty to forty pounds.



White Clover.

**ALSIKE.** (*Trifolium Hybridum.*)—The Hybrid Clover, extensively grown in the Western and Northern States and Canada. It yields where it succeeds enormous crops, but in most parts of the South it has not done very well, though more is being used every year. In some sections of Virginia it is said to succeed better than any other kind of clover. Its blossom is similar in shape to that of White Clover, but differs in having a very beautiful delicate pink color. It is a true perennial, but of shorter life than White Clover. Price variable. For an acre, ten pounds.

**JAPAN.** (*Lespedeza Striata.*)—Not really a clover, but commonly known only by that name. It is a perennial, growing about twelve inches high and thriving in any soil of the South. Greatly exaggerated statements have been made as to its qualities, the most valuable of which is its ability to live through the driest seasons in soils which would support nothing else. Hillsides subject to washing may often be sown to advantage with the Lespedeza, as its roots have a most tenacious hold, but we do not recommend it for land that will produce any other crop. It is said to produce a fair hay, and stock eat it readily when green. A few seeds scattered over an acre will soon cover the ground, as it spreads rapidly. Price variable. For an acre, five to ten pounds.

**SAINFOIN.**—(See Miscellaneous Seeds.)

## GRASSES.

**TIMOTHY.** (*Phleum Pratense.*)—Hay, with the average farmer, means Timothy Hay, and Timothy is popularly supposed to be the ideal hay grass. In so far as cheapness of seed-



Alsike.

ing, ease of cultivation and yield in pounds per acre are concerned, it must be admitted that this grass is almost incomparable, but its quality is certainly overestimated. There are many other grasses well worthy of sharing the place which it occupies as the standard hay grass. It succeeds best in strong, rich clay soils, but will yield well on any land which is not excessively dry and sandy. As a rule, sowings made in the fall give the best results, unless the ground is of such a character that recently sown crops freeze out in winter. On such land sow as early as possible in the spring, in order to secure a start before weeds begin to grow. Timothy flowers rather late, and is generally sown by itself, so that it can be cut in its prime, which is about the time the blossoms fall. It is, however, often sown with Clover and Red Top Grass, the proportions usually preferred being six pounds of Timothy with eight pounds of clover, or, in the case of the grass, twelve pounds of the Red Top. When used with clover, the two may be mixed together before sowing, but as it is difficult to keep Timothy seed, which are fine and heavy, evenly distributed through light, chaffy seed like Red Top, it is best to sow the two separately. The Timothy should be sown first, being covered with a light harrow, and the Red Top rolled or brushed in afterwards. After mowing do not pasture until the next season's growth is made, and never allow stock to feed too closely on it. Price variable. For an acre, twelve pounds.

**RED TOP HERDS GRASS.** (*Agrostis Vulgaris.*)—A native grass of splendid qualities

which is steadily growing in favor throughout the country. Sown alone or in mixture with clover and other grasses it makes a very fine permanent pasture, being tender and palatable. All kinds of stock, especially dairy cattle, are fond of it both cured and green. The hay is not so merchantable as Timothy, but is of better quality and seems to draw less heavily upon the



Timothy.


strength of the soil. The particular usefulness of Red Top lies in its ability to thrive on lowlands, even those which are subject to an occasional overflow, and mixtures of grasses for such situations should always contain a large proportion of it. Its name is derived from the panicle of purplish flowers which it produces. For those who prefer it, we have the fancy cleaned seed, which is separated from all the chaff, and therefore much more easily sown, eight pounds per acre being sufficient. Price variable. For an acre, twenty to thirty pounds.

**ORCHARD. (*Dactylis Glomerata*).**— Orchard Grass, known also as Cocksfoot, is *par excellence* the grass for the South, as it succeeds on almost all soils, makes a growth early in the spring, and continues to yield into winter. Like most rapidly-growing



Orchard Grass.

plants, it is rather coarse if allowed to stand too long, but if kept closely grazed, it has always a fresh, green color, and is keenly relished by all kinds of stock. It is less exhaustive to land than Timothy, and will endure considerable shade, being for this reason particularly adapted to orchards or similar situations. As ripe Orchard Grass makes hay of the poorest quality, care should be taken to avoid sowing it as a hay crop with other grasses which are later in maturing. To secure its full value, cutting should be done while it is in flower or immediately afterwards. Two full cuttings can generally be made each season, and in rainy summers it is possible to get a third crop. A very satisfactory hay is made by sowing it with Medium Red clover, which ripens generally at the same time. Fourteen pounds of Orchard Grass and eight pounds of Clover are good proportions, and the sowing should be done as advised for Timothy and Red Top. The first cost in seeding land with Orchard Grass is considerable, but as it will last for many years if cared for, it makes a really cheap permanent pasture. It grows in tufts, and is consequently unfit for lawns or any place where a turf is desired. Price variable. For an acre, twenty-eight pounds.



Red Top Herds Grass.

of equal productiveness and nutritive value. Price variable. For an acre, fifty pounds.

**KENTUCKY BLUE GRASS. (*Poa Pratensis*).**—This grass, which in different parts of the country is known under various names, such as June Grass, Green Grass, etc., flour-

**PERENNIAL RYE. (*Lolium Perenne*).**—The English and Continental farmers use this extensively for permanent pasture, and it has been found very well adapted to the Southern States. It is valuable here not merely on its own account, but as a protection to delicate grasses, which are less able to resist our scorching summer suns. It forms a remarkably compact turf, and after long experiments with grasses for lawns we have adopted it as an important constituent of our best lawn mixtures. It can be grown on almost all cultivated soils, and being very early, is often used in preference to other varieties



ishes most in limestone soils and in dry, somewhat shaded situations. It requires several years to become thoroughly established, but when once well set is permanent, and will endure the hottest summers. It spreads with great rapidity, and is apt to get so strong a hold upon the land that eradicating it is a matter of considerable difficulty. The leaves are rather too short to be useful for hay, but as a pasture it is extremely valuable, being tender and nutritious. Blue Grass is unsurpassed for its velvety appearance and lovely color, and is therefore used as a basis of most fine lawn mixtures; but whether intended for pasturage or for a lawn, it should be sown thickly upon well-prepared ground, covered thinly and the surface rolled if possible. Price variable. For an acre, twenty-eight pounds.


**TALL MEADOW OAT.** (*Avena Elatior*).—A very valuable grass which matures early in the season and produces an abundant supply of foliage. It is a perennial and grows from three to three and a half feet high, according to the strength of the soil, thriving specially on dry, light loams. As a feed it may be somewhat inferior to the finer grasses, but stock eat it with relish at all times. The hay is very easily cured and keeps well, three crops being sometimes made in the season. Sowings may be made in either spring or fall with success, although the yield will be much heavier and more constant if the plant gets a start before winter. With or without mixture it makes good hay, but it is

especially recommended for permanent pasture. Eighteen pounds of Oat Grass, fourteen pounds of Orchard and five pounds of Clover will usually give excellent results. In some sections it has been given the name of "Evergreen Grass," and under that disguise is sold at fancy prices. Price variable. For an acre, thirty pounds.

**RHODE ISLAND BENT.** (*Agrostis Canina*).—Our principal use for this grass is in mixtures for lawns, for which it is very suitable. It does not yield at all heavily in most places, but what pasture is afforded by it is of the finest quality. Through the bending and subsequent rooting of the stems it spreads over the ground rapidly, and eventually forms an excellent turf. In general appearance it resembles Red Top, but the flower stem is smaller and more delicate. The stems root most freely in moist soil, although the grass thrives perfectly in dry situations. The quantity of seed advised per acre is calculated for a pasture; if intended for a lawn, twice as much should be sown. Price variable. For an acre, twenty pounds.

**MEADOW FESCUE.** (*Festuca Pratensis*).—This grass, which far surpasses most varieties in nutritious matter, does not attain its full productive power until two or three years after sowing. It grows, like Orchard Grass, in tufts, and is therefore undesirable where a turf is wanted. For permanent pasture or for hay it is one of the best grasses, being available very early in the spring and starting a new growth quickly after cutting. It cures easily and is relished by stock both in that state and when green. The best crops are obtained from sowings made in September or October, and well-drained land should be selected. For an acre, forty pounds.

**JOHNSON GRASS.** (*Sorghum Halapense*).—(See Sorghums.)



Perennial Rye Grass.



Tall Meadow Oat Grass.



## MILLETS.

**GERMAN MILLET.** (*Setaria Italica* var.)—The two greatest claims made for German Millet are its earliness and its enormous yield of hay. Only sixty or sixty-five days are required to mature the plant, and it is usually in the best condition for cutting within fifty days from the time of planting. Cutting should be done as soon as it blossoms, while the juices are abundant and before the numerous small bristles of the flowers become firm, as these, when ripe and hard, are injurious to horses, and it is at the time they are maturing that the plant draws most heavily upon the soil. Most farmers who speak disparagingly of millet do so upon the ground that it is exceedingly injurious to all soils, and that the product is almost worthless. If such persons would sow the seed as thickly as is necessary to make the stem and foliage fine, and would cut it at the proper time, they would find reasons



German Millet.

for modifying their opinions. Being very tender, the seed should never be sown until the ground becomes thoroughly warm, and it is best not to sow until hot weather, unless an early crop is especially desired. A favorite use for it is in following early potatoes. On such land millet gives an enormous yield and leaves the ground in excellent mechanical condition for a succeeding crop. It is not safe in this latitude to sow after the middle of August. The soil should be warm, light, rich and well pulverized to a good depth. If the ground is very rich, sow the maximum quantity of seed advised, or proportionately less, according to the strength of the soil. Never put on poor ground. Cover the seed with a light harrow, and if the weather be dry, firm the surface with a heavy roller. It is an annual, and must be sown every year. There is no comparison between Southern grown seed and Western grown, the former being much more productive and better in quality. We never handle any except Southern seed so long as it is obtainable. Price variable. For an acre, one and a fourth to two bushels.

**HUNGARIAN GRASS.** (*Setaria Italica* var. *Germanica*.)—A variety of millet which in general habit resembles the German, but is less vigorous, though earlier and of finer quality. The yield per acre does not compare with that of the German, and in dry summers it makes an exceedingly short growth; for this reason few of our farmers here care to grow it, although all recognize its superior fineness. Like the German, it is a tender annual, and must not be put in the ground before warm weather, a few cold nights being sufficient to practically ruin the crop. Thick seeding is unnecessary, as the stem has no tendency to coarseness. Sow in the same way as German Millet and cut before the seeds are well formed. Price variable. For an acre, three pecks to one bushel.

**PEARL MILLET.** (*Penicillaria Spicata*.)—A name given lately to the old Cat-Tail Millet, well known to all farmers in the extreme Southern States. Although rather coarse, it is a useful forage plant, being enormously productive on rich soil. It grows from eight to ten feet high and yields several crops each season, a vigorous growth starting immediately after each cutting. When cultivated for fodder, it should be sown in drills about three feet apart and thinned to a foot apart in the row. The plant throws out a great many shoots, and does best if not crowded. It is relished by all kinds of stock and is regarded as nutritious. Price variable. For an acre, six pounds.

**JAPANESE BARNYARD.** (*Panicum Crus Galli*.)—We recommend for trial this remarkable new forage plant from the East, as it is said to be an important acquisition. Price variable. For an acre, fifteen pounds broadcast, eight pounds in drills.






## Some Choice Field Corns.

Prices per Bushel of all Corns  
::: are F. O. B. Norfolk. :::

Special Attention is Called to the  
Fact that Our Quotations are for  
Quarts in Dry Measure; These  
Contain Much More than the  
Liquid Measures Commonly Sold  
in the Trade. : : : : : :



Improved Golden Dent Corn.

**VIRGINIA MAMMOTH WHITE.**—This remarkably handsome white corn, bred up from the well-known Horsetooth, always finds a more ready sale than any kind on our list. We know of no corn which can show a better grain, and it is very satisfactory as to productiveness. In earliness it does not compare with the early yellow varieties, but where this is not an important point it may be unreservedly commended. Per qt., 10 cts.; prepaid by mail or express, 25 cts.; per bush., \$1.50.

**EARLY MASTODON.**—The Early Mastodon—so named for its immense ears—is a cross between the White Cap and the Early Rose Dent, and the originator, who is one of the most experienced corn growers in the United States, regards it as the finest of all yellow corns. Being a cast of two colors, it makes a most handsome appearance, and can always be relied upon to bring the highest market price. Although of such size, it is no less remarkable for its earliness, being from three weeks to one month earlier than the Golden Beauty. Per qt., 10 cts.; prepaid by mail or express, 25 cts.; per bush., \$1.25.


*Falls Church, Va.*—I grew 1,110 bushels of Early Mastodon Corn (seed bought of you) on a little more than fourteen acres of land, the land not especially rich. I used no fertilizer or manure of any kind, and the corn had no special cultivation. It is earlier by three weeks than any other main crop corn I know of. I plant nothing else. DR. ROBERT NOURSE.

*Bayford, Va.*—I have just finished harvesting my corn crop, and off of one-half bushel of Early Mastodon bought of you, and planted on the 22d of June, after Irish potatoes, in five acres of land, I made 275 bushels of fine, perfectly matured corn. There is no better corn for late planting. T. W. TURNER.

*Cool Well, Va.*—I found the Mastodon Corn more than twice as prolific as the other kinds we had. J. N. LAMKIN.

**NEW TRIUMPH.**—We are able to offer this season for the first time this new variety of which so much is expected as the result of two years' tests. Remarkable depth of grain, solidity and productiveness are claimed for it, and we shall be glad to supply it in quantities suitable for trial. Per qt., 20 cts.; prepaid by mail or express, 35 cts.; per pk., 75 cts.; per bush., \$2.50.

**IMPROVED GOLDEN DENT.**—One of the best known standard yellow field corns, producing large ears, with very deep golden grains and thin cobs. Our stock is very carefully se-



lected and perfectly true to type. Per qt., 10 cts.; prepaid by mail or express, 25 cts.; per bush., \$1.25.

✓ **HICKORY KING.**—A splendid stock of white field corn which is becoming more popular every season. It has the largest grains, with the smallest cob, of any pure white field corn in cultivation, in illustration of which it may be mentioned that in a good ear a single grain will nearly cover a section of the cob at its thickest part. It is doubtful whether any other variety of field corn can stand this test of the proportion of grain to cob. The growth of the Hickory King is remarkably vigorous, and the roots take so firm a hold upon the ground that wind-storms rarely injure it to any extent. It is a medium early, ripening in 100 to 120 days from the date of planting, and bears an average of two ears to the stalk. The ears are of excellent size, and even on light soil grow from seven to nine inches in length. It is probably the best field corn which could be selected for land which is rather thin. We wish to direct especial attention to the purity of our stock of this corn. It is grown with great care from the originator's private stock, and is far superior to the ordinary Hickory King. Per qt., 10 cts.; prepaid by mail or express, 25 cts.; per bush., \$1.50.

✓ **NEW NORFOLK MARKET.**—Our newest early corn, introduced five years ago and certainly a very great acquisition, since it is desirable for market as well as a good field variety. A full description will be found in the Vegetable Department, and we suggest that those who are unacquainted with it learn what is claimed regarding its qualities. There is no exaggeration in stating that it has really revolutionized the early corn crop. Per qt., 25 cts.; prepaid by mail or express, 40 cts.; per bush., \$3.00.

✓ **BLOUNT'S PROLIFIC.**—A vigorous variety which often bears from five to six ears to the stalk. It is fair sized, and was largely used for family and market gardening as well as for farm use up to the introduction of our famous new corn. "Tait's Norfolk Market." As an ensilage corn it ranks among the very best. Per qt., 15 cts.; prepaid by mail or express, 30 cts.; per bush., \$1.50.

✓ **EARLY WHITE FLINT.**—We have a selection of the White Flint which is decidedly superior to the common stock. It is very early and produces a remarkably long ear. In really rich soil it has an average of three ears to the stalk, and will occasionally have twice that number. The grain is wide, though rather shallow, and makes the finest hominy. The cob is unusually large. Per qt., 15 cts.; prepaid by mail or express, 30 cts.; per bush., \$2.00.

✓ **IMPROVED LEAMING CORN.**—The Leaming is said to be better adapted to very heavy soils than any other of the Yellow Dent varieties, and it almost always produces two ears to the stalk under first-class cultivation. The grain is deep and the cob

smaller than the average. Per qt., 15 cts.; prepaid by mail or express, 30 cts.; per bush., \$1.25.



## SORGHUMS.

The Most Important Varieties, Saccharine and Non-Saccharine.  
Prices "F. O. B. Norfolk" and Subject to Change.  
Quotations per 1,000 lbs. on Application.

**EARLY AMBER.**—An early productive variety which grows from eight to ten feet high. It takes its name from the clear amber color of the syrup, which is of the best quality. As a forage plant it is very valuable, and affords on rich soil two or three cuttings during the summer. Sow in drills two feet apart and cultivate as corn. Double the quantity of seed advised per acre if sown broadcast. For an acre, five pounds. 10 cts. per lb.; prepaid by mail or express, 20 cts.; \$4.00 per 100 lbs.

**RURAL BRANCHING OR MILLO MAIZE.**—This sorghum, which is non-saccharine, flourishes on the driest land and in the hottest weather. It grows in a bush-like form and throws up suckers from all the lower joints. The foliage procured is of fair quality, and may be cut at any stage for green fodder or cured for fodder. Make the drills four feet apart, sow the seed thinly and cultivate as corn. For an acre, five pounds. 10 cts. per lb.; prepaid by mail or express, 20 cts.; \$5.00 per 100 lbs.

**EARLY ORANGE.**—This has been found to be the best for stock feeding, since it produces the strongest stalks and is less liable to lodge than any of the other saccharine sorghums. Being of such rapid growth that it is ready for feeding in sixty days from the date of seeding, it may be planted at any time from the 1st of May or, perhaps, from the middle of April, if the season be an early one, to the 1st of August. When sown for hay it is well to seed not less than two bushels per acre, in order to secure a fine growth of stalk and the maximum yield with least waste. It is claimed that on good soil there is no trouble in getting upwards of five tons of cured hay per acre. The ground should be put in as fine condition as possible, and the seed sown when there is normal moisture in the ground. It may be sown broadcast, but will be much more uniform if put in with a wheat drill. Sorghum is very slow in curing, and is left on the ground for a week and a half if the weather be fine, or for twice that length of time if there is much rain. It suffers very little injury from such exposure, and has been known to make good hay after remaining wet for a long time. Opinions vary as to the best time for cutting, but it is best done when there are signs of ripening, as it then cures better than when green. After drying in windrows for two or three days it may be put in the barn. When grown for the purpose of summer feeding on the pasture, it should be grown in drills two and a half to three feet apart, with about eight stalks to the foot, or in hills two feet apart, with a dozen or more stalks to each hill. Twelve pounds per acre are sufficient for this method. Five pounds per acre when grown for syrup. Per lb., 10 cts.; prepaid by mail or express, 20 cts.; \$4.00 per 100 lbs.



Amber Sugar Cane.

**KAFFIR CORN.**—This sorghum, which is a native of Southern Africa, is low, perfectly erect and quite distinct from the other non-saccharine varieties. Instead of stooling from the root it branches from the top joints. It may be cured, the stalk as well as blades, into excellent fodder, but if wanted for this purpose, should be cut as soon as the first seed-heads come into bloom; a second crop can be made afterwards. It is available for green feed from early in the season to winter. The grain is produced on heads about one foot long, and may be ground into a flour useful for stock feed and for bread. Sow in rows three feet apart and cultivate as corn. For an acre, five pounds. 10 cts. per lb.; prepaid by mail or express, 20 cts.; \$6.00 per 100 lbs.

**HALEPENSE.** (Johnscn Grass.)—A vigorous perennial of rapid growth, which is considerably used in the Southwest as a fodder plant and for pasture. The broad leaves are rich in saccharine matter, and if cut when young and tender are very nutritious. It is available very early in the spring, and has long roots which enable it to endure long droughts. The growth continues through the summer and fall until the tops are killed by frost. Stock of all kinds eat it readily, and the yield of hay is said to be from one to three tons per acre. Sowings may be made in either spring or autumn, but most successfully in August and September. The plants will then be well rooted before winter. Sow broadcast in well prepared ground and cover with a heavy roller or brush. For an acre, one bushel. 15 cts. per lb.; prepaid by mail or express, 25 cts.; \$12.50 per 100 lbs.



PRICES OF ALL THESE SEEDS  
ARE "F. O. B. NORFOLK"  
AND SUBJECT TO CHANGE.

**CANADA FIELD PEAS.**—These are very valuable for stock feeding, and are being more largely used each season. They are put at the rate of two bushels to the acre broadcast, being frequently sown with oats, a combination which is extremely satisfactory. A bushel and a half of each to the acre is sufficient, the peas, of course, being ploughed in to the usual depth and the oats put in afterwards with a harrow. Sowings should be made as early as possible in the spring, and the crop is usually ready for cutting in May or June. They are very easily cured, especially when grown with some cereal crop, and almost all kinds of stock are fond of the hay. Although sometimes used as a land improver, we do not think they can be classed with such plants as the Velvet Bean or the best Cow Peas. Price furnished on application.

**SILVER HULL BUCKWHEAT.**—An improved stock which is much better in every way than the old Common Buckwheat. Its blooming period is longer, an advantage when sown for bee pasture; it matures earlier and yields double the quantity of grain per acre. The flour is also said to be finer and more nutritious, while, on account of the thinness of the husk, the loss in weight from grinding is much less than is the case with the common. Like the other, it will thrive where few plants will live, and is, therefore, desirable for turning under to improve land. In excessively hot weather buckwheat is liable to blight, and the seed should not be sown in this latitude before the middle of July. It may be sown either broadcast or in drills. For an acre, three pecks to one bushel. Price per bush., \$1.50.

**NEW JAPANESE BUCKWHEAT.**—A new and distinct buckwheat introduced from Japan some years ago. It has now been thoroughly tried, and proves to be not only earlier than any other kind, but more productive also. The kernel is a dark, rich shade of brown, much larger than either the Common or Silver Hull, and is very thin skinned, the flour made from it being of the best quality. The plant is very large and vigorous, enduring unfavorable weather better than any other kind. As the straw is heavier and the growth more branching, it need not be sown quite so thickly. For an acre, three pecks. Price per bush., \$1.50.

**TEOSINTE. (Reana Luxurians.)**—A Central America fodder plant which is favorably regarded by some Southern farmers. It bears, in general appearance, considerable resemblance to Indian Corn, but the leaves are longer and broader, while the stalk contains a sweet sap. The growth is exceedingly rapid, and it will often attain a height of twelve or more feet, a great number of shoots being produced by each plant. The stalks are thickly set with foliage, which horses and cattle are said to eat freely. Like most other plants of its kind, Teosinte is very sensitive to cold, and should, therefore, be grown only in warm climates, and sowing deferred until the danger of frost is past. In favorable seasons several cuttings may usually be made. Make the rows three feet apart, dropping two or three seeds every twelve inches. Some of our customers have found it of the greatest value, and we feel sure that all who need crops of this sort will be pleased with it. For an acre, four pounds. Per lb., \$1.00.

**VELVET BEAN.**—Among the new forage plants this stands very high, as it is probably the most productive of its class and the best adapted to really poor soils. The growth is little less than marvelous, the vines attaining a length of ten or more yards, while the pods are borne in enormous clusters. All the Experiment Stations unite in declaring its nutritive value to be remarkable, the results of the Florida Experiment Station test being summed up as follows:



"I believe it can be cut advantageously almost any time from June to October, and cured in less time than cow-pea hay, because the stems are smaller. It seems to make an excellent hay, and the stock eat it well. It is a heavy nitrogen gatherer, and the tubercles on its roots are the largest of any plant I have observed. Corn-like clusters of tubercles have been collected that make a mass, from one single growth, almost as large as a common hen's egg."

It is certainly one of the best crops for turning under to improve land, and we advise all Southern farmers to take it under consideration this year. For an acre, three pecks. Price per bushel on application.

**SOJA BEAN.** (*Soja Hispida*).—Many uses are found for this plant, the cultivation of which is being revived after being practically dropped some years ago. It is very prolific,

and tests of the nutritive value of the beans indicate that it is decidedly superior to Cow Peas for feeding purposes. For ensilage and fertilizing it is also very desirable, although by no means of such extraordinary and incomparable importance as is often represented. The plant thrives well in hot and dry weather, and has a stout stalk which holds the pod well clear of the ground. The pods are produced in clusters of from two to five, and each one contains four smooth, oval, nankeen-colored seed. Absurd claims have been made about the value of these beans as a substitute for coffee, some houses more enterprising than honest having actually attempted to foist the Soja Bean upon the public as the "Coffee Berry." They mature nearly simultaneously, and the harvesting can be done very cheaply by cutting the stalk instead of pulling the pods by hand. If it is desired, the vines may be left standing and stock turned into the field to feed upon them. The best time for planting is about the month of May, when corn would be put in. They may be sown broadcast at the rate of one bushel to the acre, or in drills three and a half feet apart, with eighteen inches between the hills, allowing three beans to the hill; a peck will drill about an acre. Price variable.



Teosinte.

**SAINFOIN OR ESPARSETTE.**—A forage plant which has long been extensively grown in France and Southern Europe. In this country it has so far been little used except in some of the far Western States, where it is thought almost equal in value to Alfalfa. It thrives best on chalky, sandy soils, and cannot be successfully grown on any ground which does not contain considerable lime. The plant grows to the height of two and a half to three feet, and is said to improve land somewhat in the same way as the clovers. It belongs to the leguminous family, and when fed to milch cows is said to increase the quantity and richness of the milk. It is a perennial, flowering about the same time as Red Clover, and may be sown in either fall or spring. A well-set field should be productive under favorable conditions for at least five years. For an acre, three bushels. Price, 12½ cts. per lb.; \$10.00 per 100 lbs.

**GIANT BEGGAR WEED.**—If one-half of what has been written about this new forage plant were true, the Southern States would soon be in an extraordinary state of prosperity.

It will probably prove to be a valuable land improver, but can hardly fulfill the claims made for it as a forage plant. We think it will be worth trying, but advise against risking any large acreage. Price variable. For an acre, five pounds.

**SUGAR CANE.**—(See Sorghums.)

**SAND VETCH, HAIRY VETCH.** (*Vicia Villosa*).—We added this fine vetch to our list in 1895, and offered it with a strong recommendation that it should be generally tried.



Sainfoin.

Thorough tests have since been made, and the best informed farmers now consider it one of the most valuable, if not the most valuable, of forage plants within the reach of Southern farmers. Good authorities claim that it will yield from six to ten tons of green food to the acre. Its nutritive value has been determined to be much greater than Clover, and all stock eat it with relish. It makes good and easily-cured hay, and is perfectly hardy, thriving on poor, arid sandy soils, while on rich soil it makes a growth of five feet or more. Any kind of grain may be sown with it, but wheat will be found the most satisfactory, as it gives such a good support to the vines, which, without some support, fall and get into a thick mass. It is available for use for a remarkably long time, beginning to blossom about the last of April and remaining in condition until the middle of July. One of the best dairymen in Virginia has expressed his belief that if Hairy Vetch be sown early in the fall, grazed during the winter and early spring, then allowed to grow until turned under the middle of July, a crop of millet can be grown which will be succeeded by vetch without reseed- ing. Price variable. For an acre, one and a half bushels.

**SUNFLOWER, MAMMOTH RUSSIAN.** (*Helianthus Annuus*).—This enormous variety is a great improvement on the native sunflower, being much more vigorous and

productive. It is adapted to almost any soil and situation, and there are few farms that could not spare some field for it which would otherwise lie unused. The flower heads frequently measure a foot or a foot and a half across, and are packed at maturity with large, plump seeds, marked with black and white. In some countries immense acreages are grown simply for oil, which may be extracted from the seed, a hundred bushels of which can be easily produced on an acre of rich ground, but the principal use made of them here is in poultry feeding. Poultry are extremely fond of the seed, and when thus fed fatten more rapidly, perhaps, than on any other food. In addition to the value of the seed, the leaves are used for forage and the stalks for fuel. Plant in drills, three feet apart with eighteen inches between the hills. A crop may be made from sowings as late as the first of August. For an acre, four to six pounds. Per lb., 10 cts.; per 100 lbs. on application.

**WILD RICE** (*Zizania Aquatica*).—Various uses are made of the Wild Rice in the extreme Northern and some of the Southern States. It is regarded by many as a valuable forage plant for swamps and inundated lands, stock being fond of it both when it is green and when used for fodder. It is a rapid grower, and in the South may generally be cut twice each season. In addition to this use, it is also largely sown by sportsmen as a bait for wild fowl, all kinds of which are attracted to it. The seeds should be sown only in such water as has a good mud bottom, or on low, marshy places always covered more or less with water. Soak the seed for a day or two before sowing, and broadcast them from a boat, avoiding the current in running water as much as possible. Where the conditions are suitable, it will thrive in water anywhere from one foot to eight feet deep, and ripen in early fall. Per lb., 20 cts.

**FLAX.** (*Linum Usitatissimum*).—Flax is very sensitive to cold, and should not be sown until there is no danger of frost. If grown for the fibre, sow the quantity of seed advised per acre. Cut the crop before it is quite ripe, and if the weather be dry, let it lie in the swath for a few hours. It should then be raked and placed under shelter, the threshing being done during the first convenient dry season in the fall. Three pecks or one bushel are enough to seed an acre if the crop is intended for seed. For an acre, two bushels. Price variable.



**WHITE BEANS.**—The Navy or Pea Bean is the best in our latitude, and is usually, if saved bright, a most profitable crop. The vine is dwarf, very prolific, and produces a white bean, small and round-oval in shape. As the weevil is likely to attack beans harvested during warm weather, it is best not to plant before the last of June. The ground should be well prepared by ploughing and harrowing, and drills made about two and a half feet apart. The beans are either drilled or dropped by hand, being covered a little less than two inches. Deep cultivation is undesirable, and it is only necessary to keep the surface well loosened. When the majority of the pods have turned yellow, the plants should be pulled up by the roots and left for a day or two to dry; then spread in the barn until thoroughly cured. After threshing fan and hand-pick if convenient. In Carolina they are often used for replanting missing hills in the cotton fields. For an acre, three pecks. Price variable.

**BROOM CORN.** (Improved Evergreen.)—This variety grows about eight feet high, has a permanent green color, and is practically free from crooked, irregular brush. It succeeds best on strong, deep soil with good drainage. Cold is very injurious, and sowings must not be made until the ground is warm. To keep the brush in good shape it is necessary to bend the head down about the time the seeds mature. Drill in rows three feet apart and cultivate as ordinary corn. For an acre, five pounds. Per lb., 12½ cts.

**RAPE, DWARF ESSEX.**—An excellent forage plant, especially for sheep, and grown extensively for them in Europe, though little known in this country. It grows with wonderful rapidity, being usually ready for pasturage six or eight weeks after sowing, and an acre is said to support a dozen sheep for more than a month. Almost any soil will grow it, and the yield per acre is simply enormous, more than twenty tons per acre having been often produced on good ground. Stock feeding upon Rape should be supplied with salt freely. When young it makes a delicious, tender, sweet salad, being often sown solely for this purpose. Sow from early summer until late fall, putting six pounds to the acre broadcast or three pounds in drills. Per lb., 25 cts.; per 100 lbs. on application.

**OSAGE ORANGE.** (*Maclura Aurantiaca*.)—Familiar everywhere as a favorite plant for hedges. It is a native of Texas, but is perfectly hardy in all parts of the country, and, once started, requires no attention other than regular trimming. The seed of the Osage Orange germinates very slowly, sometimes lying in the ground for a whole season without sprouting, and it is, therefore, desirable to start them before sowing. Cover them well with water heated to a comfortable point and set the vessel in a warm place; change the water once a day, and after four or five days' soaking pour off the water and cover the seed with a cloth. The wet seed are kept thus, being occasionally stirred until signs of sprouting can be seen, when they are ready for planting. April is usually the best time for sowing, and it is necessary to have the ground thoroughly ploughed or spaded, so as to be in a finely pulverized condition. Make the drills about two feet apart and drop the seed one to the inch. In estimating the quantity of seed needed for a certain number of plants, it is safe to allow two hundred plants to the ounce. As the young plants are delicate, the weeds must be kept down until a growth of five or six inches has been made. Before transplanting for the hedge, they must be cut back to about one inch, being then set about six inches apart in the row. To promote a thick growth it is necessary each season to cut back all but eight or ten inches of the new wood. If the pruning be continued, a hedge strong and close enough to turn all kinds of stock will be formed in three or four years. Price per lb., 50 cts.

**CANARY SEED.** (*Phalaris Canariensis*.)—We reclean all our Canary Seed, and can furnish it in any quantities. Quotations per 100 pounds and per 1,000 pounds will be furnished on application. Per lb., 10 cts.; per ten lbs., 60 cts.

**HEMP.** (*Canabis Sativa*.)—Used largely for bird food. When sown for the fibre it is put broadcast at the rate of one-half bushel to the acre. Price in large quantities will be sent upon application. Per lb., 10 cts.

**RAPE.** (*Brassica Napus*.)—Distinct from the Essex Rape and used only for bird food. Per lb., 10 cts.; per 100 lbs. on application.

**MAW.** (*Paparea Rhoëas*.)—Used for canaries in certain diseases to which they are liable. Per lb., 30 cts.

**MIXED BIRD SEED.**—We handle recleaned seeds in large quantities, and will be pleased to quote it per 100 pounds and per 1,000 pounds. Per lb., 10 cts.





ARDENERS in the Southern States who have been successful with vegetables, roses, bulbous plants, etc., often make a serious mistake when they begin the cultivation of flowers from seed. Instead of ascertaining the kinds best suited to our hot climate, they are apt to make a selection at random from some comprehensive list which describes the flowers simply as they are in their perfection. Meeting with failure for this reason, they become discouraged, and perhaps abandon what might have become one of the most intense of their pleasures. In the arrangement of this list it has not been our endeavor to secure variety at the expense of discrimination, but it will be found to contain most of those which are of real value in the South.

**Annuals** Are raised exclusively from seed. They bloom and die the same year.

**Biennials** Live two years, flowering usually in the second. Many kinds, if sown in the fall, will show bloom the following spring.

**Perennials** Are herbaceous plants, lasting three or more years with the same blooming habits as the Biennials. Perennials marked "tender" should be taken from the ground before freezing weather, stored away from frost and reset in the ground as soon as danger from cold is past.

## GENERAL DIRECTIONS FOR SOWING FLOWER SEEDS.

### SOWING IN THE OPEN GROUND.

**Hardy.** The varieties designated as Hardy may be sown as early as the 10th of March unless the season is backward.

**Half-Hardy.** Those which are Half-Hardy should not be risked until the ground becomes warm under the surface; about the middle of April in ordinary years.

**Tender.** A few are marked Tender, and they may be sown during May.

In sowing flower seed a very common mistake is made in covering them too deeply. The seeds are, as a rule, extremely small, many being almost as fine as dust, and a safe rule is to cover them their respective thicknesses. This is best done by simply pressing them into the soil, which must be finely pulverized, with the palm of the hand or a board.

Some varieties have seeds large enough to produce a vigorous root, and such may be covered from one-quarter to one-half an inch, according to their size.

Never fail to press the earth firmly over the seeds, and a piece of bagging laid on the bed will prevent excessive evaporation or damage from washing rains while the seeds are germinating.

Hardy annuals may be sown where they are to bloom, but, unless otherwise cautioned, it is always preferable to transplant.

The height which each variety may be expected to attain is included in its description as a guide to the most effective arrangement when different kinds are placed in the same bed or border. The taller flowers should be placed in the rear to avoid the choking of smaller and less vigorous kinds.

### SOWING IN BOXES.

Where it is convenient, we advise shallow boxes filled with rich, light loam, and placed in a warm window as the best method of starting flower seeds. As the plants grow, give plenty of air and sunlight and avoid excessive watering. When large enough to handle, transplant into new boxes, so as to have strong plants ready to go in the garden at the proper season.





**ACROCLINIUM.**

One of the most beautiful of the Everlastings, hardy and robust in habit, and thriving in almost any good soil. They are very desirable for winter bouquets, and when grown for this purpose should be cut as they begin to expand and allowed to dry in the shade. The flowers are shaped much like field daisies. Half-hardy annual. Height, three feet. Rose and white in mixture, 5 cts. per pkt.

**SWEET ALYSSUM.**

A pretty, hardy annual which begins to flower when very young, and is literally covered almost all the season with its sweet, white flowers. It is especially adapted to borders or for rock work in the summer, and may be used effectively in window boxes for winter blooming. Height, six inches. 5 cts. per pkt.



Sweet Alyssum.

**ABRONIA UMBELLATA.**

A charming trailing plant with sweet-scented lilac flowers formed in a head like that of the Verbena. It remains in bloom for a long time, and is very useful for hanging-baskets. The husk should always be removed from the seed before sowing, in order to facilitate the germination. Half-hardy annual. Height, six inches. 5 cts. per pkt.

**AMARANTHUS CAUDATUS.**

(Love-Lies-Bleeding.)

Graceful plants which are very ornamental in the border, and are highly valued by landscape gardeners for use in little nooks, etc., of parks. The blossom being a long raceme, drooping and of a blood-red color, lends itself very effectually to grouping with cut flowers. Half-hardy annual. Height, three feet. 5 cts. per pkt.

**GLOBE AMARANTHUS.**

(Bachelors' Buttons.)

A familiar old Amaranthus much admired for its ornamental effect in the garden, and also useful when dried. The heads will retain their beauty of color for years, if gath-

ered before the bloom is too far advanced, and dried carefully in a dark closet. The flowers are produced in great profusion, and exhibit a wide range of bright coloring. Half-hardy annual. Height, two feet. Mixed colors, 5 cts. per pkt.

**AGERATUM MEXICANUM.**

The wild Ageratum is familiar to every one who notices the plants along our Southern roadsides, its tiny blue tufted flowers being often so massed as to give almost the effect of solid sheets of color. The cultivated varieties are splendid for large clumps or masses, and are adapted to almost any situation. The Ageratum blooms freely, and is one of the plants available for bouquets both winter and summer. Half-hardy annual. Height, eight to twelve inches. 5 cts. per pkt.

**ANTIRRHINUM.**


(Snapdragon.)

This useful border plant, which is an old favorite, has been greatly improved in late years, and is now one of the most effective of flowers, either singly or in clumps. The colors are remarkably brilliant, and if the seed is sown early, Snapdragons, though perennial, will bloom the first season. The seed we offer is the finest French stock, and we are sure that those who are not familiar with the improved Snapdragon will be delighted with it. Half-hardy. Height, two feet. Finest mixed, 5 cts. per pkt.

**AMARANTHUS SALICIFOLIUS.**

(Fountain Plant.)

A fine foliage plant which grows in pyramidal form, with the lower branches close to the ground, and which is extremely suggestive of a fountain of colored water.



Amaranthus Salicifolius.

The leaves when fully grown are about a foot in length and one-quarter inch wide, beautifully undulated, their color changing

**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.

as the plant matures from green to orange-red and bronze. It is a half-hardy annual, attaining a height of four feet when planted in rich soil. 5 cts. per pkt.

**AMARANTHUS TRICOLOR.**  
(Joseph's Coat.)

One of the most valuable of the Amaranthus family, the showy reds, yellows and greens of its leaves being very effective wherever color is desired. It is of trim, upright growth, and looks well when planted singly. Half-hardy annual. Height, three feet. 5 cts. per pkt.


**ASTERS.**

In the South the Aster rarely reaches the perfection it does in cooler climates, suffering especially in point of size. Being so sensitive to heat, they should receive in dry weather a mulching of well-rotted manure and be watered properly. With this care they will do well even in such seasons, and the flower yields a rich return for the attention. The bloom retains its beauty for an unusually long time, and under favorable conditions is produced in the greatest profusion. Half-hardy annual. Height, one to two feet.

**German Quilled.**—Flowers double and each petal beautifully quilled. All colors mixed. Per pkt., 5 cts.

**Pyramidal.**—A very handsome variety. All colors mixed. Per pkt., 5 cts.

**Dwarf Bouquet.**—A profuse bloomer and especially adapted to pot culture. All colors mixed. 5 cts. per pkt.



**White Quilled.**—Double, pure white, and very useful for bouquets. Per pkt., 5 cts.

**BALSAM PEAR.**

An old climber with handsome leaves and a small yellowish white flower. The orange-


colored fruit, which is covered with warty protuberances, bursts open when ripe and turns back, showing bright red seeds. It is a really handsome vine and very interesting to those unfamiliar with it. Preserved in spirits, the flesh is highly valued by old-fashioned people for its supposed virtue in healing cuts, bruises, etc. Half-hardy annual. Height, twelve feet. 5 cts. per pkt.

**BALSAM.**

(Lady Slipper, or Touch-Me-Not.)

Like many others of the old garden favorites, the Balsam has been improved almost out of resemblance to the original types. While of little value for bouquets, it is certainly a magnificent outdoor plant, with its gorgeous masses of beautiful and brilliant colored flowers. No flower is more easily cultivated, and it succeeds in almost any good soil. Half-hardy annual. Height, two feet.

**Camellia-Flowered.**—A beautiful variety, of perfect form and hardly distinguishable from the Camellia. All colors mixed. Per pkt., 5 cts.



**Mixed Double.**—Only a very small percentage of single flowers will ever be found in this mixture. Per pkt., 5 cts.

**BALLOON VINE.**

A rapidly-growing climber of attractive foliage, and remarkable for the inflated membranous capsule from which the name Balloon Vine is derived. This peculiarity also suggests its other name of "Love-in-a-Puff." The flower is white and inconspicuous. Half-hardy annual. Height, ten feet. Per pkt., 5 cts.



**BROWALLIA.**

A very desirable plant which produces pretty delicate flowers in great profusion during summer and autumn. It is excellent for edging or baskets, and may be potted for winter blooming. Half-hardy annual. Height, one foot. Blue and white mixed, 5 cts. per pkt.

**CANNA.**  
(Indian Shot.)

No description is needed of these splendid plants, as they are perhaps as generally used now as any other flower. The seeds, from which the name of "Indian Shot" is derived, are so extremely hard that before planting they should be soaked for at least twelve hours in warm water. If it is desired to keep the roots over winter, take them up before frost and store in a warm place, or cover the ground with a thick coating of manure. Half-hardy perennial. Height, five to ten feet. 5 cts. per pkt.

**CANTERBURY BELLS.**

Attractive and showy biennials which succeed best in rich, well-drained soil. The bell-shaped flowers are of beautiful colors and bloom very freely. As the plant grows to a considerable size, branching widely, care should be taken in setting them out to allow not less than two feet each way. Small stakes are frequently necessary for support. Half-hardy biennials. Height, two and a half to three feet. Single mixed, 5 cts. per pkt.

**CALLIRHOE INVOLUCRATA.**

An excellent bedding plant which produces flowers of a purplish crimson color. Blooming commences when the plant is very small and is continued late in the fall. Hardy annual. Height, two feet. 5 cts. per pkt.

**CINERARIA.**  
(Dusty Miller.)

The well-known silver-leaved plant whose beautiful downy foliage is so much used in ribbon borders and in beds of Coleus or Geraniums. It is a favorite plant for conservatories and window boxes. In potting it for the house use a rich loam with ample arrangement for drainage. Cuttings root readily under glass. Tender perennial. Height, one foot. 5 cts. per pkt.

**CANDYTUFT.**

Invaluable for edging or for massing in beds. A constant succession of flowers may be had by repeated sowings, and the white varieties will be found very useful in bouquets. Half-hardy annual.


**Dwarf White.**—This grows in the form of a bush, is very dwarf and covered almost all the season with large heads of pure white flowers. Height, five inches. Per pkt., 5 cts.; per oz., 40 cts.

**White Rocket.**—The most desirable for cutting, as it has fine trusses of flowers. Height, one foot. Per pkt., 5 cts.; per oz., 40 cts.

**Crimson.**—A variety with red bloom which produces a fine effect in masses. Height, five inches. Per pkt., 5 cts.; per oz., 50 cts.

**Purple.**—The blossoms are of a purplish tint, and show very well in combination with white. Height, six inches. Per pkt., 5 cts.; per oz., 40 cts.

**Sweet-Scented.**—A pure white variety which is remarkable for its delightful fra-



Rocket Candytuft.

grance. Height, one foot. Per pkt., 5 cts.; per oz., 40 cts.

**Mixed.**—All colors. 5 cts. per pkt.; 40 cts. per oz.

**CALLIOPSIS.**—(See Coreopsis.)

**COBOEA SCANDENS.**

A magnificent climber, growing thirty feet and upwards, if planted in a rich, sunny situation. The flowers are large, symmetrical bells, which, light green when first opened, turn gradually to a fine purple-lilac. The foliage is also handsome, and makes a fine screen for verandas or lattices of any kind. To secure germination of the seed, plant them edgewise in boxes of moist earth, giving no water until they have sprouted. A piece of glass or cloth will prevent evaporation while the seeds are starting. Tender perennial. 5 cts. per pkt.

**CLARKIA.**

Very desirable for bedding purposes, as it will grow and bloom freely in any soil. It is a good plan to sow the seed in the fall, so that when spring comes the plant will be ready to break at once into blossom. Hardy annual. Height, two feet. Fine mixed, 5 cts. per pkt.

**COCKSCOMB.**

The improved varieties of this plant attain an immense size when grown in a warm, rich soil, and are very effective with their bright colors. The flowers have the appearance of heavy plush, and are often indescribably brilliant in coloring. Half-hardy annual. Height, three feet. Dwarf mixed, 5 cts. per pkt.

**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.

**COLUMBINE.**

A flower of most curious form, especially when very double. The colors are always attractive, and its numerous blossoms make it very serviceable for grouping in corners, etc. Hardy perennial. Height, two feet. Fine mixed, 5 cts. per pkt.

**COREOPSIS.**

For borders there is nothing brighter than the Coreopsis. The plant is covered from early summer until frost with beautiful flowers of every shade of yellow, orange and red, each blossom being from one to two inches across. Hardy annual. Height, one and a half feet. 5 cts. per pkt.

**CARNATION.**

In the splendid strains of Carnation which offer, a remarkably large percentage of the flowers will be perfectly double, nearly all being more or less double. In the Southern States the Carnation rarely needs protection of any sort, although it is well to cover the plants during extremely cold weather. Half-hardy perennial. Height, one and a half feet.

Mixed Carnation.—Per pkt., 10 cts.

Marguerite.—A new race of Carnation introduced from Italy a few years ago and exceedingly interesting from the fact that, unlike the old variety, the plant begins blooming about four months from the time the seed is sown. It is hardly less beautiful in color than the old-fashioned Carnation, is very fragrant, of fine size and an abundant bloomer. By consecutive sowings, and shelter during the winter, it is possible to have the Marguerite Carnation in flower practically the whole year. We think that every one will be charmed with this flower, and recommend it heartily. Per pkt., 25 cts.

**COLEUS.**

The use of Coleus in ribbon gardening, massing, etc., is too familiar to call for any suggestion, and it is among the most easily cultivated of our plants. Especial attention is directed to our stock of this seed, as it is a mixture of superb hybrid varieties, and will produce foliage of the most beautiful marks and stainings. The seed should be sown very carefully in a box of fine earth, excess of moisture being avoided. Tender perennial. Selected strains, per pkt., 25 cts.

**CHRYSANTHEMUM.**

Double.—Although not comparable to the superb autumn flowering varieties, the Double Annual Chrysanthemum is very useful both in the garden and as a house plant. The flowers are borne freely all through the summer and work very well into bouquets and designs. Hardy annual. Height, one foot. Double, 5 cts. per pkt.

Single.—The famous "Marguerite," known also as the "Paris Daisy" on account of its use in the public gardens of Paris. Its white and gold stars are well known everywhere.

Hardy perennial. Height, one and a half feet. 5 cts. per pkt.

**COLLINSIA.**

A native of California which is remarkably attractive in beds of mixed borders. The flowers are borne in whorls and produced in



Double Carnation.

great abundance, with a number of whorls around each flower stem. Hardy annual. Height, one foot. 5 cts. per pkt.

**COSMOS.**

Showy summer and autumn bloomers, the flowers of which resemble very closely the



COSMOS.





single Dahlia. In rich soil, the plant has a very luxuriant growth and produces an immense number of flowers. Few flowers have grown more into popularity in late years than the Cosmos, and we recommend it to all who have space for large plants in their gardens. Hardy annual. Height four to five feet. 5 cts. per pkt.

**CONVOLVULUS.**

**Convolvulus Major.** (Morning Glory.)—A beautiful climber familiar to every one. It is a wonderfully rapid grower, making with its diversified colors a gorgeous display in the early morning. Hardy annual. Height, fifteen to twenty feet. 5 cts. per pkt.

**Convolvulus Minor.**—Showy trailing plants which produce an abundance of richly-colored flowers and are adapted to either beds or mixed borders. Hardy annual. Height, one foot. 5 cts. per pkt.

**CYPRESS VINE.**

One of the most popular of all summer climbers. The star-shaped flowers are small and thickly set in beautiful dark-green foliage of fern-like appearance. Tender annual. Height, fifteen feet.

Scarlet or Crimson.—5 cts. per pkt.

White.—5 cts. per pkt.

Mixed Colors.—5 cts. per pkt.

**DAHLIA.**

Although it is not generally known, this familiar flower, so universally admired for its perfect form and superb colors, will bloom



Dahlia.

the first year if the seed is sown early. Seedling Dahlias show a few single flowers, but the seed we offer is finely selected and is

invariably satisfactory. In raising them from seedlings there is always uncertainty as to color, and the grower is often delighted by the origination of an entirely new shade. During the winter the roots should be taken up and stored out of the reach of freezing weather. Half-hardy perennial. Height, three to six feet. Finest mixed double, 10 cts. per pkt.

**DATURA.**

A magnificent plant much less known than it deserves to be. The bush is of vigorous branching growth and produces large, double, trumpet-shaped flowers, pure white and exceedingly fragrant. They are well adapted to planting in clumps or singly, but must not be crowded. Half-hardy perennial. Height, three to four feet. Double, 5 cts. per pkt.

**DAISY.**

**Double.**—The Double English Daisy is unsurpassed as an edging for shady borders or as a pot plant. The flowers are very nu-



Double Daisy.

merous, perfectly double in the best specimens and of the loveliest colors. Half-hardy perennial. Height, three inches. Per pkt., 25 cts.

**Single Paris.**—(See chrysanthemum.) Per pkt., 5 cts.

**DIANTHUS.**

Of this invaluable family almost every garden contains one or more members. The different varieties, while affording great diversity of appearance, are all characterized by rich and brilliant colors. The biennials, as well as annuals, bloom profusely the first season. Height, one foot.

**Chinensis.**—The well-known China Pink, very double. Per pkt., 5 cts.

**Heddewigii.**—Beautifully colored flowers of large size. Per pkt., 5 cts.

**DISH CLOTH GOURD.**

An ornamental climber with prettily-shaped foliage and yellow flowers which are borne in clusters. The seed pod is about two feet long, and when ripe has a porous lining of sponge-like texture. This, when dried, may be easily separated from the rind, and makes an admirable dish cloth or flesh brush. It is also often converted into various fancy articles about the house. 5 cts. per pkt.



**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.

**DUSTY MILLER.**[See *Cineraria Maritima*.]**DOLICHOS LABLAB.**  
(Hyacinth Bean.)

One of the finest climbers, growing with remarkable rapidity and enduring long droughts. Its purple-lilac flowers are borne in clusters somewhat in the form of a spike of Hyacinth, and are succeeded by a bean pod with purple skin. Sow the seed where the vine is to grow. 5 cts. per pkt.

**ESCHSCHOLTZIA CALIFORNICA.**  
(California Poppy.)

Showy plants, flowering profusely all the season and very attractive in borders or beds.



Eschscholtzia Californica.

Half-hardy annual. Height, one foot. 5 cts. per pkt.

**EVERLASTINGS.**

Acroclium, Globe Amaranthus, Helichrysum, Cockscomb, Rhodanthe, Statice. Each of these is described under its own name.

**EVENING GLORY.**  
(*Ipomoea Bona Nox*.)

Of the same habit of growth as the Morning Glory, but the large, fragrant, white flowers expand only in the evening. Tender annual. Height, ten to fifteen feet. 5 cts. per pkt.

**EVENING PRIMROSE.**

Strong plants of easy culture, very desirable for shrubby borders. The flower is very large and has the striking peculiarity of opening in the evening with a sudden spring instead of unfolding gradually. Hardy perennial. Height, two to three feet. 5 cts. per pkt.

**FOXGLOVE.**

Stately, handsome plants, very useful for planting in shrubbery or in other places partially shaded. The flowers are spotted and thimble-shaped, and are borne in great profusion on stalks often four feet in length. 5 cts. per pkt.

**FORGET-ME-NOT.**

A favorite border plant that succeeds best in moist situations. It comes into blooming early and bears dainty little star-shaped flowers. Hardy perennial. Height, six inches. 5 cts. per pkt.

**FEVERFEW.**[See *Matricaria*.]**FOUR O'CLOCK.**[See *Mirabilis Jalapa*.]**GAILLARDIA.**

Splendid bedding plants, remarkable for the size and brilliancy of their flowers, which are produced profusely during summer and autumn. If a gay mass of color is wanted, nothing will be more satisfactory than a thickly-set bed of Gaillardias. Half-hardy annual. Height, one and a half feet. Crimson and yellow, 5 cts. per pkt.

**GERANIUM.**

Geraniums may be readily raised from seed by sowing in boxes of fine earth and placing in a gentle heat. A packet of seed will furnish a large number of plants, and occasionally one or more of the seedlings will develop an absolutely new sort, all new Geraniums being thus produced. There is no



Geranium.

plant more popular for the house or garden on account of its exquisite colors and convenient habit of growth. Half-hardy perennial. Height, one and a half feet. Fine mixed Zonale, 5 cts. per pkt.





**GILIA.**

Pretty dwarf plants, very fine for massing and rock-work. The flowers are small and are available for bouquets. Hardy annual. Height, one foot. 5 cts. per pkt.

**GOURDS—ORNAMENTAL.**

Climbers of rapid growth which are well fitted for covering fences or arbors. The foliage is quite pretty and the fruits of the kinds listed are very interesting in their shapes. Tender annuals. Height, ten to twenty feet.


Orange, White Egg, Bottle, Large Bottle, Miniature Bottle, Snake, Flat Corsican, Hercules Club, Powder-horn, Malabar Melon, Siphon or Dipper. Per pkt., 5 cts.

**GODETIA.**

A profuse bloomer, excellent for borders. The flowers are large and remarkable for their richness and variety of coloring. Hardy annual. Height, one foot. Mixed, 5 cts. per pkt.

**HELICHRYSUM.**

Handsome ornamental plants for the border, but especially valuable for winter use in wreaths or bouquets. When they are to be dried for this purpose, cut them as they are coming into bloom and hang in a dark room with heads downward. Hardy annual. Height, one and a half to three feet. Fine mixed, 5 cts. per pkt.



Helichrysum.

**HELIOTROPE.**

For either bedding or house culture, Heliotrope is one of the choicest flowers that we have. Its delicately formed and tinted blossoms are delightfully fragrant, and a few stems make a most charming bouquet. By sowing in-doors early in the spring and transplanting into small pots, plants may be made so strong and stocky that they will be in full bloom soon after being set in the garden. Half-hardy perennial. Height, two feet. Choice mixed, 10 cts. per pkt.

**HOLLYHOCK.**

Hollyhocks have been so wonderfully improved of late years that those who are familiar with only the old-fashioned kinds

would scarcely be able to identify them. A paper of our seed will produce a great number of the most finely selected varieties, and if sown in the fall, will usually furnish blooming plants the next season. If set in rows as a background or interspersed among shrubbery, they give an effect obtainable in hardly any other way. Tie to stakes if they show a disposition to fall. Half-hardy biennial. Height, five to seven feet. Extra fine mixture. 5 cts. per pkt.

**HYACINTH BEAN.**

[See Dolichos Lablab.]

**ICE PLANT.**

A pretty little trailing plant, the leaves and stems of which are covered with a remarkable crystalline substance much resembling ice. The foliage is, for this reason, often used for garnishing. Half-hardy annual. 5 cts. per pkt.

**LARKSPUR.**

The colors of the Larkspur are extremely beautiful, and in mixed borders its profuse masses of purple, white and red show splendidly. It is best to sow the seed in the fall or very early in the spring. Hardy annual. Height, three feet. Finest mixed, 5 cts. per pkt.

**LANTANA.**

A well-known shrub, splendid for bedding, as it is constantly in full bloom. The flower-stem is crowned with a large truss of Verbena-like flowers of infinitely varied hues. The blossoming is from the outside to the center, and as they unfold in succession a new effect is presented every day. Tender perennial. Height, two feet. 5 cts. per pkt.



Lantana Hybrida.

**LOBELIA.**

Neat, pretty plants of profuse bloom and very valuable for edging as well as for hang-

**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1 25 for each dollar remitted. We pay all postage or express charges on flower seed orders.

ing-baskets and vases. They are easily raised from seed, and begin to bloom early in the summer. Half-hardy annual. Height, six inches. 5 cts. per pkt.

**LUPINUS.**

A fine bedding plant, bearing long, graceful spikes of pea-shaped flowers of many shades and colors. Rich soil is needed to bring this plant to perfection, and the seed should be sown where they are to bloom, transplantings being usually unsuccessful. Hardy annual. Height, two feet. 5 cts. per pkt.

**LYCHNIS.**

The flowers of this highly ornamental plant are very large and finely colored. It is of easy culture, and should be in every garden. Hardy perennial. Height, two feet. 5 cts. per pkt.

**MARIGOLD.**

An old garden favorite; prized for its numerous and showy flowers. It is excellent for planting in large beds, and will thrive in any good soil.

**French.**—The old variety, with rich velvety and beautifully striped flowers. It is the better to use as a foreground for taller plants, being very dwarf and compact. Half-hardy annual. Height, two feet. Per pkt., 5 cts.

**African.**—A more robust plant, brilliantly colored with orange and yellow. Half-hardy annual. Height, one foot. Per pkt., 5 cts.

**MATRICARIA.**

The double white Feverfew, very useful as an edging to beds, as it succeeds in any garden soil. It is also an excellent pot plant and is much grown by florists for cut flowers. Hardy annual. Height, two feet. Finest double, 5 cts. per pkt.

**MAURANDIA.**

One of the most beautiful of climbers, suitable for both garden and greenhouse culture. It is a rapid grower, has thickly-set, delicate foliage, and blooms profusely all the season. Pot and take them into the house before frost if wanted during the winter. Half-hardy perennial. Height, ten feet. Mixed colors, per pkt., 5 cts.

**MIGNONETTE.**


Well known as one of our most fragrant plants, adapted to pot and garden culture. By thinning them as they grow, the plants will be kept strong and produce fine spikes. Avoid situations with too much sun exposure, and provide water in dry weather. Hardy annuals.

**Sweet Scented.**—Has spikes of medium size, so fragrant that a bed will perfume the whole atmosphere around it. Height, one foot. Per pkt., 5 cts.; per oz., 25 cts.

**Pyramidal, or Tree.**—Grows in the form of a pyramid, with many flower stalks. Height, fifteen to eighteen inches. Per pkt., 10 cts.

**MOON FLOWER.**

A wonderful vine, which, if set out in rich ground and given support, will grow forty to fifty feet in a single season. The flowers, which are several inches in diameter, are white and have a rich Jessamine odor. It blooms abundantly, but only at night or on cloudy days. The true Moon Flower must not be confounded with the Evening Glory, the flowers of which are much smaller and otherwise inferior. Tender annual. 10 cts. per pkt.



Moon Flower.

**MORNING GLORY.**

[See *Convolvulus Major*.]

**MIRABILIS JALAPA.**

(Marvel of Peru, or Four O'clock.)

The Four O'clock has long been a favorite, and is, when properly treated, an extremely ornamental plant. The flower is shaped like that of the Morning Glory, produced in clusters and blooms in the afternoon. If the plants are set two or three feet apart in a sunny place, they will not fail to produce a very fine effect. Half-hardy perennial. Height, two feet. Mixed, 5 cts. per pkt.

**TALL NASTURTIUM.**

Handsome climbers for verandas, and a favorite house-plant for winter blooming. In shape the flowers are like those of the Dwarf Nasturtium, but are usually much larger. Having no tendrils, the vine requires



a little coaxing in climbing any support other than trellis work, or similar arrangement where the leaves can catch in angles. A very pretty effect may be obtained by sowing the seed in a round bed, and then heaping brush-wood loosely upon it. In a few weeks the vines will have grown up and through this, presenting the appearance of a solid mound of bloom and foliage. The seed we offer is from finely selected plants and will produce the richest colors. When the seeds are young,



Four O'clock.

they may be picked and used as a substitute for capers. Hardy annual. Height, eight to ten feet. Per pkt., 5 cts.; per oz., 25 cts.

**DWARF NASTURTIUM.**

The compact growth and superb coloring of the Dwarf Nasturtium render it peculiarly valuable for massing in beds or ribboning. Both foliage and flower are of odd form, making an effective pot plant for the house. Hardy annual. Height, one foot. Per pkt., 5 cts.; per oz., 30 cts.

**NIGELLA.**

(Love-in-a-Mist, Devil-in-a-Bush.)

An interesting plant with very finely divided foliage and curious flowers. The seed pod is enclosed in a close, delicate network of leaves, which has suggested the names by which it is commonly known. Hardy annual. Height, one and a half to two feet. 5 cts. per pkt.

**NEMOPHILLA.**

Of close, compact habit of growth, and in shaded places a steady bloomer. The flowers are of beautiful colors, varying greatly in shades, and shown to perfection when closely massed. Hardy annual. Height, six inches. Per pkt., 5 cts.

**PAEONIA.**


The beautiful Chinese Peony, well known for its immense, rich flowers. It is adapted to any good soil, and should be in every garden. Hardy perennial. Height, two feet. Mixed, 10 cts. per pkt.

**PETUNIA.**

There is no bedding plant of easier culture than the Petunia, and few that make a more handsome appearance when in full bloom. On rich soil it has a tendency to run to vine, which should be suppressed by pinching off the shoots when necessary. The shape of the flower is similar to that of the Convolvulus, and a paper of seed will give an immense variety of color. As the seed are as fine as dust, it is advisable to sow in boxes in the house, transplanting when large enough. Hardy annual. Height, two to three feet. Fine mixed varieties, 5 cts. per pkt.

**PANSY.**

No description is needed of this universal favorite. It is found, as the tiny heartsease, in the humblest gardens, while the finest floriculturists in the world are constantly engaged in developing its size and coloring. If the seed is sown in September and protection given during the winter, they will bloom abundantly through the following



Pansy.


season. Plants from seed sown in the spring should not be permitted to bloom until the cool weather. As the buds appear, pick them

**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



off and thus throw the strength of the plant into making a compact and bushy growth. It will then be able to produce large and brilliant flowers through the fall until the ground freezes. Do not allow faded flowers to remain on the plant. Hardy perennial. Height, six inches.

**Finest English.**—This mixture is from mag-



**Phlox Drummondii.**

nificent varieties, and is in every respect the equal of many of the high-priced named Pansies. Per pkt., 10 cts.

**Fine Mixed.**—Of excellent stock, finely colored and of good size. Per pkt., 5 cts.

**Extra Selected.**—Unsurpassed for size and superb coloring. The seed is saved from selected named varieties, and lovers of the Pansy will find no strain more worthy of their care. Per pkt., 25 cts.

#### POPPY.

Showy plants, which flourish in almost any situation, splendid for large, mixed borders or shrubberies. The flowers are borne profusely and have the most brilliant coloring. The Poppy does not bear transplanting, and must therefore be sown where it is to bloom. Hardy annual. Height, two feet. Best mixed varieties, 5 cts. per pkt.

#### PHLOX DRUMMONDII.

One of the standard bedding plants which have a place in almost every garden. It is absolutely unsurpassed for constant profusion of bloom and diversity of colors. For early flowering, sow the seed in boxes to transplant in the border or bed when the weather is warm, and a later sowing may be made in the open ground where they are to bloom. Hardy annuals. Height, one and a half to two feet.

**Finest Mixed**—5 cts. per pkt.; 60 cts. per oz.

**White**—5 cts. per pkt.

#### PORTULACA.

Both single and double varieties of Portulaca are exceedingly useful for edging of rock-work, as the flowers are showy and the moss-like foliage very luxuriant. On sandy banks, etc., it grows to perfection, enduring dry seasons better than almost any other plant. Hardy annual. Height, six inches.

**Single Mixed**—5 cts. per pkt.

**Double Mixed**—10 cts. per pkt.

#### PYRETHRUM. (Golden Feather.)

The golden foliage of the Pyrethrum has a remarkably pretty effect in edging, especially when contrasted with dark-leaved plants, and we recommend it strongly for carpet bedding, etc. Sow the seed indoors and transplant where wanted. Hardy perennial. Height, five inches. 5 cts. per pkt.

#### RICINUS. (Castor Bean.)

A foliage plant of vigorous growth and tropical appearance, the stalk being blood-red and the leaves handsomely shaped. It is unsurpassed for mixed shrubberies or planting singly on beds and lawns, the effect being especially striking after the brilliantly colored fruit is formed. Tender annual. Height, eight to twelve feet. 5 cts. per pkt.

#### RHODANTHE.

An everlasting flower of great beauty. Its bright colors and elegant habit of growth make it one of the most desirable bordering plants. The flowers should be cut when intended for winter bouquets as soon as opened and dried in a dark room, hanging heads downward. Half-hardy annual. Height, two feet. Finest mixed, 5 cts. per pkt.

#### ROCKET.

An early-flowering plant which produces numerous clusters of single flowers delight-



fully scented. Hardy biennial. Height, eighteen inches. 5 cts. per pkt.

**SALPIGLOSSIS.**

Highly ornamental, autumn-blooming plants, with funnel-shaped flowers curiously veined and marked. Of easy culture, but best suited to light, sandy soil. It is undoubtedly one of the most interesting annuals, and should be much better known. Half-hardy annual. Height, eighteen inches. Mixed, 5 cts. per pkt.



Salvia.

**SANVITALIA.**

On small beds or rockeries the Sanvitalia is exceedingly useful. It is dwarf and blooms freely during the entire season. Hardy annual. Height, six inches. Seventy-five to 90 per cent. double flowers. 5 cts. per pkt.

**SALVIA.**  
(Scarlet Sage.)

A favorite bedding plant which bears magnificent spikes of scarlet flowers from July to October. It blooms the first year from seed. Half-hardy perennial. Height, three feet. 10 cts. per pkt.

**SCABIOUS.**  
(Mourning Bride.)

The Scabious is entitled to a foremost place among the standard bedding plants on account of its general usefulness. The flowers are of peculiar form and diversified coloring, varying from white to rose, crimson and purple, and are quite fragrant. They have long stems, which fit them especially for the decoration of tables, etc. Hardy annual. Height, ten to twelve inches. 5 cts. per pkt.

**SENECIO.**

A dwarf summer bloomer very much admired on rockeries and useful for winter

blooming in the conservatory or window box. It produces an abundance of flowers, large and beautifully tinted. Hardy annual. Height, one foot. 5 cts. per pkt.

**SCARLET RUNNER.**

One of the most ornamental varieties of the bean family, of rapid growth and producing dazzling scarlet flowers from July to October. For training on verandas and over unsightly objects, it will be found very useful, and the beans may be cooked in the same way as the Lima Bean. Hardy annual. Height, twenty to forty feet. 5 cts. per pkt.

**SENSITIVE PLANT.**

A remarkable plant with finely divided foliage and flowers of pinkish white. The leaves close and droop when touched or shaken, as well as at the approach of night. A peculiarity which has given it the name of "Sensitive Plant." Tender annual. Height, eighteen inches. 5 cts. per pkt.

**SILENE.**  
(Catch Fly.)

Of easy culture and adapted to almost all situations and soils. It may be used for ribbon gardening or beds, and produces fine masses of bloom. Hardy annual. Height, twelve to fifteen inches. 5 cts. per pkt.

**SMILAX.**

A lovely climber with delicate foliage of glossy green, very much used for decorative purposes on account of the facility with which it may be twined gracefully around columns, stair-rails or house fixtures of any kind. In bouquets also it makes a charming contrast for the colors of the flowers, and is one of the best vines for baskets. To facilitate sprouting of the seed, soak them twenty-four hours in warm water. Half-hardy perennial. Height, eight to eighteen feet. 15 cts. per pkt.

**SNAPDRAGON.**

[See Antirrhinum.]

**STOCKS.**

The German Ten-Weeks Stock has long been considered invaluable by gardeners, being admirably adapted for bedding, massing, edging or ribboning. Flowering usually begins about ten weeks after sowing, and there are few sights more beautiful than a fine bed of these plants in full bloom. The duration and delicate fragrance of the flowers commend it very strongly for pot culture in the house. If desired for early use, sow the seed in-doors and transplant when the ground becomes warm, forcing with weak, liquid manure. Half-hardy annual. Height, one to two feet. Mixed, 5 cts. per pkt.; white, 5 cts. per pkt.

**STATICE.**

Beautiful little flowers which show especially well when worked up with other everlasting in winter bouquets. It blooms freely and is of easy culture. Half-hardy annual. Height, one foot. Blue, 5 cts. per pkt.

**SWEET SULTAN.**

Very fragrant and useful for cut flowers. It is a profuse bloomer, splendidly colored and one of the best bedding plants. Hardy annual. Height, two feet. 5 cts. per pkt.



## SWEET PEAS.

The dainty form and exquisite colors of the Sweet Pea made it long ago one of the best-loved common flowers, but many new selections have been introduced in the past two years, and it has become a strong competitor for fashion's favor. Enormous quantities are now grown for market by florists and sold at fancy prices. They may be trained on bushes or grown as climbers, in any way desired, and if properly treated, are a constant mass of bloom. Plant as soon as the ground can be worked in drills five or six inches deep, cover with an inch of soil, and as the vine grows gradually add more earth until the vines are a little hilled. If the blossoms are kept picked off, they will bear until frost. The soil should be rich, and a mulch in dry weather is beneficial. In most parts of the South it is easy to bring Sweet Peas into bloom very early in spring by sowing in the autumn, and it is a pity that more are not so grown. A generous supply of litter will prevent the ground freezing too deeply. Hardy annual. Height, six feet. Mixed colors; 160 finest varieties. 5 cts. per pkt., 10 cts. per oz., 20 cts. per  $\frac{1}{4}$  lb., 60 cts. per lb.

### NAMED VARIETIES.

We offer a list of named varieties selected from the best introductions of recent years. 5 cts. per pkt., 10 cts. per oz., 20 cts. per  $\frac{1}{4}$  lb., 60 cts. per lb.

#### Pure White.

Blanche Burpee. Very perfect in form and color.

Emily Henderson. Large and clear white.

The Bride. Similar to Blanche Burpee, but with shorter vines.

#### Light Pink.

Blushing Beauty. Hooded flowers, very delicate rose color.

Duchess of York. White suffused with pale pink.

Katherine Tracy. One of the most beautiful pinks, very soft in tint.

Lovely. Deep pink at the base of standard and wings, shaded to shell-pink at edges.

Prima Donna. An unusually large and well-shaped pink, very brilliant.

Mrs. Sankey. Fine white, opening with a faint bluish tinge.

#### Dark Pink.

Apple Blossom. Bright pink blended with white, the wings very delicate in tint.

Her Majesty. Hooded flowers, especially large and well shaped.

Prince of Wales. Very deep rose.

Royal Rose. Of extraordinary size, and a beautiful shade of deep rosy pink.

#### Red.

Brilliant. Very bright scarlet.

Firefly. Deep scarlet.

Mrs. Dugdale. Extra large; pale carmine with primrose markings.

Salopian. The largest and most brilliant of all the reds.

#### Lavender.

Butterfly. White with lavender markings.

Countess of Radnor. A beautiful flower, ranging from pale mauve to lavender.

Lottie Eckford. White suffused with lavender.

#### Blue.

Black Knight. Fine deep shade.

Captain of the Blues. Pale blue and mauve.

Navy Blue. Very distinct, and the only bright blue.

#### Variegated.

America. White with blood-red stripes. Very good.

Aurora. White with flakes of orange-salmon.

Juanita. White ground with lavender stripes.

Lottie Hutchings. Cream color with markings of delicate pink.

Mrs. Jos. Chamberlain. White with stripes of bright rose.

Senator. White, striped with brown and chocolate.

### SWEET WILLIAM.

An ever-popular favorite, producing the richest effects in beds and mixed flower borders. The new improved varieties are much superior to old-fashioned sorts, being very large and handsomely tinted. Hardy perennial. Height, one and a half feet. Auricula-flowered. 5 cts. per pkt.

### THUNBERGIA.

A slender, rapid-growing vine which is unsurpassed for vases or for trailing over rock-work. The flowers are of singular form, but very pretty, and borne in the greatest profusion all the season. Select a rich, well-drained soil, with good, sunny exposure. Half-hardy annual. Mixed colors, 5 cts. per pkt.

### TROPOEOLUM PEREGRINUM.

#### (Canary Bird Vine.)

The flowers, of this easily cultivated climber have a fanciful resemblance to the form of a bird, and being yellow, have suggested the name of "Canary Bird Vine." Independently, however, of this peculiarity, it is highly admired and a useful vine for any purpose. Half-hardy annual. Height, ten feet. 5 cts. per pkt.

### VERBENA.

As a bedding plant the Verbena is universally regarded as invaluable. Although perennial, they bloom from seed the first year, flowering in August if sown in-doors in May. A better way is to sow the seed in

**DISCOUNT**—Purchasers sending cash for Flower Seeds may select packets to the value of \$1.25 for each dollar remitted. We pay all postage or express charges on flower seed orders.



NASTURTIUM.







boxes or hot-beds early in March and transplant when all danger of frost is past. Half-hardy perennial. Height, five inches.



**Fine Mixed.**—An excellent mixture of fine stocks, but much inferior to our other grade. Per pkt., 5 cts.

**Finest Hybrid.**—This seed is saved from splendid named varieties and is absolutely unsurpassed for diversified brilliancy of color. Per pkt., 15 cts.

**VINCA.**

The Vinca is a perennial, and must be sown early to obtain flowers the first season. It blooms freely until frost, and may then be potted and brought into the house, where it will continue flowering all the winter. Those who have sunny situations where other flowers suffer in midsummer will find the Vinca almost sun-proof if a reasonable amount of water is given. Tender perennial. Height, one foot. Mixed, 10 cts. per pkt.



Sweet Violet.

**VIRGINIAN STOCKS.**

Extremely pretty little plants, flowering profusely and excellent for small beds or as

an edging. They flourish in any soil, and should be more generally cultivated. Hardy annual. Height, three to six inches. Mixed, white and rose, 5 cts. per pkt.

**VIOLET.**

No part of the garden is more charming than the Sweet Violet bed, most generous with its wealth of fragrance and beauty when the garden is at its poorest. A few warm days during the winter are enough in this climate to throw it into profuse bloom, and it is in perfection very early in the spring. It bears more or less through the year, but is apt to suffer during the summer unless in a shady situation and on rich, deep soil. During severe weather it is well to cover the plants with straw and manure. "The Czar" which we offer is one of the finest varieties, being a beautiful deep blue of large size. Hardy perennial. Height, six inches. 15 cts. per pkt.

**VISCARIA.**

The "Rose of Heaven," as it is often called, makes a brilliant display during the summer months, and is principally used for massing in large clumps or mixed borders. The flowers are single, large, round and strikingly marked in various colors. Hardy annual. Height, one and a half to two feet. 5 cts. per pkt.

**WALLFLOWER.**

The large spikes of the Wallflower are among our earliest spring flowers, and their delightful odor has made them a favorite with everyone. The colors have been wonderfully improved in recent years, and splendid effects may be gained by massing them. The plant will endure considerable cold, so that in this latitude no protection is needed during the winter, and their indifference to heat and drought adds to their value in the South. Hardy annual. Height, two feet. Finest mixed German, 5 cts. per pkt.

**ZINNIA.**

In perfection of form and coloring, the flowers of the double Zinnia rival the Dahlia, while it has a much longer blooming season. By sowing in the house and transplanting when the ground becomes warm, they may be brought into flower very early, continuing in full bloom until killed by frost. It is of branching habit, and grows, by the end of the season, to quite a large bush, every stem with a flower. Half-hardy annual. Height, two to three feet. Finest mixed double, 5 cts. per pkt.

The words "THOROUGHbred SEEDS" are the exclusive property of Geo. Tait & Sons, by authority of the U. S. Patent Office, and their use by any other persons in connection with the sale of seeds is an infringement of copyright, which renders the violators liable to prosecution.

1903  INDEX  1903

**Vegetables.**

|                     |    |
|---------------------|----|
| Artichoke           | 6  |
| Artichoke Roots     | 6  |
| Asparagus           | 4  |
| Asparagus Roots     | 5  |
| Beans, Snap or Bush | 6  |
| Beans, Running      | 8  |
| Beans, Lima         | 9  |
| Beet                | 10 |
| Broccoli            | 12 |
| Brussels Sprouts    | 13 |
| Cabbage             | 13 |
| Cardoon             | 22 |
| Carrot              | 19 |
| Cauliflower         | 20 |
| Celeriac            | 22 |
| Celery              | 22 |
| Chard, Swiss        | 10 |
| Chervil             | 20 |
| Chicory             | 20 |
| Collards            | 22 |
| Corn                | 24 |
| Corn, Field         | 69 |
| Corn Salad          | 26 |
| Cress               | 26 |
| Cucumber            | 26 |
| Dandelion           | 28 |
| Egg Plant           | 29 |
| Endive              | 29 |
| Garlic              | 30 |
| Kale                | 30 |
| Kohl Rabi           | 31 |
| Leek                | 33 |
| Lettuce             | 31 |
| Mangel-Wurzel       | 33 |
| Martynia            | 33 |
| Melon, Musk         | 34 |
| Melon, Water        | 36 |
| Mushroom Spawn      | 39 |
| Mustard             | 40 |
| Okra                | 40 |
| Onion               | 41 |
| Onion Sets          | 43 |
| Parsley             | 44 |
| Parsnip             | 44 |
| Peas                | 44 |
| Peas, Field         | 72 |
| Pepper              | 48 |
| Pie Plant           | 52 |
| Pop Corn            | 26 |
| Pumpkin             | 49 |
| Radish              | 49 |
| Rape                | 51 |
| Rhubarb             | 52 |
| Rhubarb Roots       | 52 |
| Salsify             | 52 |
| Spinach             | 52 |
| Spring Sprouts      | 30 |
| Squash              | 53 |
| Swiss Chard         | 10 |
| Tobacco             | 58 |
| Tomato              | 54 |
| Turnip              | 57 |
| Vegetable Oyster    | 52 |

**Herbs.** 59

**Clovers.**

|                    |    |
|--------------------|----|
| Alfalfa            | 64 |
| Alsike Clover      | 65 |
| Japan Clover       | 65 |
| Italian or Crimson | 64 |
| Large Red Clover   | 64 |
| Medium Red Clover  | 63 |
| White Dutch Clover | 64 |

**Grasses.**

|                  |    |
|------------------|----|
| Blue Grass       | 66 |
| Johnson Grass    | 67 |
| Lawn Grass       | 61 |
| Meadow Fescue    | 67 |
| Meadow Oat, Tall | 67 |
| Orchard          | 66 |
| Perennial Rye    | 66 |
| R. I. Bent       | 67 |
| Red-Top Herd's   | 65 |
| Timothy          | 65 |

**Field Corns.** 69

**Millet** 68

**Sorghums.** 71


**Miscellaneous Seeds.**

|                      |    |
|----------------------|----|
| Beans, Soja          | 73 |
| Beans, White or Navy | 75 |
| Bird Seed            | 75 |
| Broom Corn           | 75 |
| Buckwheats           | 72 |
| Canada Field Peas    | 72 |
| Canary Seed          | 75 |
| Flax                 | 74 |
| Giant Beggar Weed    | 73 |
| Hemp                 | 75 |
| Kaffir Corn          | 71 |
| Maw                  | 75 |
| Millo Maize          | 71 |
| Mixed Bird Seed      | 75 |
| Osage Orange         | 75 |
| Rape                 | 75 |
| Sainfoin             | 73 |
| Soja Beans           | 73 |
| Sugar Cane           | 74 |
| Sunflower            | 74 |
| Teosinte             | 72 |
| Sand Vetch           | 74 |
| Velvet Bean          | 72 |
| White Beans          | 75 |
| Wild Rice            | 74 |

**Flower Seeds.**

|                         |    |
|-------------------------|----|
| Abronia Umbellata       | 77 |
| Acroclinium             | 77 |
| Ageratum Mexicanum      | 77 |
| Alyssum Sweet           | 77 |
| Amaranthus Caudatus     | 77 |
| Amaranthus Globosus     | 77 |
| Amaranthus Salicifolius | 77 |
| Amaranthus Tricolor     | 78 |
| Antirrhinum             | 77 |
| Asters                  | 78 |
| Balloon Vine            | 78 |
| Balsam                  | 78 |
| Balsam Pear             | 78 |
| Browallia               | 79 |
| Calliopsis              | 79 |
| Callirhoe Involucrata   | 79 |
| Candytuft               | 79 |
| Canna                   | 79 |
| Canterbury Bells        | 79 |
| Carnations              | 80 |
| Chrysanthemums          | 80 |
| Cineraria               | 79 |
| Clarkia                 | 79 |
| Cobæa Scandens          | 79 |
| Cockscomb               | 79 |
| Coleus                  | 80 |
| Columbine               | 80 |

|                    |    |
|--------------------|----|
| Collinsia          | 80 |
| Convolvulus        | 81 |
| Coreopsis          | 80 |
| Cosmos             | 80 |
| Cypress Vine       | 81 |
| Dahlia             | 81 |
| Daisy              | 81 |
| Datura             | 81 |
| Dianthus           | 81 |
| Dishcloth Gourd    | 81 |
| Dolichos Lablab    | 82 |
| Dusty Miller       | 82 |
| Eschscholtzia      | 82 |
| Evening Glory      | 82 |
| Evening Primrose   | 82 |
| Everlastings       | 82 |
| Feverfew           | 82 |
| Forget-Me-Not      | 82 |
| Four O'clock       | 82 |
| Foxglove           | 82 |
| Gaillardia         | 82 |
| Geranium           | 82 |
| Gilia              | 83 |
| Godetia            | 83 |
| Golden Feather     | 86 |
| Gourds, Ornamental | 83 |
| Helichrysum        | 83 |
| Heliotrope         | 83 |
| Hollyhock          | 83 |
| Hyacinth Bean      | 83 |
| Ice Plant          | 83 |
| Lantana            | 83 |
| Larkspur           | 83 |
| Lobelia            | 83 |
| Lupinus            | 84 |
| Lychnis            | 84 |
| Marigold           | 84 |
| Matricaria         | 84 |
| Maurandia          | 84 |
| Mignonette         | 84 |
| Mirabilis Jalapa   | 82 |
| Moon Flower        | 84 |
| Morning Glory      | 84 |
| Nasturtium         | 84 |
| Nemophilla         | 85 |
| Nigella            | 85 |
| Pæonia             | 85 |
| Pansy              | 85 |
| Petunia            | 85 |
| Phlox              | 86 |
| Portulaca          | 86 |
| Peas, Sweet        | 88 |
| Poppy              | 86 |
| Pyrethrum          | 86 |
| Rhodanthe          | 86 |
| Ricinus            | 86 |
| Rocket             | 87 |
| Salvia             | 87 |
| Salpiglossis       | 87 |
| Sanvitalia         | 87 |
| Scabious           | 87 |
| Scarlet Runner     | 87 |
| Senecio            | 87 |
| Sensitive Plant    | 87 |
| Silene             | 87 |
| Smilax             | 87 |
| Snapdragon         | 87 |
| Statice            | 87 |
| Stocks             | 87 |
| Sweet Sultan       | 89 |
| Sweet William      | 89 |
| Thunbergia         | 89 |
| Tropeolum          | 89 |
| Verbena            | 89 |
| Vinca              | 89 |
| Violet             | 89 |
| Virginian Stocks   | 89 |
| Viscaria           | 89 |
| Wallflower         | 89 |
| Zinnia             | 89 |





George Tait & Sons,  
1903.